Spreadsheet

💬 Non-Visible component

Category	Requires	Version
Storage	API 19, Android 4.4 - 4.4.4 KitKat	1

Overview

A non-visible component that provides access to the Airtable spreadsheet storage

Component credits: Jerin Jacob

1️⃣ **Permissions**	⌄

  • android.permission.INTERNET

Events

Cell Changed

Triggered when changing cell data. ResponseCode is a number

Params	
response Code	Number

Deleted Row By Number

Triggered when destroying a row. ResponseCode is a number

Params	
response Code	Number

Got All Rows

Triggered when getting all rows. ResponseCode is a number, ResponseContent is a string

Params	
response Code	Number
response Content	Text
total Rows	Number

Got Cell

Triggered when receiving cell data. ResponseCode is a number, the other ones are strings

Params	
response Code	Number
value	Text
row Id	Text
created Time	Text

Got Column

Triggered when receiving column data. ResponseCode is a number, the other ones are lists

Params	
response Code	Number
values	List
row Ids	List
created Times	List

Got Row

Triggered when receiving row data. ResponseCode is a number, Values is a list

Params	
response Code	Number
values	List

Row Created

Triggered when creating a row. ResponseCode is a number

Params	
response Code	Number

Row Updated

Triggered when updating a row. ResponseCode is a number

Params	
response Code	Number

Methods

Create Row

Creates a new row

Params	
column Names	List
values	List

Delete Row

Deletes the given row

Params	
row Number	Number

Get All Rows

Gets all rows

Get Cell

Gets cell data

Params	
row Number	Number
column Name	Text

Get Column

Gets column data

Params	
column Name	Text
max Record	Number

Get Row

Gets row data

Params	
row Number	Number

Set Cell

Changes the value of a cell

Params	
row Number	`Number`
column Name	`Text`
value	`Text`

Update Row by Number

Updates the given row data

Params	
row Number	`Number`
column Names	`List`
values	`List`

Properties

API Key

`Text` — `Read` `Write` - `Designer` `Blocks`

Your apiKey

Base ID

`Text` — `Read` `Write` - `Designer` `Blocks`

Table Name

`Text` — `Read` `Write` - `Designer` `Blocks`

View Name

Text Default: *Grid view* — Read Write - Designer Blocks

Last update: January 26, 2020