Master's Project Presentation



Sam Barrett, 1803086

University of Birmingham

October 27, 2020

My Topic

Applications of Genetic Algorithms on Fully Autonomous Road Networks

- Semi-autonomous vehicles are becoming more prevalent
- Roads are becoming more congested
- ► Fully autonomous vehicle trials have been legal in parts of the US since 2015[1], with the UK set to follow by next year (2021)[3]
- Much of the current research into autonomous vehicle routing focuses on environments where human drivers are still present
- By removing the human element and working on theoretical fully autonomous road networks we can make many useful assumptions about the behaviour of other vehicles
- The solution to road congestion is not to build bigger roads, it is to optimise the traffic flows.
- ▶ Just 78.2% of journeys on the UK Highway Agencies roads were *on time* in the year ending June 2014 [5]



Literature Review

I am currently intending to pursue my research assuming the absence of classical speed lanes as described in [4]. This assumption can be made as I will be working on theoretical fully autonomous road networks

I have chosen to focus on the applications of Genetic Algorithms on the field for 3 reasons:

- 1. It is a class of optimisation algorithms that I find particularly interesting
- GAs are probabilistically optimal and complete, i.e given infinite time, they will always produce the global optimal solution if such a solution exists
- 3. It is a class of algorithm that has seen relatively minimal research in my the specific sub-area

Methods

Language Choice

Not final but preliminary implementations have used Julia[2]

- C-like performance
- Python & Matlab -like syntax
- Matlab like matrices
- Allows for both OO and functional approaches to problems
- Can be compiled
- ► Allows for use of Unicode in variable & function names so implementations of advanced mathematical expressions are much more readable

```
ret = 0
```

Figure: Example Julia code

C:

- Compiles down to binary
- Antiquated syntax
- ▶ Possible (and easy) to write memory unsafe code
- ► Vast array of libraries due to age & use
- ► No functional properties, harder to implement readable mathematics

C:

- Compiles down to binary
- Antiquated syntax
- Possible (and easy) to write memory unsafe code
- ► Vast array of libraries due to age & use
- No functional properties, harder to implement readable mathematics

Python:

- Simple syntax
- Wealth of stress-tested libraries
- Slow relative to alternatives
- unable to compile to binary format
- Has some functional capabilities
- Has some static typing ability

C:

- Compiles down to binary
- Antiquated syntax
- Possible (and easy) to write memory unsafe code
- ► Vast array of libraries due to age & use
- No functional properties, harder to implement readable mathematics

Python:

- Simple syntax
- Wealth of stress-tested libraries
- Slow relative to alternatives
- unable to compile to binary format
- Has some functional capabilities
- Has some static typing ability

Rust:

- Slower to prototype in as stricter type system to guarantee memory safety
- ► Memory safe, advantage over C/C++
- ▶ Very performant, runs well on embedded systems
- Relatively large binaries due to static dependency linking
- ► Easier to package & deploy than Julia

References



https://www.ncsl.org/research/transportation/autonomous-vehicles-self-driving-vehicles-enacted-legislation.aspx.

The Julia Programming Language. https://julialang.org/.

UK wants fully autonomous cars on road. *BBC News*, Feb. 2019.

R. Kala and K. Warwick.

Motion planning of autonomous vehicles in a non-autonomous vehicle environment without speed lanes.

Engineering Applications of Artificial Intelligence, 26(5):1588–1601, May 2013.

I. A. roads travel time measures 020 7944 3095.

Reliability of journeys on Highways Agency roads, England:

April to June 2014.