Report rough plan

Sam Barrett

April 29, 2021

Contents

| 1 | Sec | tions $[1/8]$: | 2 |
|---|-----|------------------------------|--------|
| | 1.1 | [] Abstract [1/1] | 2 |
| | 1.2 | | 2 |
| | 1.3 | | 2 |
| | 1.4 | | 2 |
| | 1.5 | | 3 |
| | | | 3 |
| | | [] 0 0 0 0[/] | 3 |
| | | | 3 |
| | 1.6 | | 3 |
| | 1.0 | | 3 |
| | | | 4 |
| | | | 4 |
| | 1.7 | | 4 |
| | 1.1 | | ± 4 |
| | | | ± |
| | | t i | |
| | | () 0 0 11 | 5 |
| | | | 5 |
| | | [] | 5 |
| | | 1.7.6 [] Codebase evaluation | 5 |
| | 1.8 | [] Conclusion $[0/0]$ | 5 |

./wordcount.sh

1 Sections [1/8]:

1.1 [] Abstract [1/1]

1.2 [] Introduction [0/0]

1.3 [X] Background [0/1]

```
texcount background.tex \
    | grep "Words in text:" \
    | tail -1 \
    | cut -d : -f2 \
    | sed 's/ //g'
```

 \square Make sure all techniques used are properly documented in this section

1.4 [-] Literature Review [2/3]

- □ Bezier curves for route generation
- \boxtimes GAs for route generation
- ☐ FARNs

985

1.5 [-] Approach [1/3]

```
texcount classical_approach.tex \
    | grep "Words in text:" \
    | tail -1 \
    | cut -d : -f2 \
    | sed 's/ //g'
```

1.5.1 [] Single Agent Planning [3/4]

- □ Population encoding
- □ Population generation
- ☐ Genetic operators

1.5.2 [X] Multi-Agent Planning [2/2]

- ⊠ Collision Detection

1.5.3 [] Macro-Level Planning [3/5]

- \boxtimes Graph construction & Edge weighting + possible extensions
- □ Planning macro routes
- ⊠ grouping agents into concurrent plans
- \square Possible extensions
- ☐ Make clear what is my original work

1.6 [] Results [0/3]

1.6.1 [] Single Agent

- □ population size
- \square number of generations
- □ number of obstacles / difficulty of road space % of road space that is infeasible average number of (required) control points to plan route How close is the average fitness to optimal (straight line fitness)

| 1.6.2 [] Muiti Agent |
|--|
| \boxtimes population size |
| \boxtimes number of generations |
| \boxminus number of obstacles / difficulty of road space |
| $\hfill\Box$ number of concurrently planned agents |
| 1.6.3 [] Macro Level |
| \square population size |
| \square number of generations |
| \Box number of obstacles / difficulty of road space |
| $\hfill\Box$ number of concurrently planned agents |
| \square sparsity of graph |
| 1.7 [] Evaluation $[0/6]$ |
| texcount evaluation.tex \ |
| grep "Words in text:" \ tail -1 \ |
| cut -d : -f2 \ |
| sed 's/ //g' |
| 1.7.1 [] Genetic Algorithms |
| \boxminus Evaluation of currently implemented operators |
| ⊠ Selection |
| ⊠ Mutation |
| \Box Crossover |
| □ Fitness |

```
[] Bezier Curves

    □ Advantages

  \boxtimes Disadvantages
  \Box 
 Other operators and how they may improve
  ☐ Performance
  □ Reliability
      [] Single agent approach
  \square How well did it perform?
  \square How could it be further improved?
1.7.4
       [] Multi-agent approach
       [] macro level approach
1.7.5
1.7.6
       [ ] Codebase evaluation
  ☐ How much work was involved, size of codebase?
  \square Where does my approach fall short?
1.8
     [] Conclusion [0/0]
texcount conclusion.tex \
    | grep "Words in text:" \
    | tail -1 \
    | cut -d : -f2 \
    | sed 's/ //g'
```