Cinco Computer Consultants

Infrastructure Design Document – Internal Team

Barron Vaughn
bvaughn5@nebraska.edu
Lewis Rokke
lrokke2@nebraska.edu

University of Nebraska—Lincoln

Spring 2026
Version 3.0

This document details the features and components of the updated Cinco Computer Consultants invoicing subsystem infrastructure.

Revision History

Version	Description of Change(s)	Author(s)	Date
1.0	Initial draft of this design document	B. Vaughn & L. Rokke	2026/2/6
2.0	Updates to sections 1, 2, & 3	B. Vaughn & L. Rokke	2026/2/20
3.0	Updated Class & Design Information	B. Vaughn & L. Rokke	2026/3/13

Table of Contents

REVISION HISTORY **2**

1. INTRODUCTION **4**

1.1 PURPOSE OF THIS DOCUMENT 4
1.2 SCOPE OF THE PROJECT 5
1.3 DEFINITIONS, ACRONYMS, ABBREVIATIONS 6
1.3.1 Definitions *6*
1.3.2 Abbreviations & Acronyms *6*

2. OVERALL DESIGN DESCRIPTION **6**

2.1 COMPONENT BREAKDOWN 6
2.1.1 Electronic Data Interchange *6*
2.1.2 Object Hierarchy Design *7*
2.1.3 Reporting *7*
2.1.4 Data Persistence *7*
2.1.5 Data Structure?? *7*
2.2 ALTERNATIVE DESIGN OPTIONS 7

3 DETAILED COMPONENT DESCRIPTION **8**

3.1 DATABASE DESIGN 8
3.1.1 Component Testing Strategy *8*
3.2 CLASS/ENTITY MODEL 9
3.2.1 The Item Hierarchy *9*
3.2.2 Business Entities *10*
3.2.3 System Drivers *11*
3.2.4 Component Testing Strategy *12*
3.3 DATABASE INTERFACE 12
3.3.1 Component Testing Strategy *13*
3.4 DESIGN & INTEGRATION OF A SORTED LIST DATA STRUCTURE 13
3.4.1 Component Testing Strategy *13*

4. CHANGES & REFACTORING **14**

5. ADDITIONAL MATERIAL **14**

BIBLIOGRAPHY **15**

1. Introduction

Cinco Computer Consultants (CCC) is a regional computing services company providing support to businesses including equipment and other services such as training, consultations, and licenses. Currently CCC is redesigning its internal system that handles invoices and billing, colloquially referred to as the 'Invoice Subsystem'. The infrastructure overhaul detailed in this document was initiated by CCC CEO Dr. Steve Brule.

The primary function of the Invoice Subsystem is to process transactions for clients. Each invoice is uniquely identified and records creation date, customer information, salesperson, and a collection of billed items. To provide functionalities for all aspects of CCC's business model, the Invoice Subsystem will handle three distinct categories of items, each with specific billing rules.

- **Equipment:** Physical products sold or leased to clients. Purchased equipment is billed by multiplying price per unit by requested quantity. Leased equipment is billed for a specific number of months, with the monthly cost calculated as the purchase price plus a 50% markup, amortized over a 36-month period. Clients are invoiced only for the initial month of the lease.
- **Services:** Consultations, training, and troubleshooting provided by a CCC consultant. Services are billed using an hourly rate multiplied by the number of billable hours, plus a flat $125 service fee.
- **Licenses:** Software, service hosting, and third-party subscriptions. Licenses are billed based on their effective dates. The cost is calculated by taking the number of active days divided by 365, multiplied by an annual license fee, plus a unique flat service fee.

Additionally, the Invoice Subsystem automatically calculates the appropriate taxes based on the items purchased.

- **Purchased Equipment:** Subject to a 5.25% tax.
- **Leased Equipment:** Taxed based on the total lease price. Leases under $2,000 are not taxed. Leases between $2,000 and $6,999.99 incur a flat $175 tax. Leases of $7,000 or more receive a flat $350 tax.
- **Services:** Subject to a 3.15% tax.
- **Licenses:** Tax exempt.

1.1 Purpose of this Document

This document outlines the technical design details, data models, and business logic for the Cinco Computer Consultants (CCC) Invoice Subsystem. Its purpose is to serve as a

blueprint for the system's design, ensuring that the software development is both maintainable and reproducible. The intended audience for this document includes software engineers, database administrators, application testers, and other technical staff responsible for maintaining the application.

1.2 Scope of the Project

This project is limited to the development of the invoice subsystem for CCC. The application parses flat-file data and instantiates it into an object-oriented model. It then applies business logic to calculate billing and taxes, which are then used to generate summary reports. Finally, the system uses a database connection to persist these modeled objects into a relational database for future access.

Broadly, this project covers:

- Data interchange: Parsers to handle files and exporting data to formats such as XML and JSON.
- Object Modeling: Objects to model distinct business entities including *Persons*, *Companies*, and *Items.*
- Billing Logic: Implementations of company billing policies regarding equipment purchases, leases, and licensing fees, including relevant tax details.
- Reporting: Tools for creating reports summarizing information for all areas of the invoice subsystem, formatted for usability.
- Data Structure: A sorted list data structure used for organizing business records
- Database: Relational database modeling important aspects of the invoice system, including the ability to persist data

This project does *not* cover:

- Development of independent systems for areas such as inventory management or sales
- Data migration from legacy to updated systems
- Development of a Graphical User Interface (GUI)

1.3 Definitions, Acronyms, Abbreviations

1.3.1 Definitions

- Amoritization: Breaking up the cost of an asset by paying for it in installments over a specific length of time

1.3.2 Abbreviations & Acronyms

- CCC: Cinco Computer Consultants
- EDI: Electronic Data Interchange
- JSON: JavaScript Object notation
- XML: eXtensible Markup Language
- UUID: Universally Unique Identifier
- OOP: Object Oriented Programming
- JDBC: Java Database Connectivity API

---

2. Overall Design Description

The CCC invoice system has been developed to provide several important capabilities. The system is ultimately designed to transition legacy flat-file data into an object-oriented ecosystem capable of handling billing logic, generating formatted reports, and persisting data to a database backed by a custom data structure.

2.1 Component Breakdown

The core components and design details of each aspect of the system are detailed below.

2.1.1 Electronic Data Interchange

To modernize CCC's data handling, the application uses dedicated loading and persistence classes to read flat CSV files, instantiating objects based on information from those files, and exporting them to the following formats:

- XML: Generated using the XStream library, using the libraries' aliasing feature to ensure human readability.
- JSON: Generated using the Gson library, formatted with the libraries' 'pretty printing' feature for readability.

2.1.2 Object Hierarchy Design

The Invoice Subsystem translates parsed data into an object-oriented model that represents CCC's real world operations. The system is designed to categorize entities into core business components: corporate clients (Companies), individual contacts (Persons), transactional records (Invoices), and billable items (Items). These models encapsulate all business logic, including the calculation of markups, amortizations, service fees, and taxes, meaning they act as the 'bridge' between data interchange and persistence.

2.1.3 Reporting

To provide insights into CCC's financial transactions, the Invoice Subsystem features a reporting function. This component processes the modeled invoice data and their associated line items to calculate final totals, taxes, and fees. The system is designed to generate three formatted summaries.

- Invoice Summary: Overview of all invoices alongside price totals
- Company Invoice Summary: Breakdown of invoice totals and transaction histories grouped by each client
- Detailed Invoice Report: List of all individual invoices, detailing each billed item, total costs, and specific terms (e.g. lease periods, license dates)

2.1.4 Data Persistence

To transition away from flat-file storage, the Invoice Subsystem uses a relational database hosted on a remote server. The Invoice Subsystem interfaces with this database via the Java Database Connectivity (JDBC) API. This API supports all functions necessary to insert, manipulate, and retrieve data to allow for the Invoice Subsystem to instantiate objects from database records while enforcing data integrity.

2.1.5 Data Structure??

TODO

2.2 Alternative Design Options

During the design process of the Invoice Subsystem, several alternative implementation strategies were compared. The following are examples of alternative design approaches that were considered, and would be valid, but were ultimately decided against.

1. Tax Calculation Placement

The Invoice Subsystem could have used a single, centralized *TaxCalculator* utility class. The *Invoice* would pass each item to this calculator, which would then use *instanceof* checks to determine if the item was a *Lease*, *Purchase*, or *Service* and apply the appropriate tax calculation. Tax logic is instead strictly encapsulated within transactional classes (e.g. the *Lease* class inherently knows its own tax rules and is calculated in the 'getters' of that class). This was chosen as having a centralized calculator would have violated the principles of the object-oriented model.

2. Invoice Linking

The *Invoice* class could have simply stored the String UUIDs of the customer, salesperson, and items, exactly as they appear in an incoming CSV file. Instead, the *Invoice* class stores the actual *Company*, *Person*, and *InvoiceItem* objects themselves. If the *Invoice* only stored UUID strings, the reporting driver would have to constantly search through lists of companies and people to find the matching names each time it printed a line. Storing the actual objects inside the *Invoice* makes report generation significantly simpler.

---

3 Detailed Component Description

This section will provide a technical breakdown of the following components:

- The class entity hierarchy modeling all business entities while adhering to the Single Responsibility Principle
- The database interface used to facilitate communication data persistence
- The relational database used for data persistence, including database design and testing
- The Sorted List Data Structure used to organize and sort data
- Testing methodology and execution for all previous components to ensure reliability

3.1 Database Design

3.1.1 Component Testing Strategy

[This section will describe your approach to testing this particular component. Describe any test cases, unit tests, or other testing components or artifacts that you developed for this component. How was test data generated (if a tool was used, this is a good

opportunity for a citation). How many test cases did you have; how many of each type? Justify why that is sufficient. What were the outcomes of the tests? Did the outcomes affect development or force a redesign?

You may refer to the course grader system as an external testing environment "provided by the client" or "another QA/testing team".]

3.2 Class/Entity Model

The CCC invoice system is built with an object-oriented class and entity model. Since CCC processes various transaction types, a standard procedural design would be fragile and overly complex. The Invoice Subsystem instead uses encapsulation and inheritance to directly model specific business entities. As introduced in Section 2, this design ensures that the reporting driver and database components interact with a uniform set of objects. The following section breaks down each area of the class/entity model, detailing each class and their relations to one another.

3.2.1 The Item Hierarchy

[1]



Figure 1: PlantUML Diagram of the Item class and its subclasses

The Invoice Subsystem processes distinct item types: Licenses, Services, and Equipment, each operating under a different set of rules.

- *Item* (Base Class): Acts as the super class defining UUID and name across all entities.

---

[1] *Note that on diagram graphics, not all relations are shown for readability purposes. For example, the BilledService and BilledLicense (which will be shown in future diagrams) classes contain their respective Service and License type, but these connections are not shown in Figure 1.*

- *Equipment*: Extends *Item* to encapsulate the specific physical item attribute of *pricePerUnit*. In addition, the *Equipment* class has two subclasses:
    - *Purchase*: Contains a piece of *Equipment* alongside the quantity purchased, including the application of a 5.25% sales tax.
    - *Lease*: Contains a piece of *Equipment*, the quantity, and the term in months. Includes the 36-month amortization logic and the tiered tax brackets required
- *Services*: Extends *Item* to handle *hourlyRate*, required for calculating costs
- *License*: Extends *Item* to handle software and subscriptions having states for *annualFee* and *serviceFee*.

By defining an abstract class to handle these subclasses, the system can now process lists mixed with item types, relying on overridden subclass rules to store and execute operations specific to subclasses.

3.2.2 Business Entities



Figure 2: PlantUML diagram showing business entities and their relationships

The Invoice Subsystem requires modeling of the corporate clients, individual contacts and transactional records.

- *Persons*: Encapsulates individual contact details, including a list of email addresses.

- *Address*: Encapsulates street, city, state, and zip data, designed to be used by multiple classes.
- *Company*: Represents a corporate client, incorporating an *Address* object and a *Person* object to represent the primary contact, demonstrating a “has-a” relationship.
- *Invoice*: Central transactional entity, linking a customer (*Company*), a salesperson (*Person*), and a list of *InvoiceItems* (interface) .
- *BilledService*: An entity linking a *Service* to a *Person* performing the work and the number of billed hours.
- *BilledLicense*: An entity containing a *License* alongside its effective start and end dates.

This design enables the Invoice Subsystem to process complex invoices and calculate totals without relying on specific underlying item types.

3.2.3 System Drivers



Figure 3: System Driver classes and their methods

The Invoice Subsystem requires several drivers to execute necessary functionality. To adhere to the methodology of single responsibility, data loading, persistence, conversion, and reporting is separated.

- *DataLoader*: Parses flat CSV files, generating appropriate objects, making appropriate associations where necessary (i.e linking a *Person* object to a *Company* contact field).

- *DataPersister*: Takes collections of objects and serializes them into XML and JSON file outputs.
- *DataConvertor*: The main driver of the application, retrieving flat files and calling previous methods to load and process them.
- *InvoiceReport*: The main driver for reporting, calling methods that generate the Invoice Summary, Company Breakdown, and Detailed Invoice List reports.

3.2.4 Component Testing Strategy

The main approach for validating the class hierarchy and business entity model utilizes the JUnit testing framework. Testing focuses mostly on verifying business logic, specifically the accuracy of billing and tax calculations within transactional objects. Two test suites were developed to verify different layers of the model:

- *EntityTests*: Contains unit tests for each possible transaction type: *EquipmentPurchase*, *EquipmentLease*, *Service*, *License*. These tests verify that the *getCost()*, *getTax(),* and *getTotal()* methods return accurate values for individual items.
- *InvoiceTests*: Contains integration tests that aggregate multiple *InvoiceItem* objects into a single *Invoice* to verify the accurately of calculations and object associations across mixed lists

Additionally, testing data was generated using tools such as Mockaroo and generatedata as well as created manually to ensure coverage of all business rules. Integrated test cases ensure quality as they are designed to target all logical branches and edge cases within billing requirements. For example, specific test cases were created to trigger the different tax brackets for leased equipment (under $2,000, between $2,000 and $6,999.99, and $7,000 or above).

Alongside internal JUnit suites, the compiled object model and business logic was submitted to an external quality assurance team that verified functionality and accuracy.

3.3 Database Interface

[This section will be used to detail phase IV where you modify your application to read from a database rather than from flat files. This section will detail the API that you designed–how it conformed to the requirements, how it worked, other tools or methods that you designed to assist, how it handles corner cases and the expectations or restrictions that you've placed on the user of the API. What is "good" data and what is considered "bad" data and how does your API handle it? An example table is presented as Table 1.]

Table 1: Average Performance on Assignments; on-time vs. late and individual vs partners. In general, captions for Tables should appear above the table. This is an example of how to format and present a table in a document.

	1	2	3	4	5	6	7
On-time	93.16% (78.46%)	88.06% (72.31%)	87.89% (67.69%)	89.37% (56.92%)	83.42% (29.23%)	88.40% (53.85%)	74.56% (75.38%)
Late	88.75% (12.31%)	85.28% (20.00%)	70.32% (15.38%)	90.40% (15.38%)	82.74% (44.62%)	94.22% (15.38%)	N/A
Diff	4.42%	2.79%	17.57%	1.03%	0.68%	5.82%	-
Individual	NA	88.43% (73.85%)	82.32% (33.85%)	87.22% (27.69%)	86.40% (23.08%)	82.67% (26.15%)	
Pairs	NA	83.55% (18.46%)	86.22% (49.23%)	91.00% (46.15%)	78.53% (49.23%)	92.83% (46.15%)	
Diff	NA	4.88%	3.90%	3.78%	7.87%	10.16%	

3.3.1 Component Testing Strategy

[This section will describe your approach to testing this particular component. Describe any test cases, unit tests, or other testing components or artifacts that you developed for this component. How was test data generated (if a tool was used, this is a good opportunity for a citation). How many test cases did you have; how many of each type? Justify why that is sufficient. What were the outcomes of the tests? Did the outcomes affect development or force a redesign?

You may refer to the course grader system as an external testing environment "provided by the client" or "another QA/testing team".]

3.4 Design & Integration of a Sorted List Data Structure

[This section will be used to detail phase V where you design and implement a custom data structure and integrate it into your application. Is your list node based or array based? What is its interface and how does it define a sorted list? Is it generic? Why? You can/should provide another UML diagram for this list.]

3.4.1 Component Testing Strategy

[This section will describe your approach to testing this particular component. Describe any test cases, unit tests, or other testing components or artifacts that you developed for this component. How was test data generated (if a tool was used, this is a good opportunity for a citation). How many test cases did you have; how many of each type? Justify why that is sufficient. What were the outcomes of the tests? Did the outcomes affect development or force a redesign?

You may refer to the course grader system as an external testing environment "provided by the client" or "another QA/testing team".]

4. Changes & Refactoring

[During the development lifecycle, designs and implementations may need to change to respond to new requirements, fix bugs or other issues, or to improve earlier poor or ill-fitted designs. Over the course of this project such changes and refactoring of implementations (to make them more efficient, more convenient, etc.) should be documented in this section. If not applicable, this section may be omitted or kept as a placeholder with a short note indicating that no major changes or refactoring have been made.]

5. Additional Material

[This is an optional section in which you may place other materials that do not necessarily fit within the organization of the other sections.]

Bibliography

[This section will provide a bibliography of any materials, texts, or other resources that were cited or referenced by the project and/or this document. You must consistently use a standard citation style such as APA [1] or MLA.]

[1] APA 6 – Citing Online Sources. (n.d.). Retrieved March 19, 2021, from https://media.easybib.com/guides/easybib-apa-web.pdf

[2] Eckel, B. (2006). Thinking in Java (4th ed.). Prentice Hall.

[3] Internet Goons. Do I cast the result of malloc? http://stackoverflow.com/questions/605845/do-i-cast-the-result-of-malloc. [Online; accessed September 27, 2015].