ADC-Project 2025/2026, 2º Semester
Individual Evaluation Exercise

Individual Evaluation Exercise: Requirements and Specification

1. Requirements and Specifications

For the required exercise, students will develop a project following the **mandatory functional requirements** described in this document. Beyond the compliance with the mandatory requirements, each student is free to add additional features considered interesting to further demonstrate their learning achievements.

Application to be Developed

The application will include two main components (as described below):

- **CLIENT component**
- **CLOUD-ENABLED SERVER component**

1.1 Cloud-Enabled Server Component (or Cloud Service Component)

The server component **must** be deployed in a cloud environment using:

- Google **App Engine** for application execution
- Google Firestore database in **Datastore** mode for persistent storage

Optionally, the solution **may** also use:

- Google **Cloud Storage** for additional data storage

The server component must support **REST endpoints** to handle remote operations requested by the client-side component. The specification of the required REST operations is provided in Section 2.

1.2 Client-Side Component (or Client-Side Tester Component)

The client-side component will be used primarily for testing and demonstrating the REST operations supported by the server component.

1.2.1 Testing tools

To test REST (POST-based) operations, students may use different strategies (as introduced in class):

- Use of Postman
- Optionally, use of command-line tools (such as curl), which can be installed on Linux or macOS, or used in Windows via WSL. The curl command-line tool is also available for Windows, as it has been built in since the April 2018 update (Windows 10) and is included by default in Windows 11.

Example:
Using curl to Test a Remote POST REST Operation in a ref. URL:

```
$ curl -X POST -d '{ id: "9", "name": "hj"}' -H 'Content-Type: application/json' http://xxxxx:port/rest/foos/new
```

In this example, **id** and **name** are sent as input parameters in the request body as JSON properties, similarly to what we have seen with Postman. Se other useful links if you want to use curl in command-line tool

- https://curl.se/download.html
- Modern Windows 10/11 also includes a native curl.exe in C:\Windows\System32, which can be accessed directly from Command Line
- See examples for Windows in the Annex.

1.2.2 Automatic Tests

To automate testing of multiple POST REST endpoints (instead of invoking a single request each time), you can:

- Use **Collections in Postman**
- Create scripts using curl:
    - Batch (.bat) scripts for Windows
    - Shell scripts for Linux/macOS
- See other additional examples in the **Annex** for testing if you want to implement automatic test scripts.

2. REST operations that must be supported

2.1 Rest Operations

All operations to be implemented must be supported using **POST requests.** The operation is part of the endpoint URL while the structure of the data sent with the request depends on whether a token is required to make proof of an authenticated access. Operations will have the following generic structure:

Operations **not requiring JSON Tokens** to be executed:

- **operation**: operation identifier (<opid>)
- **input**: JSON input data (arguments for the POST operation)
- **output**: JSON result data (returned by POST operation)

Operations **requiring JSON Tokens to be executed** in the context of authenticated sessions:

- **operation**: operation identifier (<opid>)
- **input**: JSON input data (arguments for the POST operation) and JSON-Tokens obtained for authenticated sessions
- **output**: JSON result data (returned by POST operation)

  Obs) JSON tokens provided as input in authenticated requests must have been returned by the server component after a successful authentication, as result of a previous successful LOGIN REST POST operation.

For your exercise you will develop **10 (Ten) REST POST Operations** supported in you cloud-enabled server-side component (with endpoints defined form the root of your endpoints), as defined in the next table:
All operations must use **/rest/** as root (meaning that all REST operations will be accessible after the remote cloud deployment in an URL as follows: **https://<applicatonURL>rest/<operation>**

Op. ID	Rest operation	Endpoint	Description	Requires input token ?
Op1	CreateAccount	`/createaccount`	Creates a user account (as registered account), given input attributes	No
Op2	Login	/`login`	Authenticates a user with a registered account and creates na authenticated session	No
OP3	ShowUsers	/`showusers`	Shows all users in registered accounts	Yes
Op4	DeleteAccount	/`deleteaccount`	Delete account	Yes
Op5	ModifyAccountAttributes	/`modaccount`	Modify one or more attributes in registered accounts	Yes
Op6	ShowAuthenticatedSessions	`/showauthsessions`	Show all authenticated sessions	Yes
Op7	ShowUserRole	`/showuserrole`	Show the role attribute of a user	Yes
Op8	ChangeUserRole	`/changeuserrole`	Changes the role of a user in its registration account	Yes
Op9	ChangeUserPassword	`/changeuserpwd`	Change a user password	Yes
Op10	Logout	`/logout`	Logout form an authenticated session	Yes

2.2 Rest Operations and Input/Output Specifications

General Rules

All operations use **HTTP POST**, with the following formats:

Request format:

```
{
  "input": { ... },
  "token": { ... }   // Only when required
}
```

Response format on success

```
{
  "status": "success",
  "data": { ... }
}
```

Response format on error:

```
{
  "status": "<error>",     // <error> is the error code
  "data": "<string>"       // the <string> is the error-message (corresponding to the code)
}
```

JSON Token Structure

```
{
  "tokenId": "string",  // Generated randomly when token is created
  "username": "string",
  "role": "ADMIN | BOFFICER | USER",
  "issuedAt": timestamp,    // integer representation of timestamp in issuing time
  "expiresAt": timestamp    // integer representation of timestamp for expiration time
}
```

We suggest to use 15 minutes (equivalemt to 900 seconds) for expiration of tokens after the issuing time

Ex: expiresAt = issuedAt + 900 seconds or 900000 milliseconds)

Remember that to compute time() in Java you can use a code like this:

```
import java.time.Instant;
public class Main {
        public static void main(String[] args) {´
        long seconds = System.currentTimeMillis() / 1000;     // to obtain seconds from milliseconds
        System.out.println(seconds);
        }
}
```

Note that when a token is generated by the server-side (on a successful login operation), the token returned in the login operation must be also stored in a database (server-side) where you must manage persistently all issued tokens corresponding to authenticated user sessions. Tokens will be removed from this database in the logout operation.

Also note that all created accounts must be stored and managed in a database (server-side) where you will persistently maintain its relevant attributes. Username will be used (as you can find next for different operations) as the user identifier. We suggest to use a string with a format similar to emai addresses (ex., john@adc.pt) and wil be used as a unique identifier for each user and user accounts.

2.3 Rest Operations and Error Coding

Descriptions and Common Error Codes

Error	Error Code	Error Message
INVALID_CREDENTIALS	**9900**	The username-password pair is not valid
USER_ALREADY_EXISTS	**9901**	Error in creating an account because the username already exists
USER_NOT_FOUND	**9902**	The username referred in the operation doesn’t exist in registered accounts
INVALID_TOKEN	**9903**	The operation is called with an invalid token (wrong format for example)
TOKEN_EXPIRED	**9904**	The operation is called with a token that is expired
UNAUTHORIZED	**9905**	The operation is not allowed for the user role
INVALID_INPUT	**9906**	The call is using input data not following the correct specification
FORBIDDEN	**9907**	The operation generated a forbidden error by other reason

Nota importante:

Quando estes erros são retornados numa dada operação REST o código da operação ainda devolve 200 OK. Isto é, a devolução de um erro ainda é um resultado válido ao nível HTTP, só que codificando uma situação de erro no processamento das operações.

2.4 Rest Operations: Returned Error Codes for Different operations

- **The REST operations must satisfy the specification of the following table**
- **Important requirements:**
  - **All created accounts and attributes (in op1 operation) must be maintained persistently in cloud-side database, and removed only in operations removing the accounts (op4 operation)**
  - **All tokens generated on a successfully login operation corresponding authenticated sessions (in op2 operation), must be maintained persistently in cloud-side database for checking purposes on operations called in the respective authenticated sessions. Tokens must be deleted from the database after a successfully logout operation (op10 operation) or after deleting the respective accounts (op4 operation)**

The next table is a reference guide to follow, to manage possible errors that can be returned in the context of different operations

Op.Id	Endpoint	Input Json	Output Json	Errors (depending on the situation)

Op1	CreateAccount	{
		"input": {
		"username": "string",
		"password": "string",
		"confirmation": "string",
		"phone": string,
		"address": string”
		"role": "USER|BOFFICER|ADMIN"
		}
		}
		
		Notes: username: use e email address format for username (ex: xp@adc.pt)
			{
			"status": "success",
			"data": {
			"username": "string",
			"role": "USER|BOFFICER|ADMIN"
			}
			}
				USER_ALREADY_EXISTS
				INVALID_INPUT

Op2	Login	{
		"input": {
		"username": "string",
		"password": "string"
		}
		}
		
		Notes: username: use e
		email address for login
		(ex: xp@adc.pt)
			{
			"status": "success",
			"data": {
			"token": {
			"tokenId": "string",
			"username: "string",
			"role": "USER”|”ADMIN”|BOFFICER",
			"issuedAt": timestamp,
			"expiresAt": timestamp
			}
			}
			}
			
			Notes:
			username: use email address format for
			username (ex: xp@adc.pt)
			timestamp: return as integer
				INVALID_CREDENTIALS
				USER_NOT_FOUND

Op3	ShowUsers	{
		"input": {},
		"token": { ... }
		}
			{
			"status": "success",
			"data": {
			"users": [
			{
			"username": "string",
			"role": ”USER”|”ADMIN"|
			“BOFFICER”
			}
			]
			}
			}
			
			Notes: username: use email address
			format for username (ex: xp@adc.pt)
				INVALID_TOKEN
				INVALID_TOKEN
				TOKEN_EXPIRED
				UNAUTHORIZED

Op4	DeleteAccount	{
		"input": {
		"username": "string"
		},
		"token": { ... }
		}
		
		Notes: username: use email address format for username (ex: xp@adc.pt)
			{
			"status": "success",
			"data": {
			"message": "Account deleted successfully"
			}
			}
				USER_NOT_FOUND
				INVALID_TOKEN
				TOKEN_EXPIRED
				UNAUTHORIZED
				FORBIDDEN

Op5	ModifyAccountAttributes	{
		"input": {
		"username": "string",
		"attributes": {
		"phone": "string",
		"address": "string"
		}
		},
		"token": { ... }
		}
		
		Notes: username: use email address format for username (ex: xp@adc.pt)
			{
			"status": "success",
			"data": {
			"message":"Updated successfully"
			}
			}
				USER_NOT_FOUND
				INVALID_TOKEN
				TOKEN_EXPIRED
				UNAUTHORIZED
				INVALID_INPUT
				FORBIDDEN

Op6	ShowAuthenticatedSessions	{
		"input": {},
		"token": { ... }
		}
			{
			"status": "success",
			"data": {
			"sessions": [
			{
			"tokenId": "string",
			"username": "string",
			"role": "string",
			"expiresAt": "timestamp"
			}
			]
			}
			}
			
			Notes: username: use email address format for username (ex: xp@adc.pt)
			
			timestamp: return as integer
				INVALID_TOKEN
				INVALID_TOKEN
				TOKEN_EXPIRED
				UNAUTHORIZED
				FORBIDDEN

Op7	ShowUserRole	{
		"input": {
		"username": "string"
		},
		"token": { ... }
		}
		
		Notes: username: use email address format for username (ex: xp@adc.pt)
			{
			"status": "success",
			"data": {
			"username": "string",
			"role": "USER”|”ADMIN"|”BOFFICER”
			}
			}
			
			Notes: username: use email address format for username (ex: xp@adc.pt)
				USER_NOT_FOUND
				INVALID_TOKEN
				TOKEN_EXPIRED
				UNAUTHORIZED
				FORBIDDEN

Op8	ChangeUserRole	{
		"input": {
		"username": "string",
		"newRole": "USER|ADMIN|BOFFICER"
		},
		"token": { ... }
		}
		
		Notes: username: use email address format for username (ex: xp@adc.pt)
			{
			"status": "success",
			"data": {
			"message": "Role updated successfully"
			}
			}
				USER_NOT_FOUND
				INVALID_TOKEN
				TOKEN_EXPIRED
				UNAUTHORIZED
				FORBIDDEN

Op9	ChangeUserPassword	{
		"input": {
		"username": "string",
		"oldPassword": "string",
		"newPassword": "string"
		},
		"token": { ... }
		}
		
		Notes: username: use email address format for username (ex: xp@adc.pt)
			{
			"status": "success",
			"data": {
			"message": "Password changed successfully"
			}
			}
				INVALID_CREDENTIALS
				INVALID_TOKEN
				TOKEN_EXPIRED
				UNAUTHORIZED
				FORBIDDEN

Op10	Logout	{
		"input": {
		"username":"<username>"},
		"token": { ... }
		}
		
		Notes: username: use email address format for username (ex: xp@adc.pt)
			{
			"status": "success",
			"data": {
			"message": "Logout successful"
			}
			}
				INVALID_TOKEN
				TOKEN_EXPIRED
				UNAUTHORIZED
				FORBIDDEN

2.5 Rest Operations and Role-Based Access Control Policy

Operations are permitted or not allowed, depending on the role of the suer that is calling the operation (with the respective Token previously obtained in a successful login). If an operation is not allowed for the user and his/her role, the `UNAUTHORIZED error code must be returned.`

Table with Reference for Access Control

Op.Id	Endpoint	AUTHORIZED ROLES
Op1	CreateAccount	USER BOFFICER ADMIN
Op2	Login	USER BOFFICER ADMIN
Op3	ShowUsers	ADMIN BOFFICER
Op4	DeleteAccount	ADMIN
Op5	ModifyAccountAttributes	Username attribute cannot be changed (as it will be used as a primary key) USER (only can modify attributes in his/her own Account) BOFFICER (can modify attributes of his/her owned accounts or any USER accounts) ADMIN (can modify attributes of any account of any ROLE)
Op6	ShowAuthenticatedSessions	ADMIN
Op7	ShowUserRole	BOFFICER ADMIN
Op8	ChangeUserRole	ADMIN
Op9	ChangeUserPassword	USER BOFFICER ADMIN Nota: só deve ser possível a um utilizador (independentemente do seu role), mudar a password da sua própria conta
Op10	Logout	USER (only logout of his/her sessions) BOFFICE (only logout of his/her sessions) ADMIN (logout for any session)

2.6 Reference Sequence Diagrams and Execution Flows for the Required Operations

Op1. Create Account



Op2. Login + Token Creation



Op3 to Op8 : Authenticated Operation Flow (Generic Flow, here exemplified with `/showusers`))



Op9 ChangePassword



Op10 Logout



Operation flow for token validation in all operations requiring the verification of exhibited tokens and returns in case of token errors



ANNEX: Example of test scripts to test POST endpoints

To test the REST operations in your implementation, you can use tools like Postman or Curl.
However (optionally), you can also automate your tests by calling the operations not necessarily “one-by-one” but as batch of calls (which can be faster and test sets of calls in the same batch). You are also free to think on a strategy for your tests. See also the next examples on how you can create scripts for tests.

Case: Simple examples using cURL in Windows (Command-Line, Terminal)

- **Access:** Open Command Prompt or PowerShell and type curl --version to ensure it is installed.
- **Basic GET Request:** Type curl https://www.example.com to fetch the HTML content of a website.
- **API POST Request:** Use curl -X POST -d "param1=value1" https://api.example.com to send data.

Case: using PowerShell and test scripts in Windows

```
# endpoints.ps1

# Define endpoints and payloads
$tests = @(
    @{
        Name = "Create User"
        Url = "https://api.example.com/users"
        Body = @{
            name = "John"
            email = "john@example.com"
        }
    },
    @{
        Name = "Login"
        Url = "https://api.example.com/login"
        Body = @{
            username = "john"
            password = "123456"
        }
    }
)

# Headers (optional)
$headers = @{
    "Content-Type" = "application/json"
```

```
    "Authorization" = "Bearer YOUR_TOKEN_HERE"
}
# Loop through tests
foreach ($test in $tests) {
    Write-Host "Running test: $($test.Name)" -ForegroundColor Cyan

    try {
        $jsonBody = $test.Body | ConvertTo-Json -Depth 10

        $response = Invoke-RestMethod `
            -Uri $test.Url `
            -Method Post `
            -Headers $headers `
            -Body $jsonBody

        Write-Host "Response:" -ForegroundColor Green
        $response | ConvertTo-Json -Depth 10

    } catch {
        Write-Host "Error:" -ForegroundColor Red
        Write-Host $_
    }
    Write-Host "----------------------------"
}
```

How to Run

1. Save as `endpoints.ps1`
2. Open PowerShell
3. Run in your prompt (as follows)

```
// redirect the output overwriting the file
> .\endpoints.ps1 > results.txt
  // redirect the output and appends to the file
  > .\endpoibts.ps1 >> results.txt
```

```
// redirect the output and append to the file, not only the results but also errors
> .\endpoints.ps1 >> output.txt
```

If scripts are blocked in your Windows OS and PowerShell environment you can unblock with:

```
> Set-ExecutionPolicy -Scope Process -ExecutionPolicy Bypass
```

Case: using CuRL and shell test script in Linux (similar in MacOS)

```
#!/bin/bash

# File: test_endpoints.sh

# Base URL (optional)
BASE_URL="http://localhost:8080/api"

# Function to execute POST requests
call_endpoint() {
  NAME=$1
  URL=$2
  DATA=$3

  echo "============================="
  echo "Running test: $NAME"
  echo "POST $URL"
  echo "Payload: $DATA"

  RESPONSE=$(curl -s -X POST "$URL" \
    -H "Content-Type: application/json" \
    -d "$DATA")

  echo "Response:"
  echo "$RESPONSE"
  echo ""
}

# ---- TEST CASES ----
```

```
call_endpoint "Create User" \
  "$BASE_URL/users" \
  '{"name":"John","email":"john@example.com"}'

call_endpoint "Login" \
  "$BASE_URL/login" \
  '{"username":"john","password":"123456"}'

call_endpoint "Create Order" \
  "$BASE_URL/orders" \
  '{"userId":1,"product":"Book","quantity":2}'

echo "All tests completed."
```

How to have permissions for execution of test_endpoints.sh

$ chmod +x test_endpoints.sh

To run:
$ test_endpoints.sh