

34820280



(208) 772-4004 Office • (800) 772-4901 Toll Free • (208) 772-4892 Fax • (509) 535-5554

Name Ethan & Alysa Andersen		E-mail Address E.LEE.ANDERSEN@GMAIL.COM		Appt. Date 06/23/2025	
Mailing Address		City	State	Zip	Phone (H)
Physical Address 6823 E Elk Chattaroy Rd		City Chattaroy	State WA	Zip 99003	Cell (509) 590-3586

WATER ANALYSIS

Water Supply: ☐ Municipal
☒ Private Well
☐ Community Well
☐ Lake Water System

Water Quality

Hardness 5 gpg
 Iron (fe++) 4 (Clear) ppm
 Iron (fe+++) ppm
 = Compensated Hardness 20 ppm
 PH 6.3

T.D.S. 170
 Chlorine
 Taste, Odor, Turbidity Odor
 Arsenic
 Nitrates
 Other

INSTALLATION

Pre-Plumbed ☐
 Rough In ☒
 Drain Connection Floor Drain

Pipe Size 1"
 Type Pex
 Hose Bibs Raw
 Pre-Filter N/A
 Post-Filter N/A
 Type of Salt Diamond Crystal Solar Salt Blue Bag Only
 Brine Tank Size STD ☒ 11x11x36 ☐
 New ☒ Replacement ☐

Equipment Location:

Working Water Mech Room
 Drinking Water

QTY	MODEL	DESCRIPTION	PRICE
1		10x54 Sanitizer Plus with Min+	\$5,200.00

COMMENTS:

This unit will reduce Manganese, Iron, Hardness and Slight Odor.

It will NOT remove Bacteria, Color or Large amounts of Odor. If these become present additional equipment may be needed at added costs. If Odor persists a Sulfur system will be needed at added costs.

SANITIZER REQUIRES SPECIFIC "DIAMOND CRYSTAL SOLAR SALT" (BLUE BAG ONLY, NO PELLETS). INCORRECT SALT USAGE VOIDS WARRANTY.

Initial EA

SUB TOTAL\$ 5,200.00
 Tax. 3200 - SPOKANE COUNTY 8.10%421.20
 TOTAL.....\$ 5,621.20
 Less Down Payment.....0.00
 Balance Due.....Day of Install.....\$ 5,621.20

CUSTOMER IS RESPONSIBLE FOR ALL FREEZE DAMAGE. RECOMMEND HEAT TAPE AND PIPE INSULATION TO HELP PREVENT FREEZING. IF FREEZING OCCURS, WARRANTIES ARE VOID.

SANITIZER REQUIRES SPECIFIC "DIAMOND CRYSTAL SOLAR SALT" (BLUE BAG ONLY, NO PELLETS). INCORRECT SALT USAGE VOIDS WARRANTY.

A 3% FEE WILL BE CHARGED ON ALL CREDIT CARD PAYMENTS.

Purchaser EA Date 6-23-25