



(208) 772-4004 Office • (800) 772-4901 Toll Free • (208) 772-4892 Fax • (509) 535-5554

Name Jeffrey Blackwell		E-mail Address Jeblackwell@twigsbistro.com		Appt. Date 07/18/2025
Mailing Address	City	State	Zip	Phone (H)
Physical Address 10 N Indian Creek Road	City Coolin	State ID	Zip 83851	Cell (509) 218-0749

WATER ANALYSIS

Water Supply: ☐ Municipal
☒ Private Well
☐ Community Well
☐ Lake Water System

Water Quality

Hardness 1 gpg
 Iron (fe++) 8 (Color) ppm
 Iron (fe+++) ppm
 = Compensated Hardness 20 ppm
 PH 6

T.D.S. 80
 Chlorine
 Taste, Odor, Turbidity
 Arsenic
 Nitrates
 Other

INSTALLATION

Pre-Plumbed ☐
 Rough In ☒
 Drain Connection Customer To Provide

Pipe Size 1"
 Type Galv, Poly & Pex
 Hose Bibs Raw
 Pre-Filter N/A
 Post-Filter N/A
 Type of Salt Any Kind
 Brine Tank Size STD ☐ 11x11x36 ☒
 New ☒ Replacement ☐

Equipment Location:

Working Water Pit/Wishing Well
 Drinking Water

QTY	MODEL	DESCRIPTION	PRICE
1		10x44 Turbidex	\$7,000.00
1		10x44 Impressions Plus Softener With Space Saver Brine Drum	Included

COMMENTS:

This system will reduce Turbidity and Soften the water.

It will NOT remove Bacteria or Odor caused by Bacteria. If these become present in the water additional equipment may be needed at added costs.

Salt is Required
(Any Kind)

Initial

SUB TOTAL.....\$ 7,000.00
 Tax.....0.00
 TOTAL.....\$ 7,000.00
 Less Down Payment.....0.00
 Balance Due.....Day of Install \$ 7,000.00

CUSTOMER IS RESPONSIBLE FOR ALL FREEZE DAMAGE. RECOMMEND HEAT TAPE AND PIPE INSULATION TO HELP PREVENT FREEZING. IF FREEZING OCCURS, WARRANTIES ARE VOID.

SANITIZER REQUIRES SPECIFIC "DIAMOND CRYSTAL SOLAR SALT" (BLUE BAG ONLY, NO PELLETS). INCORRECT SALT USAGE VOIDS WARRANTY.

A 3% FEE WILL BE CHARGED ON ALL CREDIT CARD PAYMENTS.

Purchaser

Date 7/18/25