

35239734



(208) 772-4004 Office • (800) 772-4901 Toll Free • (208) 772-4892 Fax • (509) 535-5554

Name Cole, Ron		E-mail Address roncole17@gmail.com		Appt. Date 07/24/2025
Mailing Address	City	State	Zip	Phone (H) 208 661 7868
Physical Address 73 Raven View Dr	City Sagle	State ID	Zip 83860	Cell (208) 661-7868

WATER ANALYSIS

Water Supply: ☐ Municipal
☒ Private Well
☐ Community Well
☐ Lake Water System

Water Quality

Hardness 8 gpg
 Iron (fe++) -1 (Clear) ppm
 Iron (fe+++) ppm
 = Compensated Hardness 20 ppm
 PH 7.8

T.D.S. 200
 Chlorine
 Taste, Odor, Turbidity Turbidity & Odor
 Arsenic
 Nitrates
 Other

INSTALLATION

Pre-Plumbed ☐
 Rough In ☒
 Drain Connection Customer To Provide
 Pipe Size 1"
 Type Pex
 Hose Bibs Treated
 Pre-Filter N/A
 Post-Filter N/A
 Type of Salt N/A
 Brine Tank Size STD ☐ 11x11x36 ☐
 New ☒ Replacement ☐

Equipment Location:

Working Water Crawl Space
 Drinking Water

QTY	MODEL	DESCRIPTION	PRICE
1		10x44 Air Turbidex System	\$4,500.00
1		Discount	-\$500.00

COMMENTS:

This system will reduce Particles larger than 5 Microns, odor and Iron.

It will NOT Soften the water or remove Large amounts of Odor or Iron.

The customer has directed us to drain the water through the wall into a swell.

CUSTOMER IS RESPONSIBLE FOR ALL FREEZE DAMAGE. RECOMMEND HEAT TAPE AND PIPE INSULATION TO HELP PREVENT FREEZING. IF FREEZING OCCURS, WARRANTIES ARE VOID.

Initial RC

SUB TOTAL \$ 4,000.00
 Tax 0.00
 TOTAL \$ 4,000.00
 Less Down Payment 0.00
 Day of Install
 Balance Due \$ 4,000.00

CUSTOMER IS RESPONSIBLE FOR ALL FREEZE DAMAGE. RECOMMEND HEAT TAPE AND PIPE INSULATION TO HELP PREVENT FREEZING. IF FREEZING OCCURS, WARRANTIES ARE VOID.

SANITIZER REQUIRES SPECIFIC "DIAMOND CRYSTAL SOLAR SALT" (BLUE BAG ONLY, NO PELLETS). INCORRECT SALT USAGE VOIDS WARRANTY.

A 3% FEE WILL BE CHARGED ON ALL CREDIT CARD PAYMENTS.

Purchaser Ron Cole Date 7-24-25

CK 3399