



(208) 772-4004 Office • (800) 772-4901 Toll Free • (208) 772-4892 Fax • (509) 535-5554

35585206

Name Sam & Rachel Ingram		E-mail Address sam@theingramfam.com		Appt. Date 08/12/2025	
Mailing Address		City	State	Zip	Phone (H)
Physical Address 5049 E French Gulch Rd		City Coeur d'Alene	State ID	Zip 83814	Cell (208) 916-6064

WATER ANALYSIS

Water Supply: ☐ Municipal
☒ Private Well
☐ Community Well
☐ Lake Water System

Water Quality

Hardness 7 gpg
Iron (fe++) 3 ppm
Iron (fe+++)
= Compensated Hardness 20 ppm
PH 7

T.D.S. 150
Chlorine
Taste, Odor, Turbidity
Arsenic
Nitrates
Other

INSTALLATION

Pre-Plumbed ☐
Rough In ☒
Drain Connection Riser

Pipe Size 1"
Type Copper & Pex
Hose Bibs Raw
Pre-Filter N/A
Post-Filter N/A
Type of Salt Diamond Crystal Solar Salt Blue Bag Only
Brine Tank Size STD ☒ 11x11x36 ☐
New ☒ Replacement ☐

Equipment Location:

Working Water Mech Room
Drinking Water

QTY	MODEL	DESCRIPTION	PRICE
1		10x54 Sanitizer Plus with Min+ (KDF) Main House	\$9,000.00
1		10x44 Sanitizer Plus with Min+ (KDF) Guest House	Included

COMMENTS:

This system will reduce Manganese, Iron, Hardness.

It will NOT remove Bacteria or Odor caused by certain Bacteria. If Odor persists a Sulfur system will be needed at added costs.

SANITIZER REQUIRES SPECIFIC "DIAMOND CRYSTAL SOLAR SALT" (BLUE BAG ONLY, NO PELLETS). INCORRECT SALT USAGE VOIDS WARRANTY.

CUSTOMER IS RESPONSIBLE FOR ALL FREEZE DAMAGE. RECOMMEND HEAT TAPE AND PIPE INSULATION TO HELP PREVENT FREEZING. IF FREEZING OCCURS, WARRANTIES ARE VOID.

Initial ST

SUB TOTAL\$ 9,000.00
Tax0.00
TOTAL\$ 9,000.00
Less Down Payment0.00
Balance Due.....Day of Install \$ 9,000.00

CUSTOMER IS RESPONSIBLE FOR ALL FREEZE DAMAGE. RECOMMEND HEAT TAPE AND PIPE INSULATION TO HELP PREVENT FREEZING. IF FREEZING OCCURS, WARRANTIES ARE VOID.

SANITIZER REQUIRES SPECIFIC "DIAMOND CRYSTAL SOLAR SALT" (BLUE BAG ONLY, NO PELLETS). INCORRECT SALT USAGE VOIDS WARRANTY.

A 3% FEE WILL BE CHARGED ON ALL CREDIT CARD PAYMENTS.

Purchaser [Signature] Date 8/12/25

Paid ck 120 [Signature]