

36096567



(208) 772-4004 Office • (800) 772-4901 Toll Free • (208) 772-4892 Fax • (509) 535-5554

Name Sheree Thompson		E-mail Address stfamily30@gmail.com		Appt. Date 09/19/2025
Mailing Address	City	State	Zip	Phone (H)
Physical Address 9969 Eastside Rd	City Priest River	State ID	Zip 83856	Cell (208) 946-3298

WATER ANALYSIS

Water Supply: ☐ Municipal
☒ Private Well
☐ Community Well
☐ Lake Water System

Water Quality

Hardness 4 gpg
 Iron (fe++) 4 ppm
 Iron (fe+++)
 = Compensated Hardness 20 ppm
 PH 7.7

T.D.S. 70
 Chlorine
 Taste, Odor, Turbidity Turbidity
 Arsenic
 Nitrates
 Other

INSTALLATION

Pre-Plumbed ☐
 Rough In ☒
 Drain Connection Customer To Provide
 Pipe Size 1"
 Type Pex
 Hose Bibs Unkown
 Pre-Filter N/A
 Post-Filter N/A
 Type of Salt Diamond Crystal Solar Salt Blue Bag Only
 Brine Tank Size STD ☒ 11x11x36 ☐
 New ☒ Replacement ☐

Equipment Location:

Working Water Mech Room
 Drinking Water

QTY	MODEL	DESCRIPTION	PRICE
1		10x44 Turbidex	\$7,000.00
1		Nano One Filter With Auto-Flush	Included
1		10x54 Sanitizer Plus	Included

COMMENTS:

This system will reduce Manganese, Iron, Hardness and Particles larger than 0.20 Microns.

It will NOT remove Bacteria or Odor caused by Bacteria. If these become present in the water additional equipment may be needed at added costs.

(Nano One Filter)
 Periodic filter changes are Required.
 (Every 3 to 5 years based on water usage)

SANITIZER REQUIRES SPECIFIC "DIAMOND CRYSTAL SOLAR SALT" (BLUE BAG ONLY, NO PELLETS). INCORRECT SALT USAGE VOIDS WARRANTY.

Initial

SUB TOTAL \$ 7,000.00
 Tax 0.00
 TOTAL \$ 7,000.00
 Less Down Payment 0.00
 Balance Due Day of Install \$ 7,000.00

CUSTOMER IS RESPONSIBLE FOR ALL FREEZE DAMAGE. RECOMMEND HEAT TAPE AND PIPE INSULATION TO HELP PREVENT FREEZING. IF FREEZING OCCURS, WARRANTIES ARE VOID.

SANITIZER REQUIRES SPECIFIC "DIAMOND CRYSTAL SOLAR SALT" (BLUE BAG ONLY, NO PELLETS). INCORRECT SALT USAGE VOIDS WARRANTY.

A 3% FEE WILL BE CHARGED ON ALL CREDIT CARD PAYMENTS.

Purchaser [Signature] Date 9.19.25

Bill to Customer, Email