



(208) 772-4004 Office • (800) 772-4901 Toll Free • (208) 772-4892 Fax • (509) 535-5554

Name Jess & Jenn Stauffenberg		E-mail Address jess@msi-engineers.com		Appt. Date 03/11/2026
Mailing Address	City	State	Zip	Phone (H) (509) 953-9641
Physical Address 97 Preston Point	City Priest River	State ID	Zip 83856	Cell (509) 998-1716

WATER ANALYSIS

Water Supply: ☐ Municipal
☒ Private Well
☐ Community Well
☐ Lake Water System

Water Quality

Hardness 7 gpg
 Iron (fe++) 1 (Clear) ppm
 Iron (fe+++) ppm
 = Compensated Hardness 20 ppm
 PH 7.7

T.D.S. 140
 Chlorine
 Taste, Odor, Turbidity
 Arsenic
 Nitrates
 Other

INSTALLATION

Pre-Plumbed ☐
 Rough In ☒
 Drain Connection Hub

 Pipe Size 1 1/4" & 1"
 Type Pex
 Hose Bibs Unknown
 Pre-Filter N/A
 Post-Filter N/A
 Type of Salt Diamond Crystal Solar Salt Blue Bag
 Brine Tank Size STD ☒ 11x11x36 ☐
 New ☒ Replacement ☐

Equipment Location:

Working Water Mech Room
 Drinking Water

QTY	MODEL	DESCRIPTION	PRICE
1		10x54 Sanitizer Plus	\$6,000.00

COMMENTS:

This unit will reduce Manganese, Iron and Hardness in the water.

It will NOT remove Bacteria, or Odor. If these become present in the water additional equipment may be needed at added costs.

SANITIZER REQUIRES SPECIFIC "DIAMOND CRYSTAL SOLAR SALT" (BLUE BAG ONLY, NO PELLETS). INCORRECT SALT USAGE VOIDS WARRANTY.

CUSTOMER IS RESPONSIBLE FOR ALL FREEZE DAMAGE. RECOMMEND HEAT TAPE AND PIPE INSULATION TO HELP PREVENT FREEZING. IF FREEZING OCCURS, WARRANTIES ARE VOID.

Initial

SUB TOTAL \$ 6,000.00
 Tax..... 0.00
 TOTAL..... \$ 6,000.00
 Less Down Payment..... 0.00
 Balance Due..... \$ 6,000.00

CUSTOMER IS RESPONSIBLE FOR ALL FREEZE DAMAGE. RECOMMEND HEAT TAPE AND PIPE INSULATION TO HELP PREVENT FREEZING. IF FREEZING OCCURS, WARRANTIES ARE VOID.

SANITIZER REQUIRES SPECIFIC "DIAMOND CRYSTAL SOLAR SALT" (BLUE BAG ONLY, NO PELLETS). INCORRECT SALT USAGE VOIDS WARRANTY.

A 3% FEE WILL BE CHARGED ON ALL CREDIT CARD PAYMENTS.

Purchaser

Date 3-11-26