



(208) 772-4004 Office • (800) 772-4901 Toll Free • (208) 772-4892 Fax • (509) 535-5554

Name Rick & Tammy Backus (Care of John Dana)		E-mail Address		Appt. Date 03/25/2026
Mailing Address	City	State	Zip	Phone (H) (208) 691-2042 John Dana
Physical Address 233 Mary Moody Lane	City Sagle	State ID	Zip 83860	Cell

WATER ANALYSIS

Water Supply: ☐ Municipal
☐ Private Well
☐ Community Well
☐ Lake Water System

Water Quality

Hardness 8 gpg
 Iron (fe++) 1+ ppm
 Iron (fe+++) ppm
 = Compensated Hardness 20 ppm
 PH 8.2

T.D.S. 180
 Chlorine
 Taste, Odor, Turbidity
 Arsenic
 Nitrates
 Other

INSTALLATION

Pre-Plumbed ☐
 Rough In ☐
 Drain Connection Floor Drain and Riser

Pipe Size 1 1/4" & 3/4"
 Type Pex
 Hose Bibs Raw
 Pre-Filter N/A
 Post-Filter N/A
 Type of Salt Diamond Crystal Solar Salt Blue Bag
 Brine Tank Size STD 11x11x36 ☐
 New ☒ Replacement ☐

Equipment Location:

Working Water Under Stairs & Garage
 Drinking Water

QTY	MODEL	DESCRIPTION	PRICE
1		13x54 Sanitizer Plus	\$6,000.00
1		10x44 Sanitizer Plus	\$5,000.00

COMMENTS:

this system will reduce Manganese, Iron and Hardness.

It will NOT remove Bacteria or Odor caused by Bacteria.
 If these become present in the water additional equipment may be needed at added costs.

CUSTOMER IS RESPONSIBLE FOR ALL FREEZE DAMAGE. RECOMMEND HEAT TAPE AND PIPE INSULATION TO HELP PREVENT FREEZING. IF FREEZING OCCURS, WARRANTIES ARE VOID.

SANITIZER REQUIRES SPECIFIC "DIAMOND CRYSTAL SOLAR SALT" (BLUE BAG ONLY, NO PELLETS). INCORRECT SALT USAGE VOIDS WARRANTY.

Initial

JAD

SUB TOTAL \$ 11,000.00
 Tax 0.00
 TOTAL \$ 11,000.00
 Less Down Payment 0.00
 Balance Due Day of Install \$ 11,000.00

CUSTOMER IS RESPONSIBLE FOR ALL FREEZE DAMAGE. RECOMMEND HEAT TAPE AND PIPE INSULATION TO HELP PREVENT FREEZING. IF FREEZING OCCURS, WARRANTIES ARE VOID.

SANITIZER REQUIRES SPECIFIC "DIAMOND CRYSTAL SOLAR SALT" (BLUE BAG ONLY, NO PELLETS). INCORRECT SALT USAGE VOIDS WARRANTY.

A 3% FEE WILL BE CHARGED ON ALL CREDIT CARD PAYMENTS.

Purchaser

Date

3-25-26