

Asciidoctor Diagram

Supported Diagram Types

brought to you with ♥ by barthel

version: 91c1c2c6

This document describes and shows all diagram types provided by AsciiDoctor Diagram.

Table of Content

1. Introduction and goals	5
2. ASCIIToSVG	6
2.1. Internal diagram source	6
2.2. External diagram source file	6
3. Barcodes	7
3.1. bookland (ISBN)	7
3.2. codabar	7
3.3. code25	7
3.4. code25iata	7
3.5. code25interleaved	7
3.6. code39	8
3.7. code93	8
3.8. code128	8
3.9. code128a	8
3.10. code128b	8
3.11. code128c	9
3.12. ean8	9
3.13. ean13	9
3.14. gs1_128	9
3.15. qrcode	9
3.16. upca	10
4. Blockdiag	11
4.1. actdiag	11
4.2. blockdiag	13
4.3. nwdiag	14
4.4. seqdiag	18
5. BPMN	19
5.1. Internal diagram source	19
5.2. External diagram source file	23
6. Bytefield	32
6.1. Internal diagram source	32
6.2. External diagram source file	32
7. Diagrams as (Python) Code	33
7.1. Internal diagram source	33
7.2. External diagram source file	33
8. Ditaa	35
8.1. Internal diagram source	35
8.2. External diagram source file	35

9. Dpic	36
9.1. Internal diagram source	36
9.2. External diagram source file	36
10. ERD	37
10.1. Internal diagram source	37
10.2. External diagram source file	37
11. Gnuplot	38
11.1. Internal diagram source	38
11.2. External diagram source file	38
12. graphviz	40
12.1. Internal diagram source	40
12.2. External diagram source file	40
13. meme	42
14. mermaid	43
14.1. Internal diagram source	43
14.2. External diagram source file	44
15. mscgen	45
15.1. Internal diagram source	45
15.2. External diagram source file	45
16. Nomnoml	46
16.1. Internal diagram source	46
16.2. External diagram source file	46
17. Pikchr	48
17.1. Internal diagram source	48
17.2. External diagram source file	48
18. PlantUML	50
18.1. PlantUML	50
18.2. Salt	51
19. state-machine-cat (smcat)	53
19.1. Internal diagram source	53
19.2. External diagram source file	53
20. Svgbob	55
20.1. Internal diagram source	55
20.2. External diagram source file	55
21. Symbolator	57
21.1. Internal diagram source	57
21.2. External diagram source file	57
22. Syntrax	58
22.1. Internal diagram source	58
22.2. External diagram source file	58
23. Tikz	59

23.1. Internal diagram source	59
23.2. External diagram source file	59
24. UMLet	60
24.1. Internal diagram source	60
24.2. External diagram source file	60
25. Vega Lite	61
25.1. Internal diagram source	61
25.2. External diagram source file	61
26. Vega	62
26.1. Internal diagram source	62
26.2. External diagram source file	62
27. WaveDrom	64
27.1. Internal diagram source	64
27.2. External diagram source file	64
Bibliography	65

Chapter 1. Introduction and goals


This document should give an overview over all supported diagram types provided by AsciiDoctor Diagram^[DIAG].

Chapter 2. ASCIIToSVG


ASCIIToSVG parses ASCII art diagrams, attempting to convert them to an aesthetically pleasing SVG output.

— ASCIIToSVG, <https://github.com/asciitosvg/asciitosvg>

2.1. Internal diagram source



2.2. External diagram source file



Chapter 3. Barcodes

The barcode extension provides barcode rendering. Barcode macros can be specified using blocks, inline macros or block macros.

— AsciiDoctor Diagrams, <https://docs.asciidoctor.org/diagram-extension/latest/#barcode>

3.1. bookland (ISBN)



3.2. codabar



3.3. code25



3.4. code25iata



3.5. code25interleaved




3.6. code39



3.7. code93



3.8. code128



3.9. code128a



3.10. code128b



3.11. code128c



3.12. ean8



3.13. ean13



3.14. gs1_128

No valid data because of <FNC1>.

3.15. qrcode



3.16. upca



Chapter 4. Blockdiag

blockdiag and its family generate diagram images from simple text files.

— Takeshi KOMIYA, <http://blockdiag.com/en/index.html>

blockdiag supports many types of diagrams like

- activity diagram (w/ [actdiag](#)) and
- block diagram (w/ [blockdiag](#)),
- logical network diagram (w/ [nwdiag](#)).
- sequence diagram (w/ [seqdiag](#)),

All these tools layouts diagram elements automatically and generates beautiful diagram images from simple text format (similar to graphviz's DOT format).

4.1. actdiag

actdiag is a simple activity-diagram image generator and generates activity-diagram images from .diag files (similar to graphviz's DOT files).

— Takeshi KOMIYA, <http://blockdiag.com/en/actdiag/index.html>

4.1.1. Internal diagram source



4.1.2. External diagram source file



4.2. blockdiag

blockdiag generates block-diagram images from .diag files (similar to graphviz's DOT files).

— Takeshi KOMIYA, <http://blockdiag.com/en/blockdiag/index.html>

4.2.1. Internal diagram source



4.2.2. External diagram source file



4.3. nwdiag

nwdiag generates network-diagram images from .diag files (similar to graphviz's DOT files).

— Takeshi KOMIYA, <http://blockdiag.com/en/nwdiag/index.html>

4.3.1. Internal diagram source



And, `nwdiag` package includes more scripts called `rackdiag` and `packetdiag`.

4.3.2. rackdiag

`rackdiag` generates rack-structure diagram images:




4.3.3. packetdiag

`packetdiag` generates packet header diagram images:



4.3.4. External diagram source file



4.4. seqdiag

seqdiag generates sequence-diagram images from .diag files (similar to graphviz's DOT files).

— Takeshi KOMIYA, <http://blockdiag.com/en/seqdiag/index.html>

4.4.1. Internal diagram source



4.4.2. External diagram source file



Chapter 5. BPMN

BPMN everywhere, for everyone

Create, embed and extend BPMN diagrams.

— bpmn.io, <https://bpmn.io/toolkit/bpmn-js/>

5.1. Internal diagram source

Failed to generate image: bpmn-js failed: Failed to render diagram

Error: Tried to use PUPPETEER_CHROMIUM_REVISION env variable to launch browser but did not find executable at: /usr/local/share/.config/yarn/global/node_modules/bpmn-js-cmd/node_modules/puppeteer/.local-chromium/linux-1286613/chrome-linux/chrome

at ChromeLauncher.launch (/usr/local/share/.config/yarn/global/node_modules/bpmn-js-cmd/node_modules/puppeteer/lib/cjs/puppeteer/node/Launcher.js:80:27)

at async renderDiagram (/usr/local/share/.config/yarn/global/node_modules/bpmn-js-cmd/index.js:46:19)

```
<?xml version="1.0" encoding="UTF-8"?>
<definitions xmlns="http://www.omg.org/spec/BPMN/20100524/MODEL"
xmlns:bpmndi="http://www.omg.org/spec/BPMN/20100524/DI"
xmlns:omgdc="http://www.omg.org/spec/DD/20100524/DC"
xmlns:omgdi="http://www.omg.org/spec/DD/20100524/DI"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" targetNamespace=""
xsi:schemaLocation="http://www.omg.org/spec/BPMN/20100524/MODEL
http://www.omg.org/spec/BPMN/2.0/20100501/BPMN20.xsd">
  <collaboration id="sid-c0e745ff-361e-4afb-8c8d-2a1fc32b1424">
    <participant id="sid-87F4C1D6-25E1-4A45-9DA7-AD945993D06F" name="Customer"
processRef="sid-C3803939-0872-457F-8336-EAE484DC4A04" />
  </collaboration>
  <process id="sid-C3803939-0872-457F-8336-EAE484DC4A04" name="Customer"
processType="None" isClosed="false" isExecutable="false">
    <extensionElements />
    <laneSet id="sid-b167d0d7-e761-4636-9200-76b7f0e8e83a">
      <lane id="sid-57E4FE0D-18E4-478D-BC5D-B15164E93254">
        <flowNodeRef>sid-52EB1772-F36E-433E-8F5B-D5DFD26E6F26</flowNodeRef>
        <flowNodeRef>sid-E49425CF-8287-4798-B622-D2A7D78EF00B</flowNodeRef>
        <flowNodeRef>sid-D7F237E8-56D0-4283-A3CE-4F0EFE446138</flowNodeRef>
        <flowNodeRef>sid-E433566C-2289-4BEB-A19C-1697048900D2</flowNodeRef>
        <flowNodeRef>sid-5134932A-1863-4FFA-BB3C-A4B4078B11A9</flowNodeRef>
        <flowNodeRef>SCAN_OK</flowNodeRef>
      </lane>
    </laneSet>
    <task id="sid-52EB1772-F36E-433E-8F5B-D5DFD26E6F26" name="Scan QR code">
      <incoming>sid-4DC479E5-5C20-4948-BCFC-9EC5E2F66D8D</incoming>
      <outgoing>sid-EE8A7BA0-5D66-4F8B-80E3-CC2751B3856A</outgoing>
    </task>
```

```

<task id="sid-E49425CF-8287-4798-B622-D2A7D78EF00B" name="Open product information
in mobile app">
  <incoming>sid-8B820AF5-DC5C-4618-B854-E08B71FB55CB</incoming>
  <outgoing>sid-57EB1F24-BD94-479A-BF1F-57F1EAA19C6C</outgoing>
</task>
<startEvent id="sid-D7F237E8-56D0-4283-A3CE-4F0EFE446138" name="Notices&#10;QR
code">
  <outgoing>sid-7B791A11-2F2E-4D80-AFB3-91A02CF2B4FD</outgoing>
</startEvent>
<endEvent id="sid-E433566C-2289-4BEB-A19C-1697048900D2" name="Is informed">
  <incoming>sid-57EB1F24-BD94-479A-BF1F-57F1EAA19C6C</incoming>
</endEvent>
<exclusiveGateway id="sid-5134932A-1863-4FFA-BB3C-A4B4078B11A9">
  <incoming>sid-7B791A11-2F2E-4D80-AFB3-91A02CF2B4FD</incoming>
  <incoming>sid-337A23B9-A923-4CCE-B613-3E247B773CCE</incoming>
  <outgoing>sid-4DC479E5-5C20-4948-BCFC-9EC5E2F66D8D</outgoing>
</exclusiveGateway>
<exclusiveGateway id="SCAN_OK" name="Scan successful?&#10; ">
  <incoming>sid-EE8A7BA0-5D66-4F8B-80E3-CC2751B3856A</incoming>
  <outgoing>sid-8B820AF5-DC5C-4618-B854-E08B71FB55CB</outgoing>
  <outgoing>sid-337A23B9-A923-4CCE-B613-3E247B773CCE</outgoing>
</exclusiveGateway>
<sequenceFlow id="sid-337A23B9-A923-4CCE-B613-3E247B773CCE" name="Yes"
sourceRef="SCAN_OK" targetRef="sid-5134932A-1863-4FFA-BB3C-A4B4078B11A9" />
  <sequenceFlow id="sid-4DC479E5-5C20-4948-BCFC-9EC5E2F66D8D" sourceRef="sid-
5134932A-1863-4FFA-BB3C-A4B4078B11A9" targetRef="sid-52EB1772-F36E-433E-8F5B-
D5DFD26E6F26" />
  <sequenceFlow id="sid-8B820AF5-DC5C-4618-B854-E08B71FB55CB" name="No"
sourceRef="SCAN_OK" targetRef="sid-E49425CF-8287-4798-B622-D2A7D78EF00B" />
  <sequenceFlow id="sid-57EB1F24-BD94-479A-BF1F-57F1EAA19C6C" sourceRef="sid-
E49425CF-8287-4798-B622-D2A7D78EF00B" targetRef="sid-E433566C-2289-4BEB-A19C-
1697048900D2" />
  <sequenceFlow id="sid-EE8A7BA0-5D66-4F8B-80E3-CC2751B3856A" sourceRef="sid-
52EB1772-F36E-433E-8F5B-D5DFD26E6F26" targetRef="SCAN_OK" />
  <sequenceFlow id="sid-7B791A11-2F2E-4D80-AFB3-91A02CF2B4FD" sourceRef="sid-
D7F237E8-56D0-4283-A3CE-4F0EFE446138" targetRef="sid-5134932A-1863-4FFA-BB3C-
A4B4078B11A9" />
</process>
<bpmndi:BPMNDiagram id="sid-74620812-92c4-44e5-949c-aa47393d3830">
  <bpmndi:BPMNPlane id="sid-cdcae759-2af7-4a6d-bd02-53f3352a731d" bpmnElement="sid-
c0e745ff-361e-4afb-8c8d-2a1fc32b1424">
    <bpmndi:BPMNShape id="sid-87F4C1D6-25E1-4A45-9DA7-AD945993D06F_gui"
bpmnElement="sid-87F4C1D6-25E1-4A45-9DA7-AD945993D06F" isHorizontal="true">
      <omgdc:Bounds x="83" y="105" width="933" height="250" />
      <bpmndi:BPMNLabel labelStyle="sid-84cb49fd-2f7c-4afb-8950-83c3fa153d3b">
        <omgdc:Bounds x="47.49999999999999" y="170.42857360839844"
width="12.0000000000000014" height="59.142852783203125" />
      </bpmndi:BPMNLabel>
    </bpmndi:BPMNShape>
    <bpmndi:BPMNShape id="sid-57E4FE0D-18E4-478D-BC5D-B15164E93254_gui"
bpmnElement="sid-57E4FE0D-18E4-478D-BC5D-B15164E93254" isHorizontal="true">

```

```

        <omgdc:Bounds x="113" y="105" width="903" height="250" />
    </bpmndi:BPMNShape>
    <bpmndi:BPMNShape id="sid-52EB1772-F36E-433E-8F5B-D5DFD26E6F26_gui"
bpmnElement="sid-52EB1772-F36E-433E-8F5B-D5DFD26E6F26">
        <omgdc:Bounds x="393" y="170" width="100" height="80" />
        <bpmndi:BPMNLabel labelStyle="sid-84cb49fd-2f7c-44fb-8950-83c3fa153d3b">
            <omgdc:Bounds x="360.5" y="172" width="84" height="12" />
        </bpmndi:BPMNLabel>
    </bpmndi:BPMNShape>
    <bpmndi:BPMNShape id="sid-E49425CF-8287-4798-B622-D2A7D78EF00B_gui"
bpmnElement="sid-E49425CF-8287-4798-B622-D2A7D78EF00B">
        <omgdc:Bounds x="728" y="170" width="100" height="80" />
        <bpmndi:BPMNLabel labelStyle="sid-84cb49fd-2f7c-44fb-8950-83c3fa153d3b">
            <omgdc:Bounds x="695.9285736083984" y="162" width="83.14285278320312"
height="36" />
        </bpmndi:BPMNLabel>
    </bpmndi:BPMNShape>
    <bpmndi:BPMNEdge id="sid-EE8A7BA0-5D66-4F8B-80E3-CC2751B3856A_gui"
bpmnElement="sid-EE8A7BA0-5D66-4F8B-80E3-CC2751B3856A">
        <omgdi:waypoint x="493" y="210" />
        <omgdi:waypoint x="585" y="210" />
        <bpmndi:BPMNLabel>
            <omgdc:Bounds x="494" y="185" width="90" height="20" />
        </bpmndi:BPMNLabel>
    </bpmndi:BPMNEdge>
    <bpmndi:BPMNEdge id="sid-8B820AF5-DC5C-4618-B854-E08B71FB55CB_gui"
bpmnElement="sid-8B820AF5-DC5C-4618-B854-E08B71FB55CB">
        <omgdi:waypoint x="635" y="210" />
        <omgdi:waypoint x="728" y="210" />
        <bpmndi:BPMNLabel labelStyle="sid-e0502d32-f8d1-41cf-9c4a-cbb49fecf581">
            <omgdc:Bounds x="642" y="185" width="16" height="12" />
        </bpmndi:BPMNLabel>
    </bpmndi:BPMNEdge>
    <bpmndi:BPMNEdge id="sid-7B791A11-2F2E-4D80-AFB3-91A02CF2B4FD_gui"
bpmnElement="sid-7B791A11-2F2E-4D80-AFB3-91A02CF2B4FD">
        <omgdi:waypoint x="223" y="210" />
        <omgdi:waypoint x="275" y="210" />
        <bpmndi:BPMNLabel>
            <omgdc:Bounds x="204" y="185" width="90" height="20" />
        </bpmndi:BPMNLabel>
    </bpmndi:BPMNEdge>
    <bpmndi:BPMNEdge id="sid-4DC479E5-5C20-4948-BCFC-9EC5E2F66D8D_gui"
bpmnElement="sid-4DC479E5-5C20-4948-BCFC-9EC5E2F66D8D">
        <omgdi:waypoint x="325" y="210" />
        <omgdi:waypoint x="393" y="210" />
        <bpmndi:BPMNLabel>
            <omgdc:Bounds x="314" y="185" width="90" height="20" />
        </bpmndi:BPMNLabel>
    </bpmndi:BPMNEdge>
    <bpmndi:BPMNEdge id="sid-57EB1F24-BD94-479A-BF1F-57F1EAA19C6C_gui"
bpmnElement="sid-57EB1F24-BD94-479A-BF1F-57F1EAA19C6C">

```

```

    <omgdi:waypoint x="828" y="210" />
    <omgdi:waypoint x="901" y="210" />
    <bpmndi:BPMNLabel>
      <omgdc:Bounds x="820" y="185" width="90" height="20" />
    </bpmndi:BPMNLabel>
  </bpmndi:BPMNEdge>
  <bpmndi:BPMNEdge id="sid-337A23B9-A923-4CCE-B613-3E247B773CCE_gui"
bpmnElement="sid-337A23B9-A923-4CCE-B613-3E247B773CCE">
    <omgdi:waypoint x="611" y="234" />
    <omgdi:waypoint x="610.5" y="299" />
    <omgdi:waypoint x="300.5" y="299" />
    <omgdi:waypoint x="301" y="234" />
    <bpmndi:BPMNLabel labelStyle="sid-e0502d32-f8d1-41cf-9c4a-cbb49fecf581">
      <omgdc:Bounds x="585" y="236" width="21" height="12" />
    </bpmndi:BPMNLabel>
  </bpmndi:BPMNEdge>
  <bpmndi:BPMNShape id="StartEvent_0l6sgn0_di" bpmnElement="sid-D7F237E8-56D0-
4283-A3CE-4F0EFE446138">
    <omgdc:Bounds x="187" y="192" width="36" height="36" />
    <bpmndi:BPMNLabel>
      <omgdc:Bounds x="182" y="229" width="46" height="24" />
    </bpmndi:BPMNLabel>
  </bpmndi:BPMNShape>
  <bpmndi:BPMNShape id="EndEvent_0xwuvv5_di" bpmnElement="sid-E433566C-2289-4BEB-
A19C-1697048900D2">
    <omgdc:Bounds x="901" y="192" width="36" height="36" />
    <bpmndi:BPMNLabel>
      <omgdc:Bounds x="892" y="231" width="56" height="12" />
    </bpmndi:BPMNLabel>
  </bpmndi:BPMNShape>
  <bpmndi:BPMNShape id="ExclusiveGateway_1g0eih2_di" bpmnElement="sid-5134932A-
1863-4FFA-BB3C-A4B4078B11A9" isMarkerVisible="true">
    <omgdc:Bounds x="275" y="185" width="50" height="50" />
    <bpmndi:BPMNLabel>
      <omgdc:Bounds x="210" y="160" width="90" height="12" />
    </bpmndi:BPMNLabel>
  </bpmndi:BPMNShape>
  <bpmndi:BPMNShape id="ExclusiveGateway_0vcilx5_di" bpmnElement="SCAN_OK"
isMarkerVisible="true">
    <omgdc:Bounds x="585" y="185" width="50" height="50" />
    <bpmndi:BPMNLabel>
      <omgdc:Bounds x="568" y="157" width="88" height="24" />
    </bpmndi:BPMNLabel>
  </bpmndi:BPMNShape>
</bpmndi:BPMNPlane>
<bpmndi:BPMNLabelStyle id="sid-e0502d32-f8d1-41cf-9c4a-cbb49fecf581">
  <omgdc:Font name="Arial" size="11" isBold="false" isItalic="false"
isUnderline="false" isStrikeThrough="false" />
</bpmndi:BPMNLabelStyle>
<bpmndi:BPMNLabelStyle id="sid-84cb49fd-2f7c-44fb-8950-83c3fa153d3b">
  <omgdc:Font name="Arial" size="12" isBold="false" isItalic="false"

```

```

isUnderline="false" isStrikeThrough="false" />
</bpmndi:BPMNLabelStyle>
</bpmndi:BPMNDiagram>
</definitions>

```

5.2. External diagram source file

Failed to generate image: bpmn-js failed: Failed to render diagram

Error: Tried to use PUPPETEER_CHROMIUM_REVISION env variable to launch browser but did not find executable at: /usr/local/share/.config/yarn/global/node_modules/bpmn-js-cmd/node_modules/puppeteer/.local-chromium/linux-1286613/chrome-linux/chrome
 at ChromeLauncher.launch (/usr/local/share/.config/yarn/global/node_modules/bpmn-js-cmd/node_modules/puppeteer/lib/cjs/puppeteer/node/Launcher.js:80:27)
 at async renderDiagram (/usr/local/share/.config/yarn/global/node_modules/bpmn-js-cmd/index.js:46:19)

```

<?xml version="1.0" standalone="yes"?>
<semantic:definitions id="_1275940932088"
targetNamespace="http://www.trisotech.com/definitions/_1275940932088"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns:di="http://www.omg.org/spec/DD/20100524/DI"
xmlns:bpmndi="http://www.omg.org/spec/BPMN/20100524/DI"
xmlns:dc="http://www.omg.org/spec/DD/20100524/DC"
xmlns:semantic="http://www.omg.org/spec/BPMN/20100524/MODEL">
  <semantic:message id="_1275940932310"/>
  <semantic:message id="_1275940932433"/>
  <semantic:process isExecutable="false" id="_6-1">
    <semantic:laneSet id="ls_6-438">
      <semantic:lane name="clerk" id="_6-650">
        <semantic:flowNodeRef>_6-450</semantic:flowNodeRef>
        <semantic:flowNodeRef>_6-652</semantic:flowNodeRef>
        <semantic:flowNodeRef>_6-674</semantic:flowNodeRef>
        <semantic:flowNodeRef>_6-695</semantic:flowNodeRef>
      </semantic:lane>
      <semantic:lane name="pizza chef" id="_6-446">
        <semantic:flowNodeRef>_6-463</semantic:flowNodeRef>
      </semantic:lane>
      <semantic:lane name="delivery boy" id="_6-448">
        <semantic:flowNodeRef>_6-514</semantic:flowNodeRef>
        <semantic:flowNodeRef>_6-565</semantic:flowNodeRef>
        <semantic:flowNodeRef>_6-616</semantic:flowNodeRef>
      </semantic:lane>
    </semantic:laneSet>
    <semantic:startEvent name="Order received" id="_6-450">
      <semantic:outgoing>_6-630</semantic:outgoing>
      <semantic:messageEventDefinition messageRef="_1275940932310"/>
    </semantic:startEvent>
    <semantic:parallelGateway gatewayDirection="Unspecified" name="" id="_6-652">
      <semantic:incoming>_6-630</semantic:incoming>

```



```

        <semantic:outgoing>_6-691</semantic:outgoing>
        <semantic:outgoing>_6-693</semantic:outgoing>
    </semantic:parallelGateway>
    <semantic:intermediateCatchEvent parallelMultiple="false" name="Is my pizza?" id="_6-674">
        <semantic:incoming>_6-691</semantic:incoming>
        <semantic:incoming>_6-746</semantic:incoming>
        <semantic:outgoing>_6-748</semantic:outgoing>
        <semantic:messageEventDefinition messageRef="_1275940932433"/>
    </semantic:intermediateCatchEvent>
    <semantic:task completionQuantity="1" isForCompensation="false"
startQuantity="1" name="Calm customer" id="_6-695">
        <semantic:incoming>_6-748</semantic:incoming>
        <semantic:outgoing>_6-746</semantic:outgoing>
    </semantic:task>
    <semantic:task completionQuantity="1" isForCompensation="false"
startQuantity="1" name="Bake the pizza" id="_6-463">
        <semantic:incoming>_6-693</semantic:incoming>
        <semantic:outgoing>_6-632</semantic:outgoing>
    </semantic:task>
    <semantic:task completionQuantity="1" isForCompensation="false"
startQuantity="1" name="Deliver the pizza" id="_6-514">
        <semantic:incoming>_6-632</semantic:incoming>
        <semantic:outgoing>_6-634</semantic:outgoing>
    </semantic:task>
    <semantic:task completionQuantity="1" isForCompensation="false"
startQuantity="1" name="Receive payment" id="_6-565">
        <semantic:incoming>_6-634</semantic:incoming>
        <semantic:outgoing>_6-636</semantic:outgoing>
    </semantic:task>
    <semantic:endEvent name="" id="_6-616">
        <semantic:incoming>_6-636</semantic:incoming>
        <semantic:terminateEventDefinition/>
    </semantic:endEvent>
    <semantic:sequenceFlow sourceRef="_6-450" targetRef="_6-652" name="" id="_6-
630"/>
    <semantic:sequenceFlow sourceRef="_6-463" targetRef="_6-514" name="" id="_6-
632"/>
    <semantic:sequenceFlow sourceRef="_6-514" targetRef="_6-565" name="" id="_6-
634"/>
    <semantic:sequenceFlow sourceRef="_6-565" targetRef="_6-616" name="" id="_6-
636"/>
    <semantic:sequenceFlow sourceRef="_6-652" targetRef="_6-674" name="" id="_6-
691"/>
    <semantic:sequenceFlow sourceRef="_6-652" targetRef="_6-463" name="" id="_6-
693"/>
    <semantic:sequenceFlow sourceRef="_6-695" targetRef="_6-674" name="" id="_6-
746"/>
    <semantic:sequenceFlow sourceRef="_6-674" targetRef="_6-695" name="" id="_6-
748"/>
</semantic:process>

```

```

<semantic:message id="_1275940932198"/>
<semantic:process isExecutable="false" id="_6-2">
  <semantic:startEvent name="Hungry for pizza" id="_6-61">
    <semantic:outgoing>_6-125</semantic:outgoing>
  </semantic:startEvent>
  <semantic:task completionQuantity="1" isForCompensation="false"
startQuantity="1" name="Select a pizza" id="_6-74">
    <semantic:incoming>_6-125</semantic:incoming>
    <semantic:outgoing>_6-178</semantic:outgoing>
  </semantic:task>
  <semantic:task completionQuantity="1" isForCompensation="false"
startQuantity="1" name="Order a pizza" id="_6-127">
    <semantic:incoming>_6-178</semantic:incoming>
    <semantic:outgoing>_6-420</semantic:outgoing>
  </semantic:task>
  <semantic:eventBasedGateway eventGatewayType="Exclusive" instantiate="false"
gatewayDirection="Unspecified" name="" id="_6-180">
    <semantic:incoming>_6-420</semantic:incoming>
    <semantic:incoming>_6-430</semantic:incoming>
    <semantic:outgoing>_6-422</semantic:outgoing>
    <semantic:outgoing>_6-424</semantic:outgoing>
  </semantic:eventBasedGateway>
  <semantic:intermediateCatchEvent parallelMultiple="false" name="pizza
received" id="_6-202">
    <semantic:incoming>_6-422</semantic:incoming>
    <semantic:outgoing>_6-428</semantic:outgoing>
    <semantic:messageEventDefinition messageRef="_1275940932198"/>
  </semantic:intermediateCatchEvent>
  <semantic:intermediateCatchEvent parallelMultiple="false" name="60 minutes"
id="_6-219">
    <semantic:incoming>_6-424</semantic:incoming>
    <semantic:outgoing>_6-426</semantic:outgoing>
    <semantic:timerEventDefinition>
      <semantic:timeDate/>
    </semantic:timerEventDefinition>
  </semantic:intermediateCatchEvent>
  <semantic:task completionQuantity="1" isForCompensation="false"
startQuantity="1" name="Ask for the pizza" id="_6-236">
    <semantic:incoming>_6-426</semantic:incoming>
    <semantic:outgoing>_6-430</semantic:outgoing>
  </semantic:task>
  <semantic:task completionQuantity="1" isForCompensation="false"
startQuantity="1" name="Pay the pizza" id="_6-304">
    <semantic:incoming>_6-428</semantic:incoming>
    <semantic:outgoing>_6-434</semantic:outgoing>
  </semantic:task>
  <semantic:task completionQuantity="1" isForCompensation="false"
startQuantity="1" name="Eat the pizza" id="_6-355">
    <semantic:incoming>_6-434</semantic:incoming>
    <semantic:outgoing>_6-436</semantic:outgoing>
  </semantic:task>

```

```

    <semantic:endEvent name="Hunger satisfied" id="_6-406">
      <semantic:incoming>_6-436</semantic:incoming>
    </semantic:endEvent>
    <semantic:sequenceFlow sourceRef="_6-61" targetRef="_6-74" name="" id="_6-
125"/>
    <semantic:sequenceFlow sourceRef="_6-74" targetRef="_6-127" name="" id="_6-
178"/>
    <semantic:sequenceFlow sourceRef="_6-127" targetRef="_6-180" name="" id="_6-
420"/>
    <semantic:sequenceFlow sourceRef="_6-180" targetRef="_6-202" name="" id="_6-
422"/>
    <semantic:sequenceFlow sourceRef="_6-180" targetRef="_6-219" name="" id="_6-
424"/>
    <semantic:sequenceFlow sourceRef="_6-219" targetRef="_6-236" name="" id="_6-
426"/>
    <semantic:sequenceFlow sourceRef="_6-202" targetRef="_6-304" name="" id="_6-
428"/>
    <semantic:sequenceFlow sourceRef="_6-236" targetRef="_6-180" name="" id="_6-
430"/>
    <semantic:sequenceFlow sourceRef="_6-304" targetRef="_6-355" name="" id="_6-
434"/>
    <semantic:sequenceFlow sourceRef="_6-355" targetRef="_6-406" name="" id="_6-
436"/>
  </semantic:process>
  <semantic:collaboration id="C1275940932557">
    <semantic:participant name="Pizza Customer" processRef="_6-2" id="_6-53"/>
    <semantic:participant name="Pizza vendor" processRef="_6-1" id="_6-438"/>
    <semantic:messageFlow name="pizza order" sourceRef="_6-127" targetRef="_6-450"
id="_6-638"/>
    <semantic:messageFlow name="" sourceRef="_6-236" targetRef="_6-674" id="_6-
642"/>
    <semantic:messageFlow name="receipt" sourceRef="_6-565" targetRef="_6-304"
id="_6-646"/>
    <semantic:messageFlow name="money" sourceRef="_6-304" targetRef="_6-565"
id="_6-648"/>
    <semantic:messageFlow name="pizza" sourceRef="_6-514" targetRef="_6-202"
id="_6-640"/>
    <semantic:messageFlow name="" sourceRef="_6-695" targetRef="_6-236" id="_6-
750"/>
  </semantic:collaboration>
  <bpmndi:BPMNDiagram documentation="" id="Trisotech.Visio-_6" name="Untitled
Diagram" resolution="96.00000267028808">
    <bpmndi:BPMNPlane bpmnElement="C1275940932557">
      <bpmndi:BPMNShape bpmnElement="_6-53" isHorizontal="true"
id="Trisotech.Visio__6-53">
        <dc:Bounds height="294.0" width="1044.0" x="12.0" y="12.0"/>
        <bpmndi:BPMNLabel/>
      </bpmndi:BPMNShape>
      <bpmndi:BPMNShape bpmnElement="_6-438" isHorizontal="true"
id="Trisotech.Visio__6-438">
        <dc:Bounds height="337.0" width="905.0" x="12.0" y="372.0"/>

```

```

        <bpmndi:BPMNLabel/>
    </bpmndi:BPMNShape>
    <bpmndi:BPMNShape bpmnElement="_6-650" isHorizontal="true"
id="Trisotech.Visio__6__6-650">
        <dc:Bounds height="114.0" width="875.0" x="42.0" y="372.0"/>
        <bpmndi:BPMNLabel/>
    </bpmndi:BPMNShape>
    <bpmndi:BPMNShape bpmnElement="_6-446" isHorizontal="true"
id="Trisotech.Visio__6__6-446">
        <dc:Bounds height="114.0" width="875.0" x="42.0" y="486.0"/>
        <bpmndi:BPMNLabel/>
    </bpmndi:BPMNShape>
    <bpmndi:BPMNShape bpmnElement="_6-448" isHorizontal="true"
id="Trisotech.Visio__6__6-448">
        <dc:Bounds height="109.0" width="875.0" x="42.0" y="600.0"/>
        <bpmndi:BPMNLabel/>
    </bpmndi:BPMNShape>
    <bpmndi:BPMNShape bpmnElement="_6-450" id="Trisotech.Visio__6__6-450">
        <dc:Bounds height="30.0" width="30.0" x="79.0" y="405.0"/>
        <bpmndi:BPMNLabel/>
    </bpmndi:BPMNShape>
    <bpmndi:BPMNShape bpmnElement="_6-652" id="Trisotech.Visio__6__6-652">
        <dc:Bounds height="42.0" width="42.0" x="140.0" y="399.0"/>
        <bpmndi:BPMNLabel/>
    </bpmndi:BPMNShape>
    <bpmndi:BPMNShape bpmnElement="_6-674" id="Trisotech.Visio__6__6-674">
        <dc:Bounds height="32.0" width="32.0" x="218.0" y="404.0"/>
        <bpmndi:BPMNLabel/>
    </bpmndi:BPMNShape>
    <bpmndi:BPMNShape bpmnElement="_6-695" id="Trisotech.Visio__6__6-695">
        <dc:Bounds height="68.0" width="83.0" x="286.0" y="386.0"/>
        <bpmndi:BPMNLabel/>
    </bpmndi:BPMNShape>
    <bpmndi:BPMNShape bpmnElement="_6-463" id="Trisotech.Visio__6__6-463">
        <dc:Bounds height="68.0" width="83.0" x="252.0" y="521.0"/>
        <bpmndi:BPMNLabel/>
    </bpmndi:BPMNShape>
    <bpmndi:BPMNShape bpmnElement="_6-514" id="Trisotech.Visio__6__6-514">
        <dc:Bounds height="68.0" width="83.0" x="464.0" y="629.0"/>
        <bpmndi:BPMNLabel/>
    </bpmndi:BPMNShape>
    <bpmndi:BPMNShape bpmnElement="_6-565" id="Trisotech.Visio__6__6-565">
        <dc:Bounds height="68.0" width="83.0" x="603.0" y="629.0"/>
        <bpmndi:BPMNLabel/>
    </bpmndi:BPMNShape>
    <bpmndi:BPMNShape bpmnElement="_6-616" id="Trisotech.Visio__6__6-616">
        <dc:Bounds height="32.0" width="32.0" x="722.0" y="647.0"/>
        <bpmndi:BPMNLabel/>
    </bpmndi:BPMNShape>
    <bpmndi:BPMNShape bpmnElement="_6-61" id="Trisotech.Visio__6__6-61">
        <dc:Bounds height="30.0" width="30.0" x="66.0" y="96.0"/>

```

```

        <bpmndi:BPMNLabel/>
    </bpmndi:BPMNShape>
    <bpmndi:BPMNShape bpmnElement="_6-74" id="Trisotech.Visio__6__6-74">
        <dc:Bounds height="68.0" width="83.0" x="145.0" y="77.0"/>
        <bpmndi:BPMNLabel/>
    </bpmndi:BPMNShape>
    <bpmndi:BPMNShape bpmnElement="_6-127" id="Trisotech.Visio__6__6-127">
        <dc:Bounds height="68.0" width="83.0" x="265.0" y="77.0"/>
        <bpmndi:BPMNLabel/>
    </bpmndi:BPMNShape>
    <bpmndi:BPMNShape bpmnElement="_6-180" id="Trisotech.Visio__6__6-180">
        <dc:Bounds height="42.0" width="42.0" x="378.0" y="90.0"/>
        <bpmndi:BPMNLabel/>
    </bpmndi:BPMNShape>
    <bpmndi:BPMNShape bpmnElement="_6-202" id="Trisotech.Visio__6__6-202">
        <dc:Bounds height="32.0" width="32.0" x="647.0" y="95.0"/>
        <bpmndi:BPMNLabel/>
    </bpmndi:BPMNShape>
    <bpmndi:BPMNShape bpmnElement="_6-219" id="Trisotech.Visio__6__6-219">
        <dc:Bounds height="32.0" width="32.0" x="448.0" y="184.0"/>
        <bpmndi:BPMNLabel/>
    </bpmndi:BPMNShape>
    <bpmndi:BPMNShape bpmnElement="_6-236" id="Trisotech.Visio__6__6-236">
        <dc:Bounds height="68.0" width="83.0" x="517.0" y="166.0"/>
        <bpmndi:BPMNLabel/>
    </bpmndi:BPMNShape>
    <bpmndi:BPMNShape bpmnElement="_6-304" id="Trisotech.Visio__6__6-304">
        <dc:Bounds height="68.0" width="83.0" x="726.0" y="77.0"/>
        <bpmndi:BPMNLabel/>
    </bpmndi:BPMNShape>
    <bpmndi:BPMNShape bpmnElement="_6-355" id="Trisotech.Visio__6__6-355">
        <dc:Bounds height="68.0" width="83.0" x="834.0" y="77.0"/>
        <bpmndi:BPMNLabel/>
    </bpmndi:BPMNShape>
    <bpmndi:BPMNShape bpmnElement="_6-406" id="Trisotech.Visio__6__6-406">
        <dc:Bounds height="32.0" width="32.0" x="956.0" y="95.0"/>
        <bpmndi:BPMNLabel/>
    </bpmndi:BPMNShape>
    <bpmndi:BPMNEdge bpmnElement="_6-640" messageVisibleKind="initiating"
id="Trisotech.Visio__6__6-640">
        <di:waypoint x="506.0" y="629.0"/>
        <di:waypoint x="506.0" y="384.0"/>
        <di:waypoint x="663.0" y="384.0"/>
        <di:waypoint x="663.0" y="127.0"/>
        <bpmndi:BPMNLabel/>
    </bpmndi:BPMNEdge>
    <bpmndi:BPMNEdge bpmnElement="_6-630" id="Trisotech.Visio__6__6-630">
        <di:waypoint x="109.0" y="420.0"/>
        <di:waypoint x="140.0" y="420.0"/>
        <bpmndi:BPMNLabel/>
    </bpmndi:BPMNEdge>

```

```

    <bpmndi:BPMNEdge bpmnElement="_6-691" id="Trisotech.Visio__6__6-691">
      <di:waypoint x="182.0" y="420.0"/>
      <di:waypoint x="200.0" y="420.0"/>
      <di:waypoint x="218.0" y="420.0"/>
      <bpmndi:BPMNLabel/>
    </bpmndi:BPMNEdge>
    <bpmndi:BPMNEdge bpmnElement="_6-648" messageVisibleKind="initiating"
id="Trisotech.Visio__6__6-648">
      <di:waypoint x="754.0" y="145.0"/>
      <di:waypoint x="754.0" y="408.0"/>
      <di:waypoint x="630.0" y="408.0"/>
      <di:waypoint x="631.0" y="629.0"/>
      <bpmndi:BPMNLabel/>
    </bpmndi:BPMNEdge>
    <bpmndi:BPMNEdge bpmnElement="_6-422" id="Trisotech.Visio__6__6-422">
      <di:waypoint x="420.0" y="111.0"/>
      <di:waypoint x="438.0" y="111.0"/>
      <di:waypoint x="647.0" y="111.0"/>
      <bpmndi:BPMNLabel/>
    </bpmndi:BPMNEdge>
    <bpmndi:BPMNEdge bpmnElement="_6-646" messageVisibleKind="non_initiating"
id="Trisotech.Visio__6__6-646">
      <di:waypoint x="658.0" y="629.0"/>
      <di:waypoint x="658.0" y="432.0"/>
      <di:waypoint x="782.0" y="432.0"/>
      <di:waypoint x="782.0" y="145.0"/>
      <bpmndi:BPMNLabel/>
    </bpmndi:BPMNEdge>
    <bpmndi:BPMNEdge bpmnElement="_6-428" id="Trisotech.Visio__6__6-428">
      <di:waypoint x="679.0" y="111.0"/>
      <di:waypoint x="726.0" y="111.0"/>
      <bpmndi:BPMNLabel/>
    </bpmndi:BPMNEdge>
    <bpmndi:BPMNEdge bpmnElement="_6-748" id="Trisotech.Visio__6__6-748">
      <di:waypoint x="250.0" y="420.0"/>
      <di:waypoint x="268.0" y="420.0"/>
      <di:waypoint x="286.0" y="420.0"/>
      <bpmndi:BPMNLabel/>
    </bpmndi:BPMNEdge>
    <bpmndi:BPMNEdge bpmnElement="_6-420" id="Trisotech.Visio__6__6-420">
      <di:waypoint x="348.0" y="111.0"/>
      <di:waypoint x="366.0" y="111.0"/>
      <di:waypoint x="378.0" y="111.0"/>
      <bpmndi:BPMNLabel/>
    </bpmndi:BPMNEdge>
    <bpmndi:BPMNEdge bpmnElement="_6-636" id="Trisotech.Visio__6__6-636">
      <di:waypoint x="686.0" y="663.0"/>
      <di:waypoint x="704.0" y="663.0"/>
      <di:waypoint x="722.0" y="663.0"/>
      <bpmndi:BPMNLabel/>
    </bpmndi:BPMNEdge>

```

```

<bpmndi:BPMNEdge bpmnElement="_6-750" id="Trisotech.Visio__6__6-750">
  <di:waypoint x="328.0" y="386.0"/>
  <di:waypoint x="328.0" y="348.0"/>
  <di:waypoint x="572.0" y="348.0"/>
  <di:waypoint x="572.0" y="234.0"/>
  <bpmndi:BPMNLabel/>
</bpmndi:BPMNEdge>
<bpmndi:BPMNEdge bpmnElement="_6-436" id="Trisotech.Visio__6__6-436">
  <di:waypoint x="918.0" y="111.0"/>
  <di:waypoint x="936.0" y="111.0"/>
  <di:waypoint x="956.0" y="111.0"/>
  <bpmndi:BPMNLabel/>
</bpmndi:BPMNEdge>
<bpmndi:BPMNEdge bpmnElement="_6-632" id="Trisotech.Visio__6__6-632">
  <di:waypoint x="335.0" y="555.0"/>
  <di:waypoint x="353.0" y="555.0"/>
  <di:waypoint x="353.0" y="663.0"/>
  <di:waypoint x="464.0" y="663.0"/>
  <bpmndi:BPMNLabel/>
</bpmndi:BPMNEdge>
<bpmndi:BPMNEdge bpmnElement="_6-634" id="Trisotech.Visio__6__6-634">
  <di:waypoint x="548.0" y="663.0"/>
  <di:waypoint x="603.0" y="663.0"/>
  <bpmndi:BPMNLabel/>
</bpmndi:BPMNEdge>
<bpmndi:BPMNEdge bpmnElement="_6-125" id="Trisotech.Visio__6__6-125">
  <di:waypoint x="96.0" y="111.0"/>
  <di:waypoint x="114.0" y="111.0"/>
  <di:waypoint x="145.0" y="111.0"/>
  <bpmndi:BPMNLabel/>
</bpmndi:BPMNEdge>
<bpmndi:BPMNEdge bpmnElement="_6-430" id="Trisotech.Visio__6__6-430">
  <di:waypoint x="600.0" y="200.0"/>
  <di:waypoint x="618.0" y="200.0"/>
  <di:waypoint x="618.0" y="252.0"/>
  <di:waypoint x="576.0" y="252.0"/>
  <di:waypoint x="549.0" y="252.0"/>
  <di:waypoint x="360.0" y="252.0"/>
  <di:waypoint x="360.0" y="111.0"/>
  <di:waypoint x="378.0" y="111.0"/>
  <bpmndi:BPMNLabel/>
</bpmndi:BPMNEdge>
<bpmndi:BPMNEdge bpmnElement="_6-642" id="Trisotech.Visio__6__6-642">
  <di:waypoint x="545.0" y="234.0"/>
  <di:waypoint x="545.0" y="324.0"/>
  <di:waypoint x="234.0" y="324.0"/>
  <di:waypoint x="234.0" y="404.0"/>
  <bpmndi:BPMNLabel/>
</bpmndi:BPMNEdge>
<bpmndi:BPMNEdge bpmnElement="_6-424" id="Trisotech.Visio__6__6-424">
  <di:waypoint x="399.0" y="132.0"/>

```

```

        <di:waypoint x="399.0" y="200.0"/>
        <di:waypoint x="448.0" y="200.0"/>
        <bpmndi:BPMNLabel/>
    </bpmndi:BPMNEdge>
    <bpmndi:BPMNEdge bpmnElement="_6-638" messageVisibleKind="initiating"
id="Trisotech.Visio__6__6-638">
        <di:waypoint x="306.0" y="145.0"/>
        <di:waypoint x="306.0" y="252.0"/>
        <di:waypoint x="94.0" y="252.0"/>
        <di:waypoint x="94.0" y="405.0"/>
        <bpmndi:BPMNLabel/>
    </bpmndi:BPMNEdge>
    <bpmndi:BPMNEdge bpmnElement="_6-426" id="Trisotech.Visio__6__6-426">
        <di:waypoint x="480.0" y="200.0"/>
        <di:waypoint x="498.0" y="200.0"/>
        <di:waypoint x="517.0" y="200.0"/>
        <bpmndi:BPMNLabel/>
    </bpmndi:BPMNEdge>
    <bpmndi:BPMNEdge bpmnElement="_6-693" id="Trisotech.Visio__6__6-693">
        <di:waypoint x="161.0" y="441.0"/>
        <di:waypoint x="161.0" y="556.0"/>
        <di:waypoint x="252.0" y="555.0"/>
        <bpmndi:BPMNLabel/>
    </bpmndi:BPMNEdge>
    <bpmndi:BPMNEdge bpmnElement="_6-178" id="Trisotech.Visio__6__6-178">
        <di:waypoint x="228.0" y="111.0"/>
        <di:waypoint x="265.0" y="111.0"/>
        <bpmndi:BPMNLabel/>
    </bpmndi:BPMNEdge>
    <bpmndi:BPMNEdge bpmnElement="_6-746" id="Trisotech.Visio__6__6-746">
        <di:waypoint x="370.0" y="420.0"/>
        <di:waypoint x="386.0" y="420.0"/>
        <di:waypoint x="386.0" y="474.0"/>
        <di:waypoint x="191.0" y="474.0"/>
        <di:waypoint x="191.0" y="420.0"/>
        <di:waypoint x="218.0" y="420.0"/>
        <bpmndi:BPMNLabel/>
    </bpmndi:BPMNEdge>
    <bpmndi:BPMNEdge bpmnElement="_6-434" id="Trisotech.Visio__6__6-434">
        <di:waypoint x="810.0" y="111.0"/>
        <di:waypoint x="834.0" y="111.0"/>
        <bpmndi:BPMNLabel/>
    </bpmndi:BPMNEdge>
</bpmndi:BPMNPlane>
</bpmndi:BPMNDiagram>
</semantic:definitions>


```


Chapter 6. Bytefield


Generating byte field diagrams.

— bytefield, <https://github.com/Deep-Symmetry/bytefield-svg>

6.1. Internal diagram source



6.2. External diagram source file



Chapter 7. Diagrams as (Python) Code


Diagrams — Diagram as Code

Diagrams lets you draw the cloud system architecture in Python code.


It was born for prototyping a new system architecture without any design tools. You can also describe or visualize the existing system architecture as well.

— Diagrams, <https://diagrams.mingrammer.com/>

7.1. Internal diagram source



7.2. External diagram source file




Chapter 8. Ditaa


Ditaa is a small command-line utility written in Java, that can convert diagrams drawn using ascii art into proper bitmap graphics.

— ditaa, <http://ditaa.sourceforge.net/>

8.1. Internal diagram source



8.2. External diagram source file




Chapter 9. Dpic


Dpic is an implementation of the pic "little language" for creating line drawings and illustrations for documents, web pages, and other uses.

— J. D. Aplevich, <https://gitlab.com/aplevich/dpic>

9.1. Internal diagram source



9.2. External diagram source file




Chapter 10. ERD

Translates a plain text description of a relational database schema to a graphical entity-relationship diagram.


— erd, <https://github.com/kaishuu0123/erd-go>

10.1. Internal diagram source



10.2. External diagram source file

nfldb Entity-Relationship diagram (condensed)




Chapter 11. Gnuplot

Gnuplot is a portable command-line driven graphing utility originally created to allow scientists and students to visualize mathematical functions and data interactively, but has grown to support many non-interactive uses such as web scripting.

— Gnuplot, <http://gnuplot.info/>


11.1. Internal diagram source


Simple Plots



11.2. External diagram source file

Mandelbrot function

`mand({0,0},compl(x,y),30)` 




Chapter 12. graphviz


Graphviz is open source graph visualization software. Graph visualization is a way of representing structural information as diagrams of abstract graphs and networks. It has important applications in networking, bioinformatics, software engineering, database and web design, machine learning, and in visual interfaces for other technical domains.

— graphviz, <https://graphviz.gitlab.io/>


12.1. Internal diagram source



12.2. External diagram source file



Chapter 13. meme



Chapter 14. mermaid

I had a forward slash defined in the label of a diagram node.

```
graph LR
  M[Main\n/]
```

This could be rendered successfully by other mermaid engines, like the one that renders the preview in the vscode plugin. But caused **mmdc** to crash with

```
Error: Evaluation failed: Error: Diagram error not found.
  at pptr://__puppeteer_evaluation_script__:45:17
  at ExecutionContext._ExecutionContext_evaluate (...)
  at process.processTicksAndRejections (...)
  at async ExecutionContext.evaluate (...)
  at async CDPJSHandle.evaluate (...)
  at async CDPElementHandle.$eval (...)
  at async renderMermaid (...)
  at async parseMMD (...)
  at async run (...)
  at async cli (...)
```

However, as soon as I add double quotes

```
graph LR
  M["Main\n/"]
```

everything works fine. So this is rather an issue to handle in **mermaid-js/mermaid-cli** (if at all).

— gibso (@github), <https://github.com/barthel/docker-asciidoctor/pull/3>

14.1. Internal diagram source

```
Failed to generate image: mmdc failed:
SyntaxError: Unexpected token 'e', ..."adless": new,
  "exec"... is not valid JSON
  at JSON.parse (<anonymous>)
  at cli (file:///usr/local/share/.config/yarn/global/node_modules/@mermaid-
js/mermaid-cli/src/index.js:180:59)
  at file:///usr/local/share/.config/yarn/global/node_modules/@mermaid-js/mermaid-
cli/src/cli.js:6:1
  at ModuleJob.run (node:internal/modules/esm/module_job:222:25)
```

```
at async ModuleLoader.import (node:internal/modules/esm/loader:316:24)
at async asyncRunEntryPointWithESMLoader (node:internal/modules/run_main:123:5)
```

flowchart TD

```
A[Christmas] -->|Get money| B(Go shopping)
B --> C{Let me think}
C -->|One| D[Laptop]
C -->|Two| E[iPhone]
C -->|Three| F[fa:fa-car Car]
```

14.2. External diagram source file

Failed to generate image: mmdc failed:

SyntaxError: Unexpected token 'e', ..."adless": new,

"exec"... is not valid JSON

at JSON.parse (<anonymous>)

at cli (file:///usr/local/share/.config/yarn/global/node_modules/@mermaid-js/mermaid-cli/src/index.js:180:59)

at file:///usr/local/share/.config/yarn/global/node_modules/@mermaid-js/mermaid-cli/src/cli.js:6:1

at ModuleJob.run (node:internal/modules/esm/module_job:222:25)

at async ModuleLoader.import (node:internal/modules/esm/loader:316:24)

at async asyncRunEntryPointWithESMLoader (node:internal/modules/run_main:123:5)

sequenceDiagram

Alice ->> Bob: Hello Bob, how are you?

Bob-->>John: How about you John?

Bob--x Alice: I am good thanks!

Bob-x John: I am good thanks!

Note right of John: Bob thinks a long
long time, so long
that the text does
not fit on a row.

Bob-->Alice: Checking with John...

Alice->John: Yes... John, how are you?

Chapter 15. mscgen

Mscgen is a small program that parses Message Sequence Chart descriptions and produces PNG, SVG, EPS or server side image maps (ismaps) as the output. Message Sequence Charts (MSCs) are a way of representing entities and interactions over some time period and are often used in combination with SDL.

— mscgen, <http://www.mcternan.me.uk/mscgen/>

15.1. Internal diagram source



The `mscgen` backend is currently not supported.

15.2. External diagram source file




The `mscgen` backend is currently not supported.

Chapter 16. Nomnoml




Nomnoml is a tool for drawing UML diagrams based on a simple syntax. It tries to keep its syntax visually as close as possible to the generated UML diagram without resorting to ASCII drawings.

— Daniel Kallin, <https://github.com/skanaar/nomnoml>

16.1. Internal diagram source



16.2. External diagram source file




Chapter 17. Pikchr


Pikchr (pronounced "picture") is a PIC-like markup language for diagrams in technical documentation. Pikchr is designed to be embedded in fenced code blocks of Markdown or similar mechanisms of other documentation markup languages.

— Pikchr, <https://pikchr.org/home/doc/trunk/homepage.md>

17.1. Internal diagram source



17.2. External diagram source file



Chapter 18. PlantUML

PlantUML is a component that allows to quickly write :

- Sequence diagram
- Usecase diagram
- Class diagram
- Activity diagram (here is the legacy syntax)
- Component diagram
- State diagram
- Object diagram
- Deployment diagram
- Timing diagram

The following non-UML diagrams are also supported:


- Network
- Wireframe graphical interface
- Archimate diagram
- Specification and Description Language (SDL)
- Dita diagram
- Gantt diagram
- MindMap diagram
- Work Breakdown Structure diagram
- Mathematic with AsciiMath or JLaTeXMath notation
- Entity Relationship diagram

Diagrams are defined using a simple and intuitive language.


— PlantUML, <https://plantuml.com/>

18.1. PlantUML

18.1.1. Internal diagram source



18.1.2. External diagram source file



18.2. Salt

Salt is a subproject included in PlantUML that may help you to design graphical interface.

— PlantUML, <https://plantuml.com/salt>

18.2.1. Internal diagram source

Just plain text

This is my button

☐ Unchecked radio

☒ Checked radio


☐ Unchecked box

☒ Checked box

Enter text here

This is a droplist

18.2.2. External diagram source file





Chapter 19. state-machine-cat (smcat)

State Machine cat


write beautiful state charts

— Sander Verweij, <https://github.com/sverweij/state-machine-cat>

19.1. Internal diagram source



19.2. External diagram source file





Chapter 20. Svgbob

Svgbob can create a nice graphical representation of your text diagrams.

— Jovansonlee Cesar, <https://github.com/ivanceras/svgbob/>

20.1. Internal diagram source




20.2. External diagram source file

Chapter 21. Symbolator


Symbolator is a component diagramming tool for VHDL and Verilog. It will parse HDL source files, extract components or modules and render them as an image.

— Kevin Thibedeau, <https://kevinpt.github.io/symbolator>

21.1. Internal diagram source



21.2. External diagram source file




Chapter 22. Syntrax


Syntrax is a railroad diagram generator. It creates a visual illustration of the grammar used for programming languages.

— Kevin Thibedeau, <https://kevinpt.github.io/syntrax>

22.1. Internal diagram source



22.2. External diagram source file




Chapter 23. Tikz

“What is TikZ?”


Basically, it just defines a number of TEX commands that draw graphics.

— Till Tantau, <https://pgf-tikz.github.io/pgf/pgfmanual.pdf>

23.1. Internal diagram source



23.2. External diagram source file



Chapter 24. UMLet

UMLet is a free, open-source UML tool with a simple user interface: draw UML diagrams fast, create sequence and activity diagrams from plain text, share via exports to eps, pdf, jpg, svg, and clipboard, and develop new, custom UML elements.


— The UMLet Team, <https://www.umlet.com>

24.1. Internal diagram source



The **umlet** backend currently does not support internal diagram sources.

24.2. External diagram source file




Chapter 25. Vega Lite


Vega-Lite is a high-level grammar of interactive graphics. It provides a concise, declarative JSON syntax to create an expressive range of visualizations for data analysis and presentation.

— Vega, <https://vega.github.io/vega-lite/>

25.1. Internal diagram source



25.2. External diagram source file




Chapter 26. Vega


Vega is a visualization grammar, a declarative language for creating, saving, and sharing interactive visualization designs. With Vega, you can describe the visual appearance and interactive behavior of a visualization in a JSON format, and generate web-based views using Canvas or SVG.

— Vega, <https://vega.github.io/vega/>

26.1. Internal diagram source



26.2. External diagram source file




Chapter 27. WaveDrom

WaveDrom draws your Timing Diagram or Waveform from simple textual description.

— WaveDrom, <https://wavedrom.com/>

27.1. Internal diagram source



27.2. External diagram source file

31	29	28	26	25	24	20	19	15	14	12	11	7	6	0													
nf			mop			vm			lumop			rs1			width			vd			0	0	0	0	1	1	1
			0 0 0			0 0 0 0 0			base address						destination of load			VLxU,VLE zero-extended									
			0 0 0			1 0 0 0 0												VLxU,VLE zero-extended, fault-only									
			1 0 0			0 0 0 0 0												VLxU sign-extended									
			1 0 0			1 0 0 0 0												VLxU sign-extended, fault-only-f									

Bibliography

- [DIAG] AsciiDoctor Project (en): *AsciiDoctor Diagram*. <https://asciidoctor.org/docs/asciidoctor-diagram/> (Retrieved March 29, 2020)