



[Postman] Trello API – tips

Before you send requests you need to get your own key and token for your Trello Account:


1. Create account on Trello (www.trello.com).
2. Create account on Trello Developers (<https://developer.atlassian.com/cloud/trello/>).
3. Go to <https://developer.atlassian.com/cloud/trello/guides/rest-api/api-introduction/> and read base informations.
4. Next go to <https://trello.com/app-key> and get your API key.
5. On that same site click „Token” word and go with their instructions to get your own token.


Now you can add your key and token to variables. Also you should create second normal Trello Account on your second e-mail and add this e-mail too:






In „Organizations tests” one request need upload a file as logo. This file is also in repository. To make sure it works for yours Postman you need to set in settings path or (even better) „Allow reading files outside working directory” on ON.





To run my requests on your Postman you should download repository and in Postman's settings import this file:



[Postman] Trello API – screens

Fragments of directories:

<div>Boards - code</div> <div><div>POST</div>Pre-request Create a Board</div> <div><div>DEL</div>After-request Delete a Board</div> <div>Checklists - checklists tests</div> <div><div>POST</div>Boards - Create a Board</div> <div><div>POST</div>Lists - Create a new List</div> <div><div>POST</div>Cards - Create a new Card</div> <div><div>POST</div>Checklists - Create a Checklist</div> <div><div>GET</div>Checklists - Get the Board the Checklist is on</div> <div><div>GET</div>Checklists - Get the Card a Checklist is on</div> <div><div>POST</div>Checklists - Create Checkitem on Checklist</div> <div><div>GET</div>Checklists - Get Checkitems on a Checklist</div> <div><div>GET</div>Checklists - Get a Checkitem on a Checklist</div> <div><div>DEL</div>Checklists - Delete Checkitem from Checklist</div> <div><div>PUT</div>Checklists - Update a Checklist</div> <div><div>PUT</div>Checklists - Update field on a Checklist</div> <div><div>GET</div>Checklists - Get field on a Checklist</div> <div><div>GET</div>Checklists - Get a Checklist</div> <div><div>DEL</div>Checklists - Delete a Checklist</div> <div><div>DEL</div>Boards - Delete a Board</div> <div>Search - search tests</div> <div><div>POST</div>Boards - Create a Board</div> <div><div>GET</div>Search - Search Trello</div> <div><div>GET</div>Search - Search for Members</div> <div><div>DEL</div>Boards - Delete a Board</div> <div>Webhooks - webhooks tests</div> <div><div>POST</div>Webhooks - Create a Webhook</div> <div><div>PUT</div>Webhooks - Update a Webhook</div> <div><div>GET</div>Webhooks - Get a Webhook</div> <div><div>GET</div>Webhooks - Get a field on a Webhook</div> <div><div>DEL</div>Webhooks - Delete a Webhook</div> <div>Emoji - emoji tests</div> <div><div>GET</div>Emoji - List available Emoji</div> <div>Batch - batch tests</div> <div><div>GET</div>Batch Requests</div>	<div>Boards - boards tests</div> <div><div>POST</div>Boards - Create a Board</div> <div><div>POST</div>Boards - Create a Label on a Board</div> <div><div>POST</div>Boards - Create a List on a Board</div> <div><div>POST</div>Cards - Create a new Card</div> <div><div>POST</div>Checklists - Create a Checklist</div> <div><div>POST</div>Boards - Create a emailKey for a Board</div> <div><div>GET</div>Boards - Get Checklists on a Board</div> <div><div>GET</div>Boards - Get a Board</div> <div><div>GET</div>Boards - Get a Card on a Board</div> <div><div>GET</div>Boards - Get Labels on a Board</div> <div><div>GET</div>Boards - Get Custom Fields for Board</div> <div><div>GET</div>Boards - Get filtered Cards on a Board</div> <div><div>GET</div>Boards - Get filtered Lists on a Board</div> <div><div>PUT</div>Boards - Update a Board</div> <div><div>GET</div>Boards - Get a field on a Board</div> <div><div>GET</div>Boards - Get Cards on Board</div> <div><div>GET</div>Boards - Get Lists on a Board</div> <div><div>GET</div>Boards - Get Actions of a Board</div> <div><div>GET</div>Boards - Get boardStars on a Board</div> <div><div>PUT</div>Boards - Invite Member to Board via email</div> <div><div>GET</div>Boards - Get the Members of a Board</div> <div><div>PUT</div>Boards - Add a Member to a Board</div> <div><div>GET</div>Boards - Get Memberships of a Board</div> <div><div>PUT</div>Boards - Update Membership of Member on a Board</div> <div><div>DEL</div>Boards - Remove Member from Board</div> <div>Labels - labels tests</div> <div><div>POST</div>Boards - Create a Board</div> <div><div>POST</div>Labels - Create a Label</div> <div><div>PUT</div>Labels - Update a Label</div> <div><div>PUT</div>Labels - Update a field on a label</div> <div><div>GET</div>Labels - Get a Label</div> <div><div>DEL</div>Labels - Delete a Label</div> <div><div>DEL</div>Boards - Delete a Board</div>	<div>Lists - lists tests</div> <div><div>POST</div>Boards - Create a Board</div> <div><div>POST</div>Boards - Create a Board 2</div> <div><div>POST</div>Lists - Create a new List</div> <div><div>POST</div>Cards - Create a new Card</div> <div><div>POST</div>Lists - Create a new List 2</div> <div><div>PUT</div>Lists - Update a List</div> <div><div>PUT</div>Lists - Update a field on a List</div> <div><div>POST</div>Lists - Move all Cards in List</div> <div><div>PUT</div>Lists - Move List to Board</div> <div><div>GET</div>Lists - Get a List</div> <div><div>GET</div>Lists - Get Cards in a List</div> <div><div>GET</div>Lists - Get the Board a List is on</div> <div><div>GET</div>Lists - Get Actions for a List</div> <div><div>POST</div>Lists - Archive all Cards in List</div> <div><div>POST</div>Lists - Archive all Cards in List 2</div> <div><div>PUT</div>Lists - Archive or unarchive a list</div> <div><div>PUT</div>Lists - Archive or unarchive a list 2</div> <div><div>DEL</div>Boards - Delete a Board</div> <div><div>DEL</div>Boards - Delete a Board 2</div> <div>Organizations - organizations tests</div> <div><div>POST</div>Organizations - Create a new Organization</div> <div><div>PUT</div>Organizations - Update an Organization</div> <div><div>POST</div>Boards - Create a Board (for Organization)</div> <div><div>PUT</div>Boards - Invite Member to Board via email (for Organization)</div> <div><div>GET</div>Boards - Get the Members of a Board Copy (for Organization)</div> <div><div>PUT</div>Organizations - Update an Organization's Members</div> <div><div>GET</div>Organizations - Get an Organization</div> <div><div>GET</div>Organizations - Get field on Organization</div> <div><div>GET</div>Organizations - Get Actions for Organization</div> <div><div>GET</div>Organizations - Get the Members of an Organization</div> <div><div>GET</div>Organizations - Get Memberships of an Organization</div> <div><div>GET</div>Organizations - Get a Membership of an Organization</div> <div><div>GET</div>Organizations - Get the pluginData Scoped to Organization</div> <div><div>GET</div>Organizations - Get Tags of an Organization</div> <div><div>DEL</div>Organizations - Remove a Member from an Organization</div>	<div>Cards - cards tests</div> <div><div>POST</div>Boards - Create a Board (for Cards)</div> <div><div>POST</div>Lists - Create a new List (for Cards)</div> <div><div>POST</div>Cards - Create a new Card</div> <div><div>POST</div>Cards - Create a new Card (Card 2)</div> <div><div>GET</div>Cards - Get a Card</div> <div><div>PUT</div>Cards - Update a Card</div> <div><div>GET</div>Cards - Get a field on a Card</div> <div><div>GET</div>Cards - Get Actions on a Card</div> <div><div>GET</div>Cards - Get the Board the Card is on</div> <div><div>GET</div>Cards - Get Stickers on a Card</div> <div><div>GET</div>Boards - Get Memberships of a Board (for Cards)</div> <div><div>GET</div>Cards - Get the List of a Card</div> <div><div>GET</div>Cards - Get Custom Field Items for a Card</div> <div><div>POST</div>Cards - Add a new comment to a Card</div> <div><div>PUT</div>Cards - Update Comment Action on a Card</div> <div><div>DEL</div>Cards - Delete a comment on a Card</div> <div><div>POST</div>Cards - Mark a Card's Notifications as read</div> <div><div>POST</div>Cards - Create a new Label on a Card</div> <div><div>POST</div>Cards - Add a Label to a Card</div> <div><div>DEL</div>Cards - Remove a Label from a Card</div> <div><div>DEL</div>Cards - Delete a Card (Card 2)</div> <div><div>POST</div>Cards - Add a Member to a Card</div> <div><div>GET</div>Cards - Get the Members of a Card</div> <div><div>GET</div>Cards - Get Members who have voted on a Card</div> <div><div>GET</div>Cards - Get pluginData on a Card</div>
--	--	---	--

Pre-requests and After-requests examples:

The screenshot displays the Postman application interface. On the left sidebar, the 'Collections' tab is active, showing a collection named 'Trello API' with 154 requests. Under the 'Boards - code' folder, the 'Pre-request Create a Board' request is selected. The main panel shows the details of this request, which is a POST method. The 'Pre-request Script' tab is active, displaying a JavaScript script that sets up variables for a Trello API call. The script includes comments and uses Postman's built-in functions like `pm.collectionVariables.get()` and `pm.collectionVariables.set()`. The 'Response' tab is currently empty, showing a large illustration of a rocket launch and the text 'Hit Send to get a response'. The bottom status bar indicates the time is 11:58 on 2020-08-24.

Postman

File Edit View Help

New Import Runner

My Workspace Invite

Filter

History Collections APIs

+ New Collection Trash

Trello API
154 requests

Boards - code

POST Pre-request Create a Board

DEL After-request Delete a Board

Boards - boards tests

Checklists - checklists tests

Labels - labels tests

Lists - lists tests

Cards - cards tests

Search - search tests

Webhooks - webhooks tests

Emoji - emoji tests

Batch - batch tests

Organizations - organizations tests

POST Pre-request Create a Board

Params Authorization Headers (7) Body Pre-request Script Tests Settings

```
1 const key = pm.collectionVariables.get("key");
2 const token = pm.collectionVariables.get("token");
3 pm.collectionVariables.set("board_random_name", pm.collectionVariables.replaceIn('{{randomExampleEmail}}'));
4 const board_random_name = pm.collectionVariables.get("board_random_name");
5
6 const createBoard = {
7   method: 'POST',
8   url: 'https://api.trello.com/1/boards/?key=' + key + '&token=' + token + '&name=' + board_random_name,
9   header: {
10     'Cookie': 'dsc=937f16fba8e742edf35a0cee9cf335a01e8aed5ad7a678f793a6bfd7e59fc030'
11   }
12 };
13
14 pm.sendRequest(createBoard, function (error, response) {
15   const data = response.json();
16   pm.collectionVariables.set("board_id", data.id);
17   console.log(response.json());
18 });
```

Send Save

Pre-request scripts are written in JavaScript, and are run before the request is sent. [Learn more about pre-request scripts](#)

SNIPPETS

- Get an environment variable
- Get a global variable
- Get a variable
- Set an environment variable
- Set a global variable
- Clear an environment variable
- Clear a global variable
- Send a request

Response

Hit Send to get a response

Find and Replace Console

Bootcamp Build Browse

11:58 2020-08-24

Postman

File Edit View Help

NewImportRunner

My Workspace

Invite

RefreshShareBookmarkHeartHelpUpgrade

Filter

HistoryCollectionsAPIs

New CollectionTrash

Trello API154 requests

Boards - code

POST Pre-request: Create a Board

DEL After-request Delete a Board

Boards - boards tests

Checklists - checklists tests

Labels - labels tests

Lists - lists tests

Cards - cards tests

Search - search tests

Webhooks - webhooks tests

Emoji - emoji tests

Batch - batch tests

Organizations - organizations tests

DEL After-request Delete a Board

After-request Delete a Board

Examples0BUILD

DELETEEnter request URL

SendSave

ParamsAuthorizationHeaders(6)BodyPre-request ScriptTestsSettings

```
1const key = pm.collectionVariables.get("key");
2const token = pm.collectionVariables.get("token");
3const board_id = pm.collectionVariables.get("board_id");
4
5const deleteBoard = {
6  method: 'DELETE',
7  url: 'https://api.trello.com/1/boards/' + board_id + '?key=' + key + '&token=' + token,
8  header: {
9    'Cookie': 'dsc=937f16fba8e742edf35a0cee9cf335a01e8aed5ad7a678f793a6bfd7e59fc030'
10  }
11};
12
13pm.sendRequest(deleteBoard, function (error, response) {
14});
```

Test scripts are written in JavaScript, and are run after the response is received.
Learn more about tests scripts

SNIPPETS

Get an environment variable

Get a global variable

Get a variable

Set an environment variable


Set a global variable

Clear an environment variable

Clear a global variable

Send a request

Response



Hit Send to get a response


Find and ReplaceConsole

BootcampBuildBrowse

Windows Taskbar

System Tray

Normal requests examples:



Postman

File Edit View Help

NewImportRunner

My Workspace

Invite

Refresh

Share

Sync

Heart

Help

Upgrade

Filter

HistoryCollectionsAPITrash

New Collection

Trello API

154 requests

Boards - code

Boards - boards tests

POST Boards - Create a Board

POST Boards - Create a Label on a Board

POST Boards - Create a List on a Board

POST Cards - Create a new Card

POST Checklists - Create a Checklist

POST Boards - Create a emailKey for a Board

GET Boards - Get Checklists on a Board

GET Boards - Get a Board

GET Boards - Get a Card on a Board

GET Boards - Get Labels on a Board

GET Boards - Get Custom Fields for Board

GET Boards - Get filtered Cards on a Board

GET Boards - Get filtered Lists on a Board

PUT Boards - Update a Board

GET Boards - Get a field on a Board

GET Boards - Get Cards on Board

GET Boards - Get Lists on a Board

GET Boards - Get Actions of a Board

GET Boards - Get boardStars on a Board

PUT Boards - Invite Member to Board via email

GET Boards - Get the Members of a Board

PUT Boards - Add a Member to a Board

GET Boards - Get Members of a Board

POST Boards - Create a Board

Boards - Create a Board

POSThttps://api.trello.com/1/boards/?key={{key}}&token={{token}}&name={{randomExampleEmail}}

SendSave

ParamsAuthorizationHeaders (7)BodyPre-request ScriptTestsSettings

1pm.collectionVariables.replaceIn('{{randomExampleEmail}}')

Pre-request scripts are written in JavaScript, and are run before the request is sent. Learn more about pre-request scripts

SNIPPETS

Get an environment variable

Get a global variable

Get a variable

Set an environment variable

Set a global variable

Clear an environment variable

Clear a global variable

Send a request

Response

Hit Send to get a response

Find and ReplaceConsole

BootcampBuildBrowse

11:592020-08-24

Postman

File Edit View Help

NewImportRunner

My Workspace

Invite

Refresh

Share

Sync

Heart

Help

Upgrade

Filter

HistoryCollectionsAPIs

New Collection

Trash

Trello API

154 requests

Boards - code

Boards - boards tests

POSTBoards - Create a Board

POSTBoards - Create a Label on a Board

POSTBoards - Create a List on a Board

POSTCards - Create a new Card

POSTChecklists - Create a Checklist

POSTBoards - Create a emailKey for a Board

GETBoards - Get Checklists on a Board

GETBoards - Get a Board

GETBoards - Get a Card on a Board

GETBoards - Get Labels on a Board

GETBoards - Get Custom Fields for Board

GETBoards - Get filtered Cards on a Board

GETBoards - Get filtered Lists on a Board

PUTBoards - Update a Board

GETBoards - Get a field on a Board

GETBoards - Get Cards on Board

GETBoards - Get Lists on a Board

GETBoards - Get Actions of a Board

GETBoards - Get boardStars on a Board

PUTBoards - Invite Member to Board via email

GETBoards - Get the Members of a Board

PUTBoards - Add a Member to a Board

GETBoards - Get Memberships of a Board

POSTBoards - Create a Board

Boards - Create a Board

POSThttps://api.trello.com/1/boards/?key={{key}}&token={{token}}&name={{randomExampleEmail}}

SendSave

ParamsAuthorizationHeaders (7)BodyPre-request ScriptTestsSettings

```
1const response = pm.response.json();
2
3pm.test("Status code is 200", function () {
4  pm.response.to.have.status(200);
5});
6
7pm.test("Response time is less than 200ms", function () {
8  pm.expect(pm.response.responseTime).to.be.below(200);
9});
10
11pm.test("Permission Level is private", function () {
12  pm.expect(response.prefs.permissionLevel).to.eql("private");
13});
14
15pm.collectionVariables.set("board_id", response.id);
16pm.collectionVariables.set("board_name", response.name);
```

Test scripts are written in JavaScript, and are run after the response is received.
Learn more about tests scripts

SNIPPETS

Get an environment variable

Get a global variable

Get a variable

Set an environment variable

Set a global variable

Clear an environment variable

Clear a global variable

Send a request

Response

Hit Send to get a response

Find and Replace

Console

BootcampBuildBrowse

Windows Taskbar

System Tray

Postman

File Edit View Help

NewImportRunner

My Workspace

Invite

Upgrade

Filter

HistoryCollectionsAPIs

New Collection

Trash

Caros - caros tests

Search - search tests

Webhooks - webhooks tests

Emoji - emoji tests

Batch - batch tests

Organizations - organizations tests

POST Organizations - Create a new Organization

PUT Organizations - Update an Organization

POST Boards - Create a Board (for Organization)

PUT Boards - Invite Member to Board via email (for Organization)

GET Boards - Get the Members of a Board Copy (for Organization)

PUT Organizations - Update an Organization's Members

GET Organizations - Get an Organization

GET Organizations - Get field on Organization

GET Organizations - Get Actions for Organization

GET Organizations - Get the Members of an Organization

GET Organizations - Get Memberships of an Organization

GET Organizations - Get a Membership of an Organization

GET Organizations - Get the pluginData Scoped to Organization

GET Organizations - Get Tags of an Organization

DEL Organizations - Remove a Member from an Organization

POST Organizations - Update logo for an Organization

DEL Organizations - Delete Logo for Organization

GET Organizations - Get Boards in an Organization

GET Organizations - Get Organizations new billable guests

DEL Boards - Delete a Board (for Organization)

DEL Organizations - Delete an Organization

POST Organizations - Update logo f...

No Environment

Examples0BUILD

SendSave

ParamsAuthorizationHeaders(8)BodyPre-request ScriptTestsSettings

noneform-datax-www-form-urlencodedrawbinaryGraphQL

KEY	VALUE	DESCRIPTION
<input checked="" type="checkbox"/> file	organization_logo.png	
Key	Value	Description

Response

Hit Send to get a response

Find and ReplaceConsole

BootcampBuildBrowse

Windows Taskbar

System Tray

Postman

File Edit View Help

NewImportRunner

My Workspace

Invite

RefreshShareLikeBookmarkFavoriteUpgrade

Filter

HistoryCollectionsAPIs

New CollectionTrash

PUTBoards - Update a Board

GETBoards - Get a field on a Board

GETBoards - Get Cards on Board

GETBoards - Get Lists on a Board

GETBoards - Get Actions of a Board

GETBoards - Get boardStars on a Board

PUTBoards - Invite Member to Board via email

GETBoards - Get the Members of a Board

PUTBoards - Add a Member to a Board

GETBoards - Get Memberships of a Board

PUTBoards - Update Membership of Member on a Board

DELBoards - Remove Member from Board

PUTBoards - Update emailPosition Pref on a Board

PUTBoards - Update idEmailList Pref on a Board

PUTBoards - Update showListGuide Pref on a Board

PUTBoards - Update showSidebar Pref on a Board

PUTBoards - Update showSidebarActivity Pref on a Board

PUTBoards - Update showSidebarBoardActions Pref on a Board

PUTBoards - Update showSidebarMembers Pref on a Board

POSTBoards - Enable Power-Up on a Board

DELBoards - Disable Power-Up on a Board

GETBoards - Get Power-Ups on a Board (Plugins)

GETBoards - Get Enabled Power-Ups on Board (Plugins)

DELBoards - Delete a Board

Checklists - checklists tests

Labels - labels tests

DELBoards - Delete a Board

Boards - Delete a Board

Examples0BUILD

DELETEhttps://api.trello.com/1/boards/{{board_id}}?key={{key}}&token={{token}}SendSave

ParamsAuthorizationHeaders(6)BodyPre-request ScriptTestsSettings

Query Params

KEY	VALUE	DESCRIPTION	Bulk Edit
<input checked="" type="checkbox"/> key	{{key}}		
<input checked="" type="checkbox"/> token	{{token}}		
Key	Value	Description	

Response

Hit Send to get a response

Find and ReplaceConsole

BootcampBuildBrowse

12:012020-08-24

Postman

File Edit View Help

NewImportRunner

My Workspace

Invite

Refresh

Share

Sync

Heart

Grid

Upgrade

Filter

HistoryCollectionsAPIs

New Collection

Trash

GETBoards - Get Checklists on a Board

GETBoards - Get a Board

GETBoards - Get a Card on a Board

GETBoards - Get Labels on a Board

GETBoards - Get Custom Fields for Board

GETBoards - Get filtered Cards on a Board

GETBoards - Get filtered Lists on a Board

PUTBoards - Update a Board

GETBoards - Get a field on a Board

GETBoards - Get Cards on Board

GETBoards - Get Lists on a Board

GETBoards - Get Actions of a Board

GETBoards - Get boardStars on a Board

PUTBoards - Invite Member to Board via email

GETBoards - Get the Members of a Board

PUTBoards - Add a Member to a Board

GETBoards - Get Memberships of a Board

PUTBoards - Update Membership of Member on a Board

DELBoards - Remove Member from Board

PUTBoards - Update emailPosition Pref on a Board

PUTBoards - Update idEmailList Pref on a Board

PUTBoards - Update showListGuide Pref on a Board

PUTBoards - Update showSidebar Pref on a Board

PUTBoards - Update showSidebarActivity Pref on a Board

PUTBoards - Update showSidebarBoardActions Pref on a Board

PUTBoards - Update showSidebarMembers Pref on a Board

PUTBoards - Update a Board

No Environment

Examples0BUILD

PUThttps://api.trello.com/1/boards/{{board_id}}?key={{key}}&token={{token}}&desc={{randomLoremSentences}}SendSave

ParamsAuthorizationHeaders (7)BodyPre-request ScriptTestsSettings

Query Params

KEY	VALUE	DESCRIPTION	Bulk Edit
<input checked="" type="checkbox"/> key	{{key}}		
<input checked="" type="checkbox"/> token	{{token}}		
<input checked="" type="checkbox"/> desc	{{randomLoremSentences}}		
Key	Value	Description	

Response

Hit Send to get a response


Find and ReplaceConsole

BootcampBuildBrowse

Windows Taskbar

System Tray

For boards:



For all requests:

(Remember before full run you should uncheck two first code request because it's only code and doesn't work)

The screenshot displays the 'Collection Runner' application window. The interface is divided into several sections:

- Top Bar:** Includes a menu bar (File, Edit, View, Help) and a workspace selector ('My Workspace').
- Left Panel:** Contains a search bar and a list of collections under 'Trello API'. The 'Boards - code' collection is selected. Below the list, there are settings for 'Environment' (No Environment), 'Iterations' (1), 'Delay' (0 ms), and 'Data' (Select File). There are also checkboxes for 'Save responses', 'Keep variable values' (checked), 'Run collection without using stored cookies', and 'Save cookies after collection run' (checked). A blue 'Run Trello API' button is at the bottom.
- Right Panel:** Titled 'RUN ORDER', it lists 25 API requests. Each request has a checkbox on the left. The first two requests are unchecked, while the rest are checked. The requests include:
 - POST Pre-request Create a Board
 - DEL After-request Delete a Board
 - POST Boards - Create a Board
 - POST Boards - Create a Label on a Board
 - POST Boards - Create a List on a Board
 - POST Cards - Create a new Card
 - POST Checklists - Create a Checklist
 - POST Boards - Create a emailKey for a Board
 - GET Boards - Get Checklists on a Board
 - GET Boards - Get a Board
 - GET Boards - Get a Card on a Board
 - GET Boards - Get Labels on a Board
 - GET Boards - Get Custom Fields for Board
 - GET Boards - Get filtered Cards on a Board
 - GET Boards - Get filtered Lists on a Board
 - PUT Boards - Update a Board
 - GET Boards - Get a field on a Board
 - GET Boards - Get Cards on Board
 - GET Boards - Get Lists on a Board
 - GET Boards - Get Actions of a Board
 - GET Boards - Get boardStars on a Board
 - PUT Boards - Invite Member to Board via email
 - GET Boards - Get the Members of a Board
 - PUT Boards - Add a Member to a Board
 - GET Boards - Get Memberships of a Board
 - PUT Boards - Update Membership of Member on a Board
- Bottom Bar:** Features a 'Console' tab and a Windows taskbar with various application icons and system status indicators (time: 12:04, date: 2020-08-24).

Run Summary ▶

[Retry](#)

■ Status code is 200

Response time is less than 200ms | AssertionError: expected 309 to be below 200

POST Organizations - Update logo for an Organization <https://api.trello.com/1/...> Trello API / Organizations - organi... 200 OK 566 ms 2.217 KB

■ Status code is 200

Response time is less than 200ms | AssertionError: expected 566 to be below 200

DELETE Organizations - Delete Logo for Organization <https://api.trello.com/1/...> Trello API / Organizations - organi... 200 OK 154 ms 1.638 KB

■ Status code is 200

- Response time is less than 200ms

GET Organizations - Get Boards in an Organization <https://api.trello.com/1/...> Trello API / Organizations - organi... 200 OK 160 ms 3.169 KB

■ Status code is 200

- Response time is less than 200ms

GET Organizations - Get Organizations new billable guests <https://api.trello.com/1/...> Trello API / Organizations - organi... 200 OK 147 ms 1.624 KB

Status code is 200

- Response time is less than 200ms

DELETE Boards - Delete a Board (for Organization) https://api.trello.com/1/... Trello API / Organizations - organi... 200 OK 835 ms 1.638 KB

■ Status code is 200

Response time is less than 200ms | AssertionError: expected 835 to be below 200

DELETE Organizations - Delete an Organization <https://api.trello.com/1/...> Trello API / Organizations - organi... 200 OK 190 ms 1.624 KB

■ Status code is 200

- Response time is less than 200ms

Console

