Row and Seat:_____

In class work 7 has questions 1 through 3 with a total of 6 points. Turn in your work at the end of class *on paper*. This assignment is due *Wednesday 5 October at 13:15* PM.

1. Find $\frac{dy}{dx}$ and $\frac{d^2y}{dx^2}$ evaluated at $(x = 1/\sqrt{2}, y = 1/\sqrt{2})$ given $x^2 + y^2 = 1$.

Solution:

$$\frac{\mathrm{d}}{\mathrm{d}x} \left[x^2 + y^2 = 1 \right] = \left[2x + 2y \frac{\mathrm{d}y}{\mathrm{d}x} = 0 \right].$$

Solving this for $\frac{dy}{dx}$ gives

$$\frac{\mathrm{d}y}{\mathrm{d}x} = -\frac{x}{y}.$$

Pasting in the data $x \leftarrow 1/\sqrt{2}, y \leftarrow 1/\sqrt{2}$ gives $\frac{\mathrm{d}y}{\mathrm{d}x}\Big|_{x=1/\sqrt{2}y=1/\sqrt{2}} = -1$.

To find the second derivative, we differentiate $\frac{dy}{dx} = -\frac{x}{y}$. This gives

$$\frac{\mathrm{d}^2 y}{\mathrm{d}x^2} = \frac{\mathrm{d}}{\mathrm{d}x} \left[-\frac{x}{y} \right] = -\frac{y - xy'}{y^2}.$$

Pasting in the data $x \leftarrow 1/\sqrt{2}, y \leftarrow 1/\sqrt{2}$ gives

$$\frac{\mathrm{d}^2 y}{\mathrm{d}x^2} \bigg|_{x=1/\sqrt{2}y=1/\sqrt{2}} = -\frac{1/\sqrt{2}+1/\sqrt{2}}{1/2} = -2\sqrt{2}.$$

1 2. The equation $xy = y - 1 + e^{-y}$ defines y as a function of x. Find a formula for $\frac{dy}{dx}$.

¹This problem is motivated by an unpublished mathematical model of hemoglobin glycation.

Solution: We have

$$\frac{d}{dx} [xy = y - 1 + e^{-y}] = [y + xy' = y' - y'e^{-y}],$$

$$= [y = (1 - x - e^{-y})y'],$$

$$= [y' = \frac{y}{1 - x - e^{-y}}].$$

- 3. Find a formula for each derivative
- $\boxed{1} \qquad \text{(a) } \frac{\mathrm{d}}{\mathrm{d}x} \left[\ln(x(x-1)) \right]$

Solution:

$$\frac{dy}{dx} = \frac{2x - 1}{(x - 1)x} = \frac{1}{x} + \frac{1}{x - 1}$$

1 (b) $\frac{d}{dx} \left[\tan^{-1}(x^2) \right]$

Solution:

$$\frac{\mathrm{d}y}{\mathrm{d}x} = \frac{2x}{x^4 + 1}.$$

1 (c) $\frac{d}{dx} \left[\csc^{-1}(1/x^2) \right]$

Solution:

$$\frac{\mathrm{d}y}{\mathrm{d}x} = \frac{2x}{\sqrt{1-x^4}}$$

 $\boxed{1} \qquad \text{(d) } \frac{\mathrm{d}}{\mathrm{d}x} \left[x \tan^{-1}(x) \right]$

Solution:

$$\frac{\mathrm{d}y}{\mathrm{d}x} = \tan^{-1}(x) + \frac{x}{x^2 + 1}$$

1 (e) $\frac{d}{dx} \left[\cot^{-1}(x) + \tan^{-1}(x) \right]$

Solution:

$$\frac{\mathrm{d}y}{\mathrm{d}x} = -\frac{1}{1+x^2} + \frac{1}{1+x^2} = 0.$$