

Kansas Frontier Matrix

Whole-UI + Governed AI Expansion

PDF-Only Implementation Blueprint / Repo Inspection Report

Field	Value
Generated	2026-04-21
Workspace inspected	/mnt/data plus common workspace roots
Repo status	CONFIRMED: no mounted Git repository was available; no repo edits were made.
Deliverable mode	PDF-only; no ZIP, TAR, scaffold folder, patch archive, or source tree artifact.
Truth posture	CONFIRMED / INFERRED / PROPOSED / UNKNOWN / NEEDS VERIFICATION / CONFLICTED / DEFERRED
Primary determination	Proceed as PR-ready file-by-file implementation plan, not as claimed repo implementation.

PDF-only completion statement: this run produced exactly one new downloadable user-facing artifact, this PDF. Temporary build and verification files were used only to render and inspect the PDF.

Contents

- 1 Executive determination
- 2 Goal
- 3 Evidence inspected
- 4 Repo availability and CONFIRMED repo inventory
- 5 Source authority and truth-label posture
- 6 Prior gains and continuity inventory
- 7 Whole-UI expansion map
- 8 Proposed or implemented architecture
- 9 File/folder reference plan
- 10 Required files that exist
- 11 Required files that should exist next
- 12 Files intentionally deferred
- 13 Files intentionally not created and why
- 14 Canonical home decisions
- 15 Open file-home conflicts
- 16 Contracts and schemas to add or change
- 17 Routes, API surfaces, and components to add or change
- 18 MapLibre/runtime boundary plan
- 19 Evidence Drawer / Focus Mode / Story Node / review plan
- 20 Fixtures, tests, accessibility, and CI plan
- 21 Commands run and results
- 22 Build and run instructions
- 23 Documentation/control-plane impact
- 24 Update-propagation matrix
- 25 Security, policy, and governed-AI boundary notes
- 26 Rollback path
- 27 Remaining UNKNOWNs and NEEDS VERIFICATION items
- 28 Next smallest useful PR
- 29 Appendix A: file/folder tree
- 30 Appendix B: path-by-path change table
- 31 Appendix C: representative schema/DTO/fixture names
- 32 Appendix D: validation checklist
- 33 Appendix E: full visible PDF source inventory

1. Executive determination

- CONFIRMED: The target KFM repository is not mounted in the visible workspace. git commands against /mnt/data failed with "fatal: not a git repository"; no .git directory was found under inspected common roots; expected repo directories were absent. The report therefore makes no claim of in-place repo edits, route names, implementation maturity, tests, workflows, runtime behavior, dashboards, branch settings, or deployment posture.

- CONFIRMED: The visible evidence corpus contains 55 PDFs, including KFM MapLibre UI doctrine, KFM Components Pass 19, the Documentation Architecture package, the prior Governed AI PDF-only report, an Ollama integration guide, MapLibre/Cesium/GraphQL+REST dossiers, New Ideas implementation packets, and prior domain-lane reports.

- PROPOSED: The next sound UI/governed-AI slice is a small, reversible schema-and-fixture-first PR: documentation control plane, object map, schema wave, mock governed API, MapLibre adapter boundary, persistent shell, evidence drawer, bounded Focus Mode, StoryManifest, read-only review console, typed finite outcomes, tests, and CI gates.

- UNKNOWN: Actual repo app path, package manager, frontend framework, backend API framework, existing UI code, existing schemas, policy tooling, workflow YAML, deployment topology, and runtime logs remain unknown until the real repo is mounted or otherwise inspected.

- CONSEQUENCE: All file paths below are proposed homes unless explicitly marked CONFIRMED as uploaded PDF or command output evidence. If the mounted repo later proves different conventions, adapt paths through an ADR and migration note rather than forcing this plan onto the tree.

2. Goal

The goal is to preserve and expand KFM as a governed, evidence-first, map-first, time-aware spatial knowledge system whose UI is part of the trust model. The report defines how to expand the whole UI and adjacent governed-AI surfaces without bypassing the trust membrane, without letting MapLibre or Focus Mode become sovereign truth, and without confusing prior PDF/scaffold lineage with current implementation.

Because the repo is unavailable, the deliverable is a PR-ready, path-by-path plan. It identifies what should be kept, extended, wrapped, deferred, or verified, and it defines the smallest reversible implementation sequence that can be applied after the actual repo conventions are inspected.

3. Evidence inspected

Source ID	Source	Truth posture	Use in this report	Pointer
SRC-REQ	Current user prompt	CONFIRMED	Controls PDF-only output, repo-inspection requirement, required sections, invariants, and acceptance criteria.	Current conversation
SRC-CMD	Workspace inspection commands	CONFIRMED	No mounted Git repository was found. /mnt/data contains uploaded PDFs only; expected repo directories were absent.	/mnt/data command transcript
SRC-UI	KFM_MapLibre_UI_Architecture_and_Governed_Interaction_Design.pdf	CONFIRMED doctrine / PROPOSED realization / UNKNOWN implementation	Map-first, time-aware, evidence-first, trust-visible shell; MapLibre as disciplined 2D renderer; Evidence Drawer and Focus Mode are trust surfaces.	pp. 1, 3, 4, 10, 21
SRC-P19	KFM_Components_Pass_19...	CORPUS-CONFIRMED doctrine / UNKNOWN implementation	KFM as governed Kansas-first map-first time-aware evidence publication system; artifactization pressure around spec_hash, EvidenceBundle, DecisionEnvelope, ReleaseManifest, CatalogMatrix.	pp. 1-3
SRC-DOC	KFM_Documentation_Architecture_Master_Package_2026-04-19.pdf	CONFIRMED doctrine / bounded repo evidence	Documentation control-plane need; authority collision under growth; canon, lineage, exploratory, contracts, schemas, policy, proofs, and release artifacts must remain distinct.	front matter, pp. 1-4
SRC-AI	KFM_Governed_AI_Extended_Pro_Source_Ledger...	LINEAGE / PROPOSED design	Prior governed-AI PDF-only report found the same no-mounted-repo condition and proposed adapter-first governed AI with MockAdapter, citation validation, finite envelopes, and receipts.	pp. 1-3
SRC-OLLAMA	Ollama & Ubuntu Information.pdf	CONFIRMED doctrine / PROPOSED realization	LLM runtime is replaceable and subordinate to evidence, policy, review, and release state; Focus uses governed API and finite ANSWER/ABSTAIN/DENY/ERROR outcomes.	pp. 1-2, 7, 12
SRC-MLECO	MapLibre Ecosystem Research Dossier.pdf	CONFIRMED technical background	Renderer, style spec, tile/data formats, style tools, and server tooling are separate concerns; MapLibre ecosystem is not a monolith.	pp. 1-2
SRC-GQLREST	Building an Advanced GraphQL + REST Platform for 3D Graphics and Mapping.pdf	PROPOSED technical pattern	Small metadata/control responses via GraphQL or governed API; heavy MVT, PMTiles, COG, 3D Tiles, and glTF via REST/CDN-like delivery. KFM still keeps governed trust path.	pp. 1-2, 8
SRC-CESIUM	Cesium Ecosystem Technical Knowledge Base Dossier.pdf	TECHNICAL BACKGROUND / NEEDS VERIFICATION for versions	3D runtime, platform, enterprise, and standards/data planes; 3D Tiles, glTF, CZML, and terrain formats inform conditional 3D story handling.	pp. 1-2
SRC-GEOMANIFEST	New Ideas 4-19-26 Part 2.pdf	EXPLORATORY / PROPOSED	KFM geo manifest, artifact verification, Gate H, layer trust badges, and Evidence Drawer layer evidence pattern.	pp. 1-5

Source ID	Source	Truth posture	Use in this report	Pointer
SRC-PROMO	New Ideas 4-12-26.pdf and New Ideas 4-13-26.pdf	EXPLORATORY / PROPOSED	Promotion Gate A-G, MetaBlock v2, EvidenceBundle, DecisionEnvelope, DSSE/Cosign patterns, immutable publication, receipts/proofs separation.	early sections
SRC-DOMAIN	KFM domain scaffold PDFs: Soil, Flora, Fauna, Habitat, Agriculture, Hydrology, Atmosphere, etc.	LINEAGE / PROPOSED prior work	Prior domain reports preserve implementation-grade file-family thinking, but remain scaffold or plan evidence unless a repo is mounted.	/mnt/data file inventory

Evidence rule applied: current-session command output controls repo availability; attached corpus controls doctrine and continuity; prior scaffold reports are lineage only; version-sensitive tool and runtime details are marked NEEDS VERIFICATION unless directly verified in this run.

4. Repo availability and CONFIRMED repo inventory

Probe	Result	Truth label	Consequence
pwd	/	CONFIRMED	Command ran from container root; /mnt/data was the evidence workspace.
git -C /mnt/data status --short	fatal: not a git repository	CONFIRMED	No mounted KFM Git checkout at /mnt/data.
git -C /mnt/data branch --show-current	fatal: not a git repository	CONFIRMED	Branch and dirty state are UNKNOWN.
find common roots -name .git	no .git directories returned	CONFIRMED	No mounted repo found under inspected common roots.
find package files	only unrelated skill files found	CONFIRMED	Package manager, monorepo tooling, and app stack are UNKNOWN.
Expected top-level dirs in /mnt/data	.github docs contracts schemas policy tools tests apps packages infra data release ui web pipelines migrations configs were absent	CONFIRMED	Required KFM repo directories are not current implementation evidence in this run.
Visible /mnt/data PDFs	55 PDFs	CONFIRMED	These are source corpus and lineage evidence, not a mounted implementation tree.

CONFIRMED repo inventory: no repo root, package manager, app path, API path, contracts, schemas, policy directory, tests, workflows, emitted receipts, proofs, manifests, catalogs, or release objects were visible as a mounted current implementation. The only visible KFM materials were uploaded/source PDFs in /mnt/data.

5. Source authority and truth-label posture

Authority order used in this PDF: current request; attached KFM doctrine and source corpus; current-session workspace evidence; then external authoritative sources only if necessary. No new external web sources were used. Therefore version-sensitive statements in uploaded PDFs are preserved as corpus evidence, not revalidated current facts.

Label	Meaning in this report
CONFIRMED	Directly verified from command output or visible uploaded source files in this session.
INFERRED	Strong synthesis implied by multiple evidence sources but not directly proven as current implementation.
PROPOSED	Recommended design, path, schema, route, component, policy, or process not yet verified in implementation.
UNKNOWN	Not verifiable without the mounted repo, runtime, logs, dashboards, or live source checks.
NEEDS VERIFICATION	Concrete point that must be checked before being treated as current fact.
CONFLICTED	Evidence or prior lineage indicates unresolved file-home or behavior ambiguity.
DEFERRED	Intentionally excluded from this slice until a later trigger.

6. Prior gains and continuity inventory

Surface or prior gain	Classification	Evidence basis	Preserved next behavior
Map-first persistent shell	KEEP AND EXTEND	SRC-UI	Retain map as primary working surface; add route shell, state ownership, and testable extension points.
Time as coequal context	KEEP AND EXTEND	SRC-UI, SRC-P19	Every route and layer carries visible valid-time and freshness context.
MapLibre disciplined 2D renderer	KEEP AND EXTEND	SRC-UI, SRC-MLECO	Keep renderer behind adapter; do not let renderer become truth source.
Evidence Drawer	KEEP AND EXTEND	SRC-UI	Every consequential claim is one hop from EvidenceBundle or EvidenceRef resolution.
Focus Mode	KEEP AND EXTEND	SRC-UI, SRC-OLLAMA, SRC-AI	Bounded synthesis only; governed API only; no direct model call from browser.
Finite outcomes	KEEP AND EXTEND	SRC-OLLAMA, SRC-PROMO	Render ANSWER, ABSTAIN, DENY, ERROR as typed states across Focus, promotion, review, and map click.
Promotion gate / proof-object vocabulary	KEEP AND EXTEND	SRC-P19, SRC-PROMO	Carry spec_hash, EvidenceBundle, ReleaseManifest, CatalogMatrix, and DecisionEnvelope into schema wave.

Surface or prior gain	Classification	Evidence basis	Preserved next behavior
GeoManifest and layer trust badges	WRAP WITH ADAPTER	SRC-GEOMANIFEST	Use as proposed integrity layer for PMTiles/COG assets; validate before UI badge.
Story Node concept and conditional 3D	KEEP AND EXTEND / DEFER 3D runtime	SRC-UI, SRC-CESIUM, SRC-DOMAIN	Define StoryManifest first; add Cesium only when 2D evidence continuity is preserved.
Domain scaffold reports	KEEP AS LINEAGE	SRC-DOMAIN	Preserve path patterns, fixtures, validators, and rollback ideas; do not treat scaffold as repo implementation.
GraphQL + REST architecture	WRAP WITH ADAPTER / DEFER GRAPHQL IF ABSENT	SRC-GQLREST	Governed API is mandatory; GraphQL is optional if repo already uses it. Heavy assets remain separate prepared payloads.
Prior PDF-only governed AI report	KEEP AND EXTEND	SRC-AI	Extend source ledger and adapter-first AI plan into UI-facing Focus and Evidence Drawer surfaces.

Continuity determination: prior gains are not discarded. They are carried forward as doctrine, lineage, or proposed design pressure. None are represented as mounted implementation without repo evidence.

7. Whole-UI expansion map

Area	Current-session status	Gap	Next controlled expansion
UI shell and routing	UNKNOWN implementation	No mounted app tree, routes, or framework verified.	Create or adapt a governed shell route map with persistent map, time banner, trust header, nav, and status region.
Map runtime boundary	PROPOSED from doctrine	No adapter file verified.	Add MapRuntimePort and MapLibreAdapter; centralize sources/layers/camera/time.
Timeline and valid-time state	PROPOSED from doctrine	No visible state owner.	Define TimeState contract: viewport time, valid_time, observed_time, freshness, and time filters.
Layer catalog and legend	PROPOSED	No runtime layer registry verified.	Schema-backed LayerDescriptor, layer toggles, legends, filters, compare, export, diagnostics, manifest/proof badges.
Evidence Drawer	PROPOSED doctrine, UNKNOWN code	No drawer component or payload schema verified.	Add EvidenceDrawerPayload schema and fixture-driven component tests.
Focus Mode	PROPOSED doctrine, UNKNOWN code	No focus route, adapter, or model boundary verified.	Add Focus request/response schemas, governed client method, mock responses, citation validation display.
Story Node	PROPOSED doctrine, UNKNOWN code	No story player or manifest schema verified.	Add StoryManifest and StoryNodePlayer with 2D-first narrative; defer 3D handoff until proven.
Review and steward surfaces	PROPOSED	No review console verified.	Read-only review console first: proof state, policy outcome, correction state, reviewer notes.
Typed governed API client	UNKNOWN implementation	No route names or generated client verified.	Add typed client wrapper, validator layer, normalized error envelopes, and mock fixture adapter.
Contracts and schemas	UNKNOWN repo home	No mounted schema registry.	Create schema wave under proposed schemas/contracts/v1/* with contracts/OBJECT_MAP.md crosswalk.
Fixtures and mocks	UNKNOWN	No fixture tree verified.	Add contract-valid fixtures marked mock_only and not releasable.
Tests and CI	UNKNOWN	No workflow YAML or test runner verified.	Add PR-safe lint/typecheck/schema/component/accessibility/e2e smoke workflow once stack is confirmed.
Accessibility and responsive behavior	PROPOSED	No UI code to test.	Add keyboard, focus, screen-reader, contrast, reduced-motion, map-control alternative-list smoke criteria.
Docs and control plane	PROPOSED from DOC	No docs tree mounted.	Add authority ladder, lineage/exploratory register, drift register, verification backlog, subsystem runbooks.
Security and policy boundary	PROPOSED doctrine	No auth/policy middleware verified.	Deny-by-default client, no RAW/WORK/QUARANTINE reads, no direct model calls, no raw prompt telemetry.
Rollback and continuity	PROPOSED	No release process verified.	Feature flags, schema deprecation path, mock fixtures, revert PR, rollback notes.

8. Proposed or implemented architecture

Implemented in repo: none. Proposed architecture: a governed UI shell backed by typed response envelopes, schema-valid fixtures, and a governed API client boundary. The browser renders, filters, navigates, requests governed resolution, and displays prepared payloads. It does not read RAW, WORK, QUARANTINE, canonical stores, graph stores, object stores, vector indexes, model runtimes, or unpublished candidate data.

8.1 Increment sequence

Increment	Scope	Reversibility	Validation
PR 1: control plane + schema wave	Authority docs, object map, core DTO schemas, fixtures, validators, ADRs.	No runtime exposure; revert PR if homes are wrong.	Schema + fixture validation.

Increment	Scope	Reversibility	Validation
PR 2: mock governed API client	Typed client, response validators, mock fixture adapter with obvious mock markers.	Feature flag off; no live endpoints.	Contract + unit tests.
PR 3: shell + MapLibre adapter	Persistent shell, MapRuntimePort, MapLibreAdapter, time state, layer catalog with fixtures.	Feature flag off; rollback component tree.	Typecheck, component, e2e smoke, a11y smoke.
PR 4: Evidence Drawer + Focus	Drawer and Focus panel with finite outcomes and mock citation validation.	Kill switch for Focus; no live model provider.	Negative-state tests and policy fixture tests.
PR 5: Story + review + export diagnostics	StoryManifest player, read-only review console, compare/export/settings/diagnostics.	Routes feature-flagged.	E2E smoke and docs propagation.
PR 6: provider adapter + live API binding	Only after repo, auth, policy, and evidence resolver are verified.	Adapter-level rollback.	Integration tests, policy gates, security review.

9. File/folder reference plan

The complete path-by-path table is Appendix B. Every meaningful object family has a proposed semantic home, executable schema home, fixture/test home, policy home, emitted-instance home, README/runbook home, validation command family, rollback path, and truth label. No important artifact family is intentionally homeless.

Core proposed home decision: use docs for semantics, schemas/contracts/v1 for executable DTO schemas, tests/fixtures for contract-valid examples, policy for gate logic, data/receipts/data/proofs/data/manifests/data/catalog for emitted artifact documentation, and apps/packages only after actual repo conventions are verified.

10. Required files that exist

CONFIRMED: no required repo files were visible as current implementation. Required docs, contracts, schemas, policies, tests, workflows, app files, data artifact docs, and ADRs were absent from /mnt/data because /mnt/data is not a mounted repository. The visible files that do exist are uploaded/source PDFs; they are evidence and lineage, not repo implementation.

11. Required files that should exist next

Required family	Proposed paths	Truth label	Purpose
Canon / control-plane	docs/README.md; docs/registers/AUTHORITY_LADDER.md; docs/registers/CANONICAL_LINEAGE_EXPLORATORY.md; docs/registers/DRIFT_REGISTER.md; docs/registers/VERIFICATION_BACKLOG.md	PROPOSED	Make authority, drift, and unresolved checks explicit.
Intake / growth governance	docs/intake/IDEA_INTAKE.md; docs/intake/NEW_IDEAS_INDEX.md	PROPOSED	Prevent exploratory packets from becoming accidental canon.
Architecture / subsystem	docs/architecture/README.md; docs/architecture/ui/*; docs/architecture/governed-ai/*; docs/architecture/story/*; docs/architecture/review/*	PROPOSED	Define state ownership, route map, boundaries, continuity notes.
Domain / source / runbook	docs/domains/README.md; docs/sources/SOURCE_DESCRIPTOR_STANDARD.md; docs/runbooks/ui_LOCAL_DEV.md; ui_VALIDATION.md; ui_ROLLBACK.md; governed_ai_*	PROPOSED	Bind UI and AI behavior to source and runbook control plane.
Contract / schema / policy crosswalk	contracts/OBJECT_MAP.md; schemas/contracts/v1/<subsystem>/*.schema.json; tests/fixtures/<subsystem>/README.md; policy/<subsystem>/README.md	PROPOSED	Every DTO and proof object has a machine home and a test home.
Emitted artifact docs	data/receipts/README.md; data/proofs/README.md; data/manifests/README.md; data/catalog/README.md	PROPOSED	Keep receipts, proofs, manifests, catalogs, and published objects separate.
ADRs	docs/adr/ADR-ui-schema-home.md; ADR-maplibre-adapter-boundary.md; ADR-focus-model-adapter-boundary.md; ADR-story-node-3d-boundary.md	PROPOSED	Record file-home and trust-boundary decisions.

12. Files intentionally deferred

Path / family	Action	Reason	Future trigger
3D Cesium runtime component	DEFER	3D is conditional; no repo app and no evidence-continuity implementation verified.	Add after StoryManifest, Evidence Drawer, and policy gates pass in 2D.
Live Ollama/OpenAI/provider adapter	DEFER	Model provider choice is secondary to adapter contract, evidence resolution, and citation validation.	Add after MockAdapter tests and security review pass.
Production auth/SSO integration	DEFER	Identity provider and deployment topology are UNKNOWN.	Add after repo/env inspection and threat model.
Real source connectors	DEFER	This run is UI/governed-AI plan; source rights and endpoints need lane-specific verification.	Add in domain lane PRs.
Database/graph/vector index migrations	DEFER	Browser must not depend on internal stores; storage stack UNKNOWN.	Add only after backend repo inspection.

Path / family	Action	Reason	Future trigger
ZIP/scaffold/source tree artifact	NOT CREATED	User required exactly one PDF artifact.	Separate apply-mode request.

13. Files intentionally not created and why

- No ZIP/TAR/scaffold/archive/source tree was created because the user explicitly required PDF-only output.
- No repo files were created or modified because no target repo checkout was mounted and path conventions could not be verified.
- No live model adapter was created because governed AI must start with contracts, MockAdapter, policy checks, evidence resolution, citation validation, and finite envelopes.
- No production UI components were placed in a source tree because the frontend framework and app home are UNKNOWN.
- No workflow YAML was added to a repo because CI conventions, secrets posture, and branch protections are UNKNOWN.
- No live data connector, database migration, vector index, object-store integration, or graph-store integration was created because this UI/governed-AI run cannot verify source rights, runtime stores, or publication gates.

14. Canonical home decisions

Object family	Semantic home	Executable/schema home	Fixture/test home	Policy home	Emitted-instance home	Status	Notes
UI doctrine and route map	docs/architecture/ui/	N/A	tests/ui and tests/e2e/ui/	policy/ui/	N/A	PROPOSED	Repo home unknown; adapt to existing docs convention if mounted.
Evidence Drawer payload	docs/architecture/ui/EVIDENCE_DRAWER.md	schemas/contracts/v1/ui/evidence_drawer_payload.schema.json	tests/fixtures/ui/evidence_drawer/	policy/evidence/	data/proofs/ references only	PROPOSED	Drawer consumes bundles; it does not create truth.
DecisionEnvelope and runtime response	docs/architecture/governed-ai/	schemas/contracts/v1/runtime/*.schema.json	tests/fixtures/runtime/	policy/runtime/	data/receipts/runtime/	PROPOSED	Shared across Focus, promotion, review, and map click.
Layer descriptors and manifests	docs/architecture/ui/LAYERING.md	schemas/contracts/v1/layers/*.schema.json	tests/fixtures/layers/	policy/layers/	data/manifests/layers/	PROPOSED	Layer manifests must cite proof and release refs.
Geo asset manifest	docs/architecture/publication/GEO_MANIFEST.md	schemas/contracts/v1/evidence/kfm_geo_manifest.schema.json	tests/fixtures/geo_manifest/	policy/promotion/	data/manifests/	PROPOSED	Use for PMTiles/COG trust badges; version-sensitive tool checks NEED VERIFICATION.
Focus Mode	docs/architecture/governed-ai/FOCUS_FLOW.md	schemas/contracts/v1/focus/*.schema.json	tests/fixtures/focus/	policy/focus/	data/receipts/ai/	PROPOSED	No browser to model runtime path.
Story Node	docs/architecture/story/	schemas/contracts/v1/story/*.schema.json	tests/fixtures/story/	policy/story/	data/manifests/story/	PROPOSED	3D handoff conditional and reversible.
Review/steward records	docs/architecture/review/	schemas/contracts/v1/review/*.schema.json	tests/fixtures/review/	policy/review/	data/proofs/review/	PROPOSED	Read-only steward surface first.
Source descriptors	docs/sources/SOURCE_DESCRIPTOR_STANDARD.md	schemas/contracts/v1/source/source_descriptor.schema.json	tests/fixtures/sources/	policy/sources/	data/registry/	PROPOSED	Descriptors do not equal evidence; they define source intake posture.
Receipts	data/receipts/README.md	schemas/contracts/v1/receipts/*.schema.json	tests/fixtures/receipts/	policy/receipts/	data/receipts/	PROPOSED	Process memory, not release proof.
Proofs and EvidenceBundles	data/proofs/README.md	schemas/contracts/v1/evidence/evidence_bundle.schema.json	tests/fixtures/evidence/	policy/evidence/	data/proofs/	PROPOSED	Release-grade support surface.
Telemetry events	docs/architecture/ui/TELEMETRY.md	schemas/contracts/v1/telemetry/ui_event.schema.json	tests/fixtures/telemetry/	policy/telemetry/	data/receipts/telemetry/	PROPOSED	No raw evidence, prompts, secrets, exact restricted geometry in telemetry.

15. Open file-home conflicts

Conflict	Status	Proposed handling
contracts/ vs schemas/contracts/v1/	CONFLICTED / NEEDS VERIFICATION	Use schemas/contracts/v1 for executable schemas in the plan, keep contracts/OBJECT_MAP.md as semantic crosswalk, and record ADR after repo inspection.
apps/governed-api vs apps/governed_api vs packages/api	CONFLICTED / NEEDS VERIFICATION	Do not create until repo route conventions are inspected; use adapter language in docs.
apps/explorer-web vs ui/ vs web/	UNKNOWN	Use apps/explorer-web as proposed plan only; adapt to current mounted repo app path.
policy/ui vs policy/frontend vs policy/runtime	UNKNOWN	Prefer policy/<subsystem>/README.md with shared policy objects; adapt if existing bundle layout differs.

Conflict	Status	Proposed handling
data/manifests vs release/manifests	UNKNOWN	Preserve separation of receipts/proofs/manifests/catalog; actual home must match repo convention.
Story Node 3D assets under web/story_nodes vs data/manifests/story	CONFLICTED lineage	Separate story manifest (data/manifests/story) from UI code/assets; 3D runtime integration requires ADR.

16. Contracts and schemas to add or change

Schema / DTO	Proposed path	Purpose	Validated by	Status
DecisionEnvelope	schemas/contracts/v1/runtime/decision_envelope.schema.json	Finite ANSWER/ABSTAIN/DENY/ERROR outcome with reasons, obligations, audit_ref, freshness.	jsonschema + fixtures + UI state tests	PROPOSED
RuntimeResponseEnvelope	schemas/contracts/v1/runtime/runtime_response_envelope.schema.json	Common governed response wrapper for map clicks, Focus, review, story, and export.	contract tests	PROPOSED
EvidenceDrawerPayload	schemas/contracts/v1/ui/evidence_drawer_payload.schema.json	Drawer payload with claim, EvidenceRefs, bundle refs, source roles, valid time, review, rights, sensitivity, correction, transforms.	drawer fixtures + component tests	PROPOSED
LayerCatalogItem	schemas/contracts/v1/layers/layer_catalog_item.schema.json	List-level layer metadata and trust badge inputs.	layer catalog fixture tests	PROPOSED
LayerDescriptor	schemas/contracts/v1/layers/layer_descriptor.schema.json	MapLibre source/layer descriptor with release/proof/manifest refs and policy labels.	schema + adapter tests	PROPOSED
LayerManifest	schemas/contracts/v1/layers/layer_manifest.schema.json	Versioned layer payload with valid time, freshness, provenance, release state, and integrity references.	catalog closure fixture	PROPOSED
KFMGeoManifest	schemas/contracts/v1/evidence/kfm_geo_manifest.schema.json	PMTiles/COG release candidate manifest for asset digest and signature validation.	geo manifest validator	PROPOSED
FocusRequestEnvelope	schemas/contracts/v1/focus/focus_request.schema.json	Scope, query, viewport, time basis, policy context, and requested evidence depth.	focus mock tests	PROPOSED
FocusResponseEnvelope	schemas/contracts/v1/focus/focus_response.schema.json	Bounded synthesis answer with citation validation and finite outcome.	citation validation fixtures	PROPOSED
CitationValidationReport	schemas/contracts/v1/focus/citation_validation_report.schema.json	Proof that every cited EvidenceRef resolves and is admissible in current scope.	negative fixtures	PROPOSED
StoryManifest	schemas/contracts/v1/story/story_manifest.schema.json	Story-level sequence, scope, required layers, time windows, drawer refs, and optional 3D constraints.	story fixture tests	PROPOSED
StoryNode	schemas/contracts/v1/story/story_node.schema.json	Node-level camera/time/layer/evidence continuity and transition requirements.	story node tests	PROPOSED
ReviewRecord	schemas/contracts/v1/review/review_record.schema.json	Steward review state, notes, decisions, release/correction references.	review fixtures	PROPOSED
CorrectionNotice	schemas/contracts/v1/review/correction_notice.schema.json	Public correction lineage object linked to claims and releases.	correction fixtures	PROPOSED
SourceDescriptor	schemas/contracts/v1/source/source_descriptor.schema.json	Source role, rights, update cadence, sensitivity, API/access posture, and citation guidance.	source descriptor validator	PROPOSED
TelemetryEvent	schemas/contracts/v1/telemetry/ui_event.schema.json	Safe UI event envelope without raw evidence, prompts, secrets, or exact restricted coordinates.	policy + fixture tests	PROPOSED

17. Routes, API surfaces, and components to add or change

17.1 Proposed governed API surfaces

Surface	Proposed route/client method	Purpose	Negative states	Status
Bootstrap	GET /api/v1/runtime/bootstrap	Initial shell config, user/access posture, feature flags, default time context, layer catalog summary.	ERROR, DENY where access unavailable	PROPOSED
Layer catalog	GET /api/v1/layers	List released layer descriptors only.	ABSTAIN if no released layers; ERROR on validation failure	PROPOSED
Layer descriptor	GET /api/v1/layers/{layer_id}	Retrieve layer descriptor and trust metadata.	DENY restricted; ERROR schema mismatch	PROPOSED
Layer manifest	GET /api/v1/layers/{layer_id}/manifest	Retrieve release/proof/asset integrity metadata.	ABSTAIN missing proof; DENY policy	PROPOSED
Evidence bundle	GET /api/v1/evidence/{bundle_id}	Resolve EvidenceBundle for drawer display.	DENY restricted; ABSTAIN unresolved; ERROR invalid bundle	PROPOSED
Map feature claim	POST /api/v1/claims/resolve	Resolve clicked feature to claim and drawer payload.	ABSTAIN no evidence; DENY sensitivity; ERROR malformed feature	PROPOSED
Focus	POST /api/v1/focus/query	Bounded synthesis through governed backend adapter.	ANSWER/ABSTAIN/DENY/ERROR all rendered	PROPOSED
Story	GET /api/v1/stories/{story_id}	Story manifest and evidence continuity.	DENY restricted nodes; ABSTAIN missing evidence	PROPOSED
Review	GET /api/v1/review/queue	Read-only steward review surface.	DENY unauthorized; ERROR invalid proof	PROPOSED

Surface	Proposed route/client method	Purpose	Negative states	Status
Export	POST /api/v1/exports	Create governed export request with proof references.	DENY rights/sensitivity; ABSTAIN incomplete evidence	PROPOSED
Telemetry	POST /api/v1/telemetry/ui	Safe UI telemetry only.	DENY raw payload; ERROR invalid event	PROPOSED

17.2 Proposed UI component families

Component family	Responsibilities	Depends on	Status
GovernedShell	Persistent map-first layout, time banner, trust/status header, route outlet, panel region, keyboard skip links.	Bootstrap envelope and shell state.	PROPOSED
MapRuntimeBoundary + MapLibreAdapter	Hides renderer; applies validated sources/layers; synchronizes camera/time; converts clicks to claim resolution.	LayerDescriptor, TimeState, governed client.	PROPOSED
LayerCatalogPanel	Layer toggles, legends, filters, time filters, compare/export hooks, verified status, manifest/proof visibility.	LayerCatalogItem and LayerDescriptor.	PROPOSED
EvidenceDrawer	Displays EvidenceBundle-derived payload, source roles, freshness, review, sensitivity, rights, valid time, correction, provenance.	EvidenceDrawerPayload.	PROPOSED
FocusPanel	Governed query surface, bounded scope, finite outcomes, cancellation/loading, citation validation, no direct model calls.	FocusRequest/Response, DecisionEnvelope.	PROPOSED
StoryNodePlayer	2D-first narrative steps with map/time/layer/evidence continuity; optional 3D only under gate.	StoryManifest and StoryNode.	PROPOSED
ReviewConsole	Read-only steward view of proof/review/correction states; no release action in first slice.	ReviewRecord, ReleaseManifest, policy.	PROPOSED
Compare/Export/Settings/Diagnostics	Compare releases/time slices, governed export requests, accessibility/settings, diagnostics without leakage.	Layer manifests, export policy, telemetry policy.	PROPOSED

18. MapLibre/runtime boundary plan

- MapLibre is the default disciplined 2D renderer, but it is not the source of truth. It receives validated source/layer descriptors and prepared asset URLs only.
- Introduce MapRuntimePort with methods such as setCamera, setTimeContext, loadValidatedLayer, removeLayer, setLayerVisibility, queryRenderedFeatureAtPoint, and destroy.
- MapLibreAdapter is the only module allowed to import MapLibre runtime APIs. Component code speaks to MapRuntimePort and governed client events.
- Feature clicks do not expose feature properties as claims. They create a governed claim-resolution request that returns DecisionEnvelope and EvidenceDrawerPayload or a negative state.
- The adapter synchronizes camera and time state but does not filter unpublished data, resolve EvidenceBundles, call model runtimes, or access raw/canonical stores.
- Layer descriptors must carry proof/ref metadata, release state, valid-time semantics, sensitivity, rights, and source-role badges needed for interpretation at point of use.
- 3D handoff is separate: StoryNode may request conditional 3D only if the same evidence, release, drawer, and policy continuity are preserved.

19. Evidence Drawer / Focus Mode / Story Node / review plan

19.1 Evidence Drawer

- Required payload fields: drawer_id, opened_from surface, claim or layer assertion, DecisionEnvelope, EvidenceRef list, EvidenceBundle reference, source_role, knowledge_character, valid_time, observed_time, freshness, release_state, review_state, rights, sensitivity, correction_state, provenance, transforms, and related manifest/proof refs.
- Negative drawer states are first-class: evidence_missing, restricted, stale, conflict, invalid_payload, and policy_denied.
- The drawer displays support and limitations; it does not re-rank evidence or create new claims in the browser.

19.2 Focus Mode

- Flow: define scope -> policy precheck -> retrieve admissible released evidence -> resolve EvidenceRefs to EvidenceBundles -> call backend model adapter if allowed -> validate citations -> policy postcheck -> return RuntimeResponseEnvelope and receipt references.
- Browser never calls Ollama, OpenAI, local model runtime, vector database, graph store, or object store directly.

- Outcomes are finite and visible: ANSWER, ABSTAIN, DENY, ERROR. ABSTAIN is used for insufficient evidence; DENY for policy; ERROR for system faults.
- Cancellation, timeout, stale evidence, restricted material, and invalid citation states are rendered explicitly and are not hidden as generic failures.

19.3 Story Node

- StoryManifest carries nodes, scope, layer requirements, time windows, evidence refs, drawer refs, transition rules, return conditions, and optional 3D constraints.
- Story nodes may move camera, time, layers, and panels, but each consequential story claim must resolve to drawer evidence.
- 3D is a burden-bearing mode, not default spectacle. If the 3D renderer cannot preserve evidence/release/drawer continuity, the node must fall back to 2D or ABSTAIN.

19.4 Review/steward

- First slice is read-only: proof pack state, policy outcome, freshness, review status, correction lineage, and reason codes.
- Release approval, destructive changes, and policy-significant actions remain separate duties and are deferred until repo/workflow evidence is available.
- Diagnostics may show schema and policy status but must not leak RAW/WORK/QUARANTINE, restricted coordinates, credentials, prompts, or internal store handles.

20. Fixtures, tests, accessibility, and CI plan

Mock and fixture layer: every mock payload must be schema-valid, must include an obvious mock marker, must not be confused with released evidence, and must exercise both positive and negative states. Fixtures are not publication artifacts.

Check	Command family	Expected result	Status in this run
Repo mounted	git status --short; git branch --show-current	Valid repo, branch, dirty state known	CONFIRMED failed: no repo
Schema validation	jsonschema/ajv over schemas/contracts/v1 and fixtures	All valid fixtures pass; invalid fixtures fail	PROPOSED
Typecheck	npm/pnpm/yarn run typecheck or repo equivalent	No type errors	PROPOSED
Unit/component tests	npm/pnpm/yarn test or repo equivalent	Shell, drawer, focus, layers pass	PROPOSED
Accessibility smoke	Playwright + axe-like checks + keyboard script	No critical violations; map actions have non-map alternatives	PROPOSED
E2E smoke	Playwright route/load/focus/map-click tests	Finite outcomes display correctly	PROPOSED
Policy tests	confest test or repo policy runner	Deny invalid/unreleased/uncited/restricted flows	PROPOSED
Build	npm/pnpm/yarn build or repo equivalent	Production build succeeds without secrets	PROPOSED
No forbidden browser calls	static grep/import boundary test	No raw store, vector DB, object store, model runtime, or internal DB calls from browser	PROPOSED
Docs propagation	docs link check + object map completeness	Every changed schema/API route/policy file has docs/tests/runbook updates	PROPOSED

20.1 Accessibility smoke criteria

- Keyboard-only route navigation and panel open/close is possible; focus order is stable; drawer and dialogs trap/release focus correctly.
- Map interactions have non-map alternatives: selected features and results appear in a keyboard-accessible list/table.
- Trust badges do not rely on color alone; text labels are available for source role, rights, sensitivity, review, freshness, release, and correction state.
- Reduced-motion mode disables or shortens Story Node camera animation and drawer transitions.
- Touch and narrow viewport layouts keep map, time context, drawer, and focus states usable without hiding critical trust information.
- Loading, cancelled, denied, abstained, error, stale, and restricted states are announced and visibly differentiated.

21. Commands run and results

pwd

```
# /

git -C /mnt/data status --short
# fatal: not a git repository (or any of the parent directories): .git

git -C /mnt/data branch --show-current
# fatal: not a git repository (or any of the parent directories): .git

git -C /mnt/data rev-parse --show-toplevel
# fatal: not a git repository (or any of the parent directories): .git

find common roots -maxdepth 5 -type d -name .git
# no .git directories returned

find package/repo files under common roots
# only unrelated skill files under /home/oai/skills were found

Expected top-level repo dirs checked under /mnt/data:
.github docs contracts schemas policy tools tests apps packages infra data release ui web pipelines migrations configs
# all absent

Visible PDFs in /mnt/data
# 55 PDF files

Tools available: python 3.13.5, rg, pdftotext, node, npm, libreoffice, ReportLab, PyMuPDF
Tools not found on PATH in this run: opa, conftest, cosign
```

22. Build and run instructions

These instructions are **PROPOSED** and must be adapted to the actual mounted repo stack. They should not be treated as proof that these commands currently exist.

- Mount the repo and run: git status --short; git branch --show-current; find . -maxdepth 2 -type f for package and workflow discovery.
- Identify package manager and app path: package.json, pnpm-lock.yaml, yarn.lock, package-lock.json, pyproject.toml, Makefile, apps/, packages/, ui/, web/.
- Validate schemas and fixtures: python/jsonschema or ajv over schemas/contracts/v1 and tests/fixtures.
- Run frontend checks using repo standard: typecheck, unit/component tests, build, and e2e smoke.
- Run accessibility smoke: keyboard script and axe-like checks for shell, drawer, Focus, layer catalog, story, and review routes.
- Run policy tests using repo standard OPA/Confest/policy mirror; invalid fixtures must fail closed.
- Run no-forbidden-client-calls static check: browser code must not import model runtime clients, database clients, object-store clients, vector DB clients, graph clients, or internal raw-store APIs.
- Generate CI reviewer summary that lists schemas, fixtures, negative states, docs propagation, and any remaining UNKNOWNs.

23. Documentation/control-plane impact

Material UI/governed-AI changes affect the documentation control plane. The proposed change must update authority registers, architecture READMEs, route maps, boundaries, state ownership, object map, fixtures, policies, runbooks, rollback notes, and verification backlog. Documentation is part of the working system and must not substitute for tests or proof objects.

Required family	Proposed paths	Truth label	Purpose
Canon / control-plane	docs/README.md; docs/registers/AUTHORITY_LADDER.md; docs/registers/CANONICAL_LINEAGE_EXPLORATORY.md; docs/registers/DRIFT_REGISTER.md; docs/registers/VERIFICATION_BACKLOG.md	PROPOSED	Make authority, drift, and unresolved checks explicit.
Intake / growth governance	docs/intake/IDEA_INTAKE.md; docs/intake/NEW_IDEAS_INDEX.md	PROPOSED	Prevent exploratory packets from becoming accidental canon.
Architecture / subsystem	docs/architecture/README.md; docs/architecture/ui/*; docs/architecture/governed-ai/*; docs/architecture/story/*; docs/architecture/review/*	PROPOSED	Define state ownership, route map, boundaries, continuity notes.

Required family	Proposed paths	Truth label	Purpose
Domain / source / runbook	docs/domains/README.md; docs/sources/SOURCE_DESCRIPTOR_STANDARD.md; docs/runbooks/ui_LOCAL_DEV.md; ui_VALIDATION.md; ui_ROLLBACK.md; governed_ai_*	PROPOSED	Bind UI and AI behavior to source and runbook control plane.
Contract / schema / policy crosswalk	contracts/OBJECT_MAP.md; schemas/contracts/v1/<subsystem>/*.schema.json; tests/fixtures/<subsystem>/README.md; policy/<subsystem>/README.md	PROPOSED	Every DTO and proof object has a machine home and a test home.
Emitted artifact docs	data/receipts/README.md; data/proofs/README.md; data/manifests/README.md; data/catalog/README.md	PROPOSED	Keep receipts, proofs, manifests, catalogs, and published objects separate.
ADRs	docs/adr/ADR-ui-schema-home.md; ADR-maplibre-adapter-boundary.md; ADR-focus-model-adapter-boundary.md; ADR-story-node-3d-boundary.md	PROPOSED	Record file-home and trust-boundary decisions.

24. Update-propagation matrix

Material change	Owning README	Object map	Fixtures/tests	Runbooks	Continuity notes	Rollback notes	Verification backlog
EvidenceDrawerPayload schema	docs/architecture/ui/README.md	contracts/OBJECT_MAP.md	tests/fixtures/ui/evidence_drawer	ui_VALIDATION	ui/CONTINUITY_NOTES	ui_ROLLBACK	Add if code not wired
Focus response envelope	docs/architecture/governed-ai/README.md	contracts/OBJECT_MAP.md	tests/fixtures/focus	governed_ai_VALIDATION	governed-ai/CONTINUITY_NOTES	governed_ai_ROLLBACK	Track adapter and citation gaps
Layer descriptor / manifest	docs/architecture/ui/LAYERING.md	contracts/OBJECT_MAP.md	tests/fixtures/layers	ui_VALIDATION	ui/CONTINUITY_NOTES	ui_ROLLBACK	Track asset/proof integration
MapLibre adapter boundary	docs/architecture/ui/BOUNDARIES.md	N/A	tests/ui + e2e	ui_LOCAL_DEV	ui/CONTINUITY_NOTES	Feature flag off	Verify app path/framework
StoryManifest schema	docs/architecture/story/README.md	contracts/OBJECT_MAP.md	tests/fixtures/story	ui_VALIDATION	story/CONTINUITY_NOTES	disable story route	Track 3D conditionality
Policy gate logic	policy/<subsystem>/README.md	contracts/OBJECT_MAP.md	policy tests + negative fixtures	<subsystem>_VALIDATION	DRIFT_REGISTER	revert policy bundle; fail closed	Tool version verification
File-home decision	docs/adr/ADR-*.md	contracts/OBJECT_MAP.md	path fixtures where relevant	ROLLBACK	CANONICAL_LINEAGE_EXPLORATORY	migration note	Verify repo convention

25. Security, policy, and governed-AI boundary notes

- Deny by default: public UI and normal clients use governed APIs and released payloads only.
- No browser direct access to RAW, WORK, QUARANTINE, canonical stores, graph stores, object stores, vector indexes, model runtimes, unpublished candidates, credentials, or internal service handles.
- Focus Mode uses backend policy precheck and postcheck, EvidenceBundle resolution, adapter contract, citation validation, and finite RuntimeResponseEnvelope.
- Telemetry is safe by construction: no raw evidence, no prompt text, no restricted geometry, no secrets, no full EvidenceBundle copies.
- Layer descriptors and asset manifests must expose rights, sensitivity, review, freshness, release, correction, source role, and proof references where they affect interpretation.
- Derived layers, tiles, PMTiles, COGs, scenes, summaries, embeddings, and cached descriptors are not sovereign truth.
- Exports must be governed: rights/sensitivity checks, proof references, release state, and correction lineage travel with the export or the export is denied.
- Exposed local deployment concerns - reverse proxy, VPN, auth, CORS, rate limits, logs, secrets, and model endpoints - are NEEDS VERIFICATION until deployment evidence is inspected.

26. Rollback path

- PR 1 schema/docs rollback: revert PR before published schemas are depended on. If schema has been released, deprecate with versioned successor rather than deleting silently.
- UI rollback: keep shell expansion behind a feature flag, retain old route entry, and disable new panels without changing API payload contracts.
- Focus rollback: disable Focus route/client feature flag and leave Evidence Drawer and layer browsing intact. MockAdapter remains for tests only.
- MapLibre adapter rollback: retain MapRuntimePort and swap adapter to no-op/static mock if runtime integration fails.
- Story rollback: disable story route; keep manifests in catalog as DEFERRED if not public.

- Policy rollback: revert policy bundle; fail closed while policy is ambiguous.
- Docs rollback: update DRIFT_REGISTER and VERIFICATION_BACKLOG so removal does not erase why the change was attempted.

27. Remaining UNKNOWNs and NEEDS VERIFICATION items

Item	Status	Why it matters	Verification step
Mounted KFM repository	UNKNOWN	Cannot claim current files, routes, tests, or implementation maturity.	Mount checkout and run git status, tree scan, package manager detection.
Frontend framework and app path	UNKNOWN	Determines exact component paths and tests.	Inspect package.json, apps/ui/web/explorer paths, router config.
Backend API framework and route names	UNKNOWN	Determines governed client endpoints and adapters.	Inspect API app, OpenAPI/GraphQL schemas, route tests.
Schema home authority	CONFLICTED / NEEDS VERIFICATION	Prior lineage suggests contracts/ and schemas/ ambiguity.	Inspect current docs and existing schema registry; record ADR.
Policy engine/version	UNKNOWN	OPA/Rego/Conftest syntax and CI commands depend on versions.	Inspect policy README, workflow pins, tool lockfiles.
MapLibre dependency/version	NEEDS VERIFICATION	Runtime APIs and plugins are version-sensitive.	Inspect lockfile and official release notes during implementation.
Existing Evidence Drawer/Focus implementation	UNKNOWN	Could require refactor instead of create.	Search repo for EvidenceDrawer, Focus, DecisionEnvelope, EvidenceBundle.
Public repo/path conventions from prior PDFs	LINEAGE ONLY	Prior reports mention public repo evidence not rechecked in this run.	If needed, inspect current public repo or mounted checkout.
Accessibility baseline	NEEDS VERIFICATION	Project may have its own standard or test tooling.	Inspect docs/test config; otherwise propose WCAG-aligned smoke suite.
Runtime logs/dashboards/deployment	UNKNOWN	Cannot claim operational maturity or exposed local risk posture.	Inspect deployment manifests, proxy/VPN configs, logs, dashboards.

28. Next smallest useful PR

The next PR should avoid live data, live model providers, and broad UI polish. It should prove the trust boundary and finite state grammar with mock data first.

Step	Files/families	Acceptance
1. Repo discovery and ADR	docs/registers/*; docs/adr/ADR-ui-schema-home.md; contracts/OBJECT_MAP.md	Repo paths, schema home, app path, and API path verified or marked UNKNOWN with backlog items.
2. Core schemas	DecisionEnvelope, RuntimeResponseEnvelope, EvidenceDrawerPayload, LayerDescriptor, FocusRequest/Response	Valid fixtures pass; invalid fixtures fail.
3. Mock governed API client	governedClient, responseValidators, mockGovernedApi, fixtures	UI can render shell with mock released layer and drawer payload; mock markers visible.
4. Map shell adapter boundary	GovernedShell, MapRuntimePort, MapLibreAdapter stub, TimeState	No forbidden browser calls; map click resolves through mock claims endpoint.
5. Evidence Drawer + Focus finite outcomes	EvidenceDrawer, FocusPanel, OutcomeRenderer	ANSWER/ABSTAIN/DENY/ERROR render with citations/reasons/obligations.
6. CI smoke	contracts-ui-ai workflow, tests, accessibility smoke	PR-safe checks run without secrets and fail closed on invalid fixtures.

29. Appendix A: file/folder tree

PROPOSED tree. Exact paths must be adapted after mounted repo inspection. This tree is not a created scaffold.

```
docs/
  README.md
  registers/{AUTHORITY_LADDER, CANONICAL_LINEAGE_EXPLORATORY, DRIFT_REGISTER, VERIFICATION_BACKLOG}.md
  intake/{IDEA_INTAKE, NEW_IDEAS_INDEX}.md
  architecture/
    README.md
    ui/{README, STATE_OWNERSHIP, ROUTE_MAP, BOUNDARIES, CONTINUITY_NOTES, LAYERING, TELEMETRY}.md
    governed-ai/{README, STATE_OWNERSHIP, ROUTE_MAP, BOUNDARIES, CONTINUITY_NOTES, FOCUS_FLOW}.md
    story/README.md
    review/README.md
  domains/README.md
  sources/SOURCE_DESCRIPTOR_STANDARD.md
  runbooks/{ui_LOCAL_DEV, ui_VALIDATION, ui_ROLLBACK, governed_ai_LOCAL_DEV, governed_ai_VALIDATION, governed_ai_ROLLBACK}.md
  adr/{ADR-ui-schema-home, ADR-maplibre-adapter-boundary, ADR-focus-model-adapter-boundary, ADR-story-node-3d-boundary}.md
contracts/
  OBJECT_MAP.md
schemas/contracts/v1/
  runtime/{decision_envelope, runtime_response_envelope}.schema.json
  ui/evidence_drawer_payload.schema.json
  layers/{layer_catalog_item, layer_descriptor, layer_manifest}.schema.json
  evidence/{evidence_bundle, kfm_geo_manifest}.schema.json
  focus/{focus_request, focus_response, citation_validation_report}.schema.json
  story/{story_manifest, story_node}.schema.json
  review/{review_record, correction_notice}.schema.json
  source/source_descriptor.schema.json
  telemetry/ui_event.schema.json
policy/
  ui/ evidence/ focus/ story/ review/ export/ telemetry/
apps/
  explorer-web/src/{app, state, api, map, features, accessibility}/...
  governed-api/src/{routes, ai, policy, evidence}/...
tests/
  fixtures/{ui, focus, layers, story, review, runtime}/...
  ui/ e2e/ accessibility/
tools/
  validators/{ui, focus, layers, story, geo_manifest}/...
  ci/render_ui_validation_summary.py
data/
  receipts/README.md
  proofs/README.md
  manifests/README.md
  catalog/README.md
.github/workflows/{ui-governed, contracts-ui-ai}.yaml
```

30. Appendix B: path-by-path change table

Path	Action	Truth label	Purpose	Owner/home	Depends on	Validated by	Rollback	Notes
docs/README.md	CREATE	PROPOSED	Entry point to documentation authority, evidence posture, and subsystem map.	Docs steward + subsystem owner	Repo convention verification	docs link check + PR review	Revert PR; preserve as lineage if superseded	
docs/registers/AUTHORITY_LADDER.md	CREATE	PROPOSED	Canonical authority order and how doctrine, repo, source, and runtime evidence are ranked.	Docs steward + subsystem owner	Repo convention verification	docs link check + PR review	Revert PR; preserve as lineage if superseded	
docs/registers/CANONICAL_LINEAGE_EXPLORATORY.md	CREATE	PROPOSED	Classifies canon, lineage, exploratory packets, contracts, schemas, and emitted artifacts.	Docs steward + subsystem owner	Repo convention verification	docs link check + PR review	Revert PR; preserve as lineage if superseded	
docs/registers/DRIFT_REGISTER.md	CREATE	PROPOSED	Records doctrine/code/path/schema drift and owner decisions.	Docs steward + subsystem owner	Repo convention verification	docs link check + PR review	Revert PR; preserve as lineage if superseded	

Path	Action	Truth label	Purpose	Owner/home	Depends on	Validated by	Rollback	Notes
docs/registers/VERIFICATION_BACKLOG.md	CREATE	PROPOSED	Tracks UNKNOWN and NEEDS VERIFICATION items until resolved.	Docs steward + subsystem owner	Repo convention verification	docs link check + PR review	Revert PR; preserve as lineage if superseded	
docs/intake/IDEA_INTAKE.md	CREATE	PROPOSED	How new ideas enter without bypassing authority or proof gates.	Docs steward + subsystem owner	Repo convention verification	docs link check + PR review	Revert PR; preserve as lineage if superseded	
docs/intake/NEW_IDEAS_INDEX.md	CREATE	PROPOSED	Index of idea packets with status, source_id, and promotion disposition.	Docs steward + subsystem owner	Repo convention verification	docs link check + PR review	Revert PR; preserve as lineage if superseded	
docs/architecture/README.md	CREATE	PROPOSED	Architecture index and subsystem map.	Docs steward + subsystem owner	Repo convention verification	docs link check + PR review	Revert PR; preserve as lineage if superseded	
docs/architecture/ui/README.md	CREATE	PROPOSED	UI subsystem overview and trust-visible shell purpose.	Docs steward + subsystem owner	Repo convention verification	docs link check + PR review	Revert PR; preserve as lineage if superseded	
docs/architecture/ui/STATE_OWNERSHIP.md	CREATE	PROPOSED	Ownership of map, time, layer, drawer, focus, story, review, export, settings, diagnostics state.	Docs steward + subsystem owner	Repo convention verification	docs link check + PR review	Revert PR; preserve as lineage if superseded	
docs/architecture/ui/ROUTE_MAP.md	CREATE	PROPOSED	Route families and shell continuity rules.	Docs steward + subsystem owner	Repo convention verification	docs link check + PR review	Revert PR; preserve as lineage if superseded	
docs/architecture/ui/BOUNDARIES.md	CREATE	PROPOSED	Browser allowed/forbidden operations and MapLibre adapter boundary.	Docs steward + subsystem owner	Repo convention verification	docs link check + PR review	Revert PR; preserve as lineage if superseded	
docs/architecture/ui/CONTINUITY_NOTES.md	CREATE	PROPOSED	How prior UI doctrine and PDF lineage are preserved.	Docs steward + subsystem owner	Repo convention verification	docs link check + PR review	Revert PR; preserve as lineage if superseded	
docs/architecture/governed-ai/README.md	CREATE	PROPOSED	Governed AI subsystem overview and adapter-first runtime boundary.	Docs steward + subsystem owner	Repo convention verification	docs link check + PR review	Revert PR; preserve as lineage if superseded	
docs/architecture/governed-ai/STATE_OWNERSHIP.md	CREATE	PROPOSED	Focus request, evidence retrieval, adapter, citation validation, response envelope state ownership.	Docs steward + subsystem owner	Repo convention verification	docs link check + PR review	Revert PR; preserve as lineage if superseded	
docs/architecture/governed-ai/ROUTE_MAP.md	CREATE	PROPOSED	Focus and AI-adjacent API surfaces.	Docs steward + subsystem owner	Repo convention verification	docs link check + PR review	Revert PR; preserve as lineage if superseded	
docs/architecture/governed-ai/BOUNDARIES.md	CREATE	PROPOSED	No direct model browser call; no RAW/WORK/QUARANTINE; no prompt telemetry leakage.	Docs steward + subsystem owner	Repo convention verification	docs link check + PR review	Revert PR; preserve as lineage if superseded	
docs/architecture/governed-ai/CONTINUITY_NOTES.md	CREATE	PROPOSED	Carries prior governed AI report forward.	Docs steward + subsystem owner	Repo convention verification	docs link check + PR review	Revert PR; preserve as lineage if superseded	
docs/architecture/story/README.md	CREATE	PROPOSED	Story Node subsystem and 2D-first narrative surface.	Docs steward + subsystem owner	Repo convention verification	docs link check + PR review	Revert PR; preserve as lineage if superseded	
docs/architecture/review/README.md	CREATE	PROPOSED	Review/steward read-only surface and release/correction posture.	Docs steward + subsystem owner	Repo convention verification	docs link check + PR review	Revert PR; preserve as lineage if superseded	
docs/domains/README.md	CREATE	PROPOSED	Domain lane index and source-role burden logic.	Docs steward + subsystem owner	Repo convention verification	docs link check + PR review	Revert PR; preserve as lineage if superseded	
docs/sources/SOURCE_DESCRIPTOR_STANDARD.md	CREATE	PROPOSED	Standard source descriptor fields and rights/sensitivity intake posture.	Docs steward + subsystem owner	Repo convention verification	docs link check + PR review	Revert PR; preserve as lineage if superseded	
docs/runbooks/ui_LOCAL_DEV.md	CREATE	PROPOSED	Local UI setup and mock fixture runbook.	Docs steward + subsystem owner	Repo convention verification	docs link check + PR review	Revert PR; preserve as lineage if superseded	
docs/runbooks/ui_VALIDATION.md	CREATE	PROPOSED	UI validation, accessibility, contract, and e2e smoke runbook.	Docs steward + subsystem owner	Repo convention verification	docs link check + PR review	Revert PR; preserve as lineage if superseded	
docs/runbooks/ui_ROLLBACK.md	CREATE	PROPOSED	UI rollback, feature flag, and schema deprecation steps.	Docs steward + subsystem owner	Repo convention verification	docs link check + PR review	Revert PR; preserve as lineage if superseded	
docs/runbooks/governed_ai_LOCAL_DEV.md	CREATE	PROPOSED	MockAdapter and provider-adapter local dev runbook.	Docs steward + subsystem owner	Repo convention verification	docs link check + PR review	Revert PR; preserve as lineage if superseded	
docs/runbooks/governed_ai_VALIDATION.md	CREATE	PROPOSED	Focus Mode evidence/citation/policy validation runbook.	Docs steward + subsystem owner	Repo convention verification	docs link check + PR review	Revert PR; preserve as lineage if superseded	
docs/runbooks/governed_ai_ROLLBACK.md	CREATE	PROPOSED	AI adapter rollback and kill switch runbook.	Docs steward + subsystem owner	Repo convention verification	docs link check + PR review	Revert PR; preserve as lineage if superseded	
docs/adr/ADR-ui-schema-home.md	CREATE	PROPOSED	Decision record for schemas/contracts home after repo verification.	Docs steward + subsystem owner	Repo convention verification	docs link check + PR review	Revert PR; preserve as lineage if superseded	
docs/adr/ADR-maplibre-adapter-boundary.md	CREATE	PROPOSED	Decision record for MapLibre adapter and renderer containment.	Docs steward + subsystem owner	Repo convention verification	docs link check + PR review	Revert PR; preserve as lineage if superseded	
docs/adr/ADR-focus-model-adapter-boundary.md	CREATE	PROPOSED	Decision record for no direct browser-to-model path.	Docs steward + subsystem owner	Repo convention verification	docs link check + PR review	Revert PR; preserve as lineage if superseded	

Path	Action	Truth label	Purpose	Owner/home	Depends on	Validated by	Rollback	Notes
docs/adr/ADR-story-node-3d-boundary.md	CREATE	PROPOSED	Decision record for conditional 3D handoff.	Docs steward + subsystem owner	Repo convention verification	docs link check + PR review	Revert PR; preserve as lineage if superseded	
contracts/OBJECT_MAP.md	CREATE	PROPOSED	Crosswalk object families to semantic homes, executable schemas, fixtures, policies, and emitted instances.	Governance/data steward	Authority ladder + schemas	markdown lint + crosswalk check	Revert PR; keep previous docs	
data/receipts/README.md	CREATE	PROPOSED	Defines receipts as process memory, not release proof.	Governance/data steward	Authority ladder + schemas	markdown lint + crosswalk check	Revert PR; keep previous docs	
data/proofs/README.md	CREATE	PROPOSED	Defines proof packs and EvidenceBundles as release-significant support.	Governance/data steward	Authority ladder + schemas	markdown lint + crosswalk check	Revert PR; keep previous docs	
data/manifests/README.md	CREATE	PROPOSED	Defines manifests, GeoManifest, release manifests, and asset integrity docs.	Governance/data steward	Authority ladder + schemas	markdown lint + crosswalk check	Revert PR; keep previous docs	
data/catalog/README.md	CREATE	PROPOSED	Defines STAC/DCAT/PROV catalog closure expectations.	Governance/data steward	Authority ladder + schemas	markdown lint + crosswalk check	Revert PR; keep previous docs	
schemas/contracts/v1/runtime/decision_envelope.schema.json	CREATE	PROPOSED	Finite ANSWER/ABSTAIN/DENY/ERROR outcome with reasons, obligations, audit_ref, freshness.	Contract/schema steward	contracts/OBJECT_MAP.md	jsonschema + fixtures + UI state tests	Schema version deprecate or revert before publication	DecisionEnvelope
schemas/contracts/v1/runtime/runtime_response_envelope.schema.json	CREATE	PROPOSED	Common governed response wrapper for map clicks, Focus, review, story, and export.	Contract/schema steward	contracts/OBJECT_MAP.md	contract tests	Schema version deprecate or revert before publication	RuntimeResponseEnvelope
schemas/contracts/v1/ui/evidence_drawer_payload.schema.json	CREATE	PROPOSED	Drawer payload with claim, EvidenceRefs, bundle refs, source roles, valid time, review, rights, sensitivity, correction, transforms.	Contract/schema steward	contracts/OBJECT_MAP.md	drawer fixtures + component tests	Schema version deprecate or revert before publication	EvidenceDrawerPayload
schemas/contracts/v1/layers/layer_catalog_item.schema.json	CREATE	PROPOSED	List-level layer metadata and trust badge inputs.	Contract/schema steward	contracts/OBJECT_MAP.md	layer catalog fixture tests	Schema version deprecate or revert before publication	LayerCatalogItem
schemas/contracts/v1/layers/layer_descriptor.schema.json	CREATE	PROPOSED	MapLibre source/layer descriptor with release/proof/manifest refs and policy labels.	Contract/schema steward	contracts/OBJECT_MAP.md	schema + adapter tests	Schema version deprecate or revert before publication	LayerDescriptor
schemas/contracts/v1/layers/layer_manifest.schema.json	CREATE	PROPOSED	Versioned layer payload with valid time, freshness, provenance, release state, and integrity references.	Contract/schema steward	contracts/OBJECT_MAP.md	catalog closure fixture	Schema version deprecate or revert before publication	LayerManifest
schemas/contracts/v1/evidence/kfm_geo_manifest.schema.json	CREATE	PROPOSED	PMTiles/COG release candidate manifest for asset digest and signature validation.	Contract/schema steward	contracts/OBJECT_MAP.md	geo manifest validator	Schema version deprecate or revert before publication	KFMGeoManifest
schemas/contracts/v1/focus/focus_request.schema.json	CREATE	PROPOSED	Scope, query, viewport, time basis, policy context, and requested evidence depth.	Contract/schema steward	contracts/OBJECT_MAP.md	focus mock tests	Schema version deprecate or revert before publication	FocusRequestEnvelope
schemas/contracts/v1/focus/focus_response.schema.json	CREATE	PROPOSED	Bounded synthesis answer with citation validation and finite outcome.	Contract/schema steward	contracts/OBJECT_MAP.md	citation validation fixtures	Schema version deprecate or revert before publication	FocusResponseEnvelope
schemas/contracts/v1/focus/citation_validation_report.schema.json	CREATE	PROPOSED	Proof that every cited EvidenceRef resolves and is admissible in current scope.	Contract/schema steward	contracts/OBJECT_MAP.md	negative fixtures	Schema version deprecate or revert before publication	CitationValidationReport
schemas/contracts/v1/story/story_manifest.schema.json	CREATE	PROPOSED	Story-level sequence, scope, required layers, time windows, drawer refs, and optional 3D constraints.	Contract/schema steward	contracts/OBJECT_MAP.md	story fixture tests	Schema version deprecate or revert before publication	StoryManifest
schemas/contracts/v1/story/story_node.schema.json	CREATE	PROPOSED	Node-level camera/time/layer/evidence continuity and transition requirements.	Contract/schema steward	contracts/OBJECT_MAP.md	story node tests	Schema version deprecate or revert before publication	StoryNode
schemas/contracts/v1/review/review_record.schema.json	CREATE	PROPOSED	Steward review state, notes, decisions, release/correction references.	Contract/schema steward	contracts/OBJECT_MAP.md	review fixtures	Schema version deprecate or revert before publication	ReviewRecord
schemas/contracts/v1/review/correction_notice.schema.json	CREATE	PROPOSED	Public correction lineage object linked to claims and releases.	Contract/schema steward	contracts/OBJECT_MAP.md	correction fixtures	Schema version deprecate or revert before publication	CorrectionNotice
schemas/contracts/v1/source/source_descriptor.schema.json	CREATE	PROPOSED	Source role, rights, update cadence, sensitivity, API/access posture, and citation guidance.	Contract/schema steward	contracts/OBJECT_MAP.md	source descriptor validator	Schema version deprecate or revert before publication	SourceDescriptor

Path	Action	Truth label	Purpose	Owner/home	Depends on	Validated by	Rollback	Notes
schemas/contracts/v1/telemetry/ui_event.schema.json	CREATE	PROPOSED	Safe UI event envelope without raw evidence, prompts, secrets, or exact restricted coordinates.	Contract/schema steward	contracts/OBJECT_MAP.md	policy + fixture tests	Schema version deprecate or revert before publication	TelemetryEvent
policy/ui/README.md	CREATE	PROPOSED	UI-visible policy posture and denial display rules.	Policy steward	Schemas + authority ladder	confest or policy mirror tests	Revert policy bundle; fail closed until fixed	
policy/ui/layer_access.rego	CREATE	PROPOSED	Deny unreleased, restricted, or incomplete layer descriptors.	Policy steward	Schemas + authority ladder	confest or policy mirror tests	Revert policy bundle; fail closed until fixed	
policy/evidence/README.md	CREATE	PROPOSED	Evidence resolution policy and bundle admissibility rules.	Policy steward	Schemas + authority ladder	confest or policy mirror tests	Revert policy bundle; fail closed until fixed	
policy/evidence/drawer_payload.rego	CREATE	PROPOSED	Deny drawer payloads without bundle/source/release/freshness state.	Policy steward	Schemas + authority ladder	confest or policy mirror tests	Revert policy bundle; fail closed until fixed	
policy/focus/README.md	CREATE	PROPOSED	Focus Mode policy precheck/postcheck contract.	Policy steward	Schemas + authority ladder	confest or policy mirror tests	Revert policy bundle; fail closed until fixed	
policy/focus/focus_request.rego	CREATE	PROPOSED	Deny direct model target, restricted source leakage, or unsupported scope.	Policy steward	Schemas + authority ladder	confest or policy mirror tests	Revert policy bundle; fail closed until fixed	
policy/focus/focus_response.rego	CREATE	PROPOSED	Deny uncited claims or invalid citation validation reports.	Policy steward	Schemas + authority ladder	confest or policy mirror tests	Revert policy bundle; fail closed until fixed	
policy/story/README.md	CREATE	PROPOSED	Story Node policy, including 3D handoff gates.	Policy steward	Schemas + authority ladder	confest or policy mirror tests	Revert policy bundle; fail closed until fixed	
policy/review/README.md	CREATE	PROPOSED	Steward review read/write boundaries.	Policy steward	Schemas + authority ladder	confest or policy mirror tests	Revert policy bundle; fail closed until fixed	
policy/export/README.md	CREATE	PROPOSED	Export policy for rights, sensitivity, and proof references.	Policy steward	Schemas + authority ladder	confest or policy mirror tests	Revert policy bundle; fail closed until fixed	
policy/telemetry/README.md	CREATE	PROPOSED	Safe UI telemetry constraints.	Policy steward	Schemas + authority ladder	confest or policy mirror tests	Revert policy bundle; fail closed until fixed	
apps/explorer-web/README.md	CREATE OR ADAPT	PROPOSED / NEEDS VERIFICATION	UI app entry and governed-only boundary note.	UI owner	Actual app path, package manager, framework	typecheck + component + a11y tests	Feature flag off; revert UI PR	Use actual repo app path if not apps/explorer-web.
apps/explorer-web/src/app/GovernedShell.tsx	CREATE OR ADAPT	PROPOSED / NEEDS VERIFICATION	Persistent shell with map, time banner, trust/status header, nav, and panels.	UI owner	Actual app path, package manager, framework	typecheck + component + a11y tests	Feature flag off; revert UI PR	Use actual repo app path if not apps/explorer-web.
apps/explorer-web/src/app/routes.tsx	CREATE OR ADAPT	PROPOSED / NEEDS VERIFICATION	Route map for Explore, Dossier, Story, Focus, Review, Compare, Export, Settings, Diagnostics.	UI owner	Actual app path, package manager, framework	typecheck + component + a11y tests	Feature flag off; revert UI PR	Use actual repo app path if not apps/explorer-web.
apps/explorer-web/src/state/shellState.ts	CREATE OR ADAPT	PROPOSED / NEEDS VERIFICATION	Shell state machine and finite negative states.	UI owner	Actual app path, package manager, framework	typecheck + component + a11y tests	Feature flag off; revert UI PR	Use actual repo app path if not apps/explorer-web.
apps/explorer-web/src/state/timeState.ts	CREATE OR ADAPT	PROPOSED / NEEDS VERIFICATION	Valid-time, observed-time, freshness, and timeline state owner.	UI owner	Actual app path, package manager, framework	typecheck + component + a11y tests	Feature flag off; revert UI PR	Use actual repo app path if not apps/explorer-web.
apps/explorer-web/src/api/governedClient.ts	CREATE OR ADAPT	PROPOSED / NEEDS VERIFICATION	Typed governed API client; only allowed browser network path for trust payloads.	UI owner	Actual app path, package manager, framework	typecheck + component + a11y tests	Feature flag off; revert UI PR	Use actual repo app path if not apps/explorer-web.
apps/explorer-web/src/api/responseValidators.ts	CREATE OR ADAPT	PROPOSED / NEEDS VERIFICATION	Runtime schema validation at client boundary.	UI owner	Actual app path, package manager, framework	typecheck + component + a11y tests	Feature flag off; revert UI PR	Use actual repo app path if not apps/explorer-web.
apps/explorer-web/src/api/mockGovernedApi.ts	CREATE OR ADAPT	PROPOSED / NEEDS VERIFICATION	Contract-valid mock adapter with visible mock markers.	UI owner	Actual app path, package manager, framework	typecheck + component + a11y tests	Feature flag off; revert UI PR	Use actual repo app path if not apps/explorer-web.
apps/explorer-web/src/map/MapRuntimePort.ts	CREATE OR ADAPT	PROPOSED / NEEDS VERIFICATION	Renderer-agnostic port interface.	UI owner	Actual app path, package manager, framework	typecheck + component + a11y tests	Feature flag off; revert UI PR	Use actual repo app path if not apps/explorer-web.
apps/explorer-web/src/map/maplibre/MapLibreAdapter.ts	CREATE OR ADAPT	PROPOSED / NEEDS VERIFICATION	MapLibre-specific implementation hidden behind port.	UI owner	Actual app path, package manager, framework	typecheck + component + a11y tests	Feature flag off; revert UI PR	Use actual repo app path if not apps/explorer-web.

Path	Action	Truth label	Purpose	Owner/home	Depends on	Validated by	Rollback	Notes
apps/explorer-web/src/map/layers/buildLayerSources.ts	CREATE OR ADAPT	PROPOSED / NEEDS VERIFICATION	Transforms LayerDescriptor to MapLibre sources/layers only after validation.	UI owner	Actual app path, package manager, framework	typecheck + component + a11y tests	Feature flag off; revert UI PR	Use actual repo app path if not apps/explorer-web.
apps/explorer-web/src/features/layers/LayerCatalogPanel.tsx	CREATE OR ADAPT	PROPOSED / NEEDS VERIFICATION	Catalog, toggles, filters, legends, trust badges, proof/manifest visibility.	UI owner	Actual app path, package manager, framework	typecheck + component + a11y tests	Feature flag off; revert UI PR	Use actual repo app path if not apps/explorer-web.
apps/explorer-web/src/features/layers/LayerLegend.tsx	CREATE OR ADAPT	PROPOSED / NEEDS VERIFICATION	Evidence-aware legend with release/freshness state.	UI owner	Actual app path, package manager, framework	typecheck + component + a11y tests	Feature flag off; revert UI PR	Use actual repo app path if not apps/explorer-web.
apps/explorer-web/src/features/evidence/EvidenceDrawer.tsx	CREATE OR ADAPT	PROPOSED / NEEDS VERIFICATION	Drawer component for EvidenceDrawerPayload.	UI owner	Actual app path, package manager, framework	typecheck + component + a11y tests	Feature flag off; revert UI PR	Use actual repo app path if not apps/explorer-web.
apps/explorer-web/src/features/evidence/TrustBadges.tsx	CREATE OR ADAPT	PROPOSED / NEEDS VERIFICATION	Source role, rights, sensitivity, review, freshness, release, correction badges.	UI owner	Actual app path, package manager, framework	typecheck + component + a11y tests	Feature flag off; revert UI PR	Use actual repo app path if not apps/explorer-web.
apps/explorer-web/src/features/focus/FocusPanel.tsx	CREATE OR ADAPT	PROPOSED / NEEDS VERIFICATION	Bounded Focus request surface with finite outcomes.	UI owner	Actual app path, package manager, framework	typecheck + component + a11y tests	Feature flag off; revert UI PR	Use actual repo app path if not apps/explorer-web.
apps/explorer-web/src/features/focus/FocusOutcomeRenderer.tsx	CREATE OR ADAPT	PROPOSED / NEEDS VERIFICATION	ANSWER/ABSTAIN/DENY/ERROR state renderer.	UI owner	Actual app path, package manager, framework	typecheck + component + a11y tests	Feature flag off; revert UI PR	Use actual repo app path if not apps/explorer-web.
apps/explorer-web/src/features/story/StoryNodePlayer.tsx	CREATE OR ADAPT	PROPOSED / NEEDS VERIFICATION	2D-first story playback with map/time/evidence continuity.	UI owner	Actual app path, package manager, framework	typecheck + component + a11y tests	Feature flag off; revert UI PR	Use actual repo app path if not apps/explorer-web.
apps/explorer-web/src/features/review/ReviewConsole.tsx	CREATE OR ADAPT	PROPOSED / NEEDS VERIFICATION	Read-only steward proof/review queue surface.	UI owner	Actual app path, package manager, framework	typecheck + component + a11y tests	Feature flag off; revert UI PR	Use actual repo app path if not apps/explorer-web.
apps/explorer-web/src/features/compare/ComparePanel.tsx	CREATE OR ADAPT	PROPOSED / NEEDS VERIFICATION	Compare layer/time/proof deltas.	UI owner	Actual app path, package manager, framework	typecheck + component + a11y tests	Feature flag off; revert UI PR	Use actual repo app path if not apps/explorer-web.
apps/explorer-web/src/features/export/ExportPanel.tsx	CREATE OR ADAPT	PROPOSED / NEEDS VERIFICATION	Governed export request UI with rights/sensitivity gates.	UI owner	Actual app path, package manager, framework	typecheck + component + a11y tests	Feature flag off; revert UI PR	Use actual repo app path if not apps/explorer-web.
apps/explorer-web/src/features/settings/SettingsPanel.tsx	CREATE OR ADAPT	PROPOSED / NEEDS VERIFICATION	Preferences, accessibility, diagnostics opt-in.	UI owner	Actual app path, package manager, framework	typecheck + component + a11y tests	Feature flag off; revert UI PR	Use actual repo app path if not apps/explorer-web.
apps/explorer-web/src/features/diagnostics/DiagnosticsPanel.tsx	CREATE OR ADAPT	PROPOSED / NEEDS VERIFICATION	Schema/policy/API status without leaking internal stores.	UI owner	Actual app path, package manager, framework	typecheck + component + a11y tests	Feature flag off; revert UI PR	Use actual repo app path if not apps/explorer-web.
apps/explorer-web/src/accessibility/MapKeyboardControls.tsx	CREATE OR ADAPT	PROPOSED / NEEDS VERIFICATION	Keyboard-accessible map controls and non-map result alternative.	UI owner	Actual app path, package manager, framework	typecheck + component + a11y tests	Feature flag off; revert UI PR	Use actual repo app path if not apps/explorer-web.
apps/governed-api/README.md	VERIFY THEN CREATE/ADAPT	PROPOSED / NEEDS VERIFICATION	Backend governed API trust-boundary documentation.	API owner + security steward	Actual backend framework and route convention	contract + integration tests	Route flag off; revert PR	If actual repo uses apps/governed_api or packages/api, adapt path and record ADR.
apps/governed-api/src/routes/runtimeBootstrap.ts	VERIFY THEN CREATE/ADAPT	PROPOSED / NEEDS VERIFICATION	Bootstrap endpoint for shell and feature flags.	API owner + security steward	Actual backend framework and route convention	contract + integration tests	Route flag off; revert PR	If actual repo uses apps/governed_api or packages/api, adapt path and record ADR.
apps/governed-api/src/routes/layers.ts	VERIFY THEN CREATE/ADAPT	PROPOSED / NEEDS VERIFICATION	Layer catalog/descriptor/manifest endpoints.	API owner + security steward	Actual backend framework and route convention	contract + integration tests	Route flag off; revert PR	If actual repo uses apps/governed_api or packages/api, adapt path and record ADR.
apps/governed-api/src/routes/evidence.ts	VERIFY THEN CREATE/ADAPT	PROPOSED / NEEDS VERIFICATION	EvidenceBundle resolution endpoint.	API owner + security steward	Actual backend framework and route convention	contract + integration tests	Route flag off; revert PR	If actual repo uses apps/governed_api or packages/api, adapt path and record ADR.

Path	Action	Truth label	Purpose	Owner/home	Depends on	Validated by	Rollback	Notes
apps/governed-api/src/routes/claims.ts	VERIFY THEN CREATE/ADAPT	PROPOSED / NEEDS VERIFICATION	Map feature to governed claim resolution endpoint.	API owner + security steward	Actual backend framework and route convention	contract + integration tests	Route flag off; revert PR	If actual repo uses apps/governed_api or packages/api, adapt path and record ADR.
apps/governed-api/src/routes/focus.ts	VERIFY THEN CREATE/ADAPT	PROPOSED / NEEDS VERIFICATION	Focus Mode endpoint with policy/evidence/model/citation envelope.	API owner + security steward	Actual backend framework and route convention	contract + integration tests	Route flag off; revert PR	If actual repo uses apps/governed_api or packages/api, adapt path and record ADR.
apps/governed-api/src/routes/story.ts	VERIFY THEN CREATE/ADAPT	PROPOSED / NEEDS VERIFICATION	Story manifest endpoint.	API owner + security steward	Actual backend framework and route convention	contract + integration tests	Route flag off; revert PR	If actual repo uses apps/governed_api or packages/api, adapt path and record ADR.
apps/governed-api/src/routes/review.ts	VERIFY THEN CREATE/ADAPT	PROPOSED / NEEDS VERIFICATION	Read-only review/steward endpoints.	API owner + security steward	Actual backend framework and route convention	contract + integration tests	Route flag off; revert PR	If actual repo uses apps/governed_api or packages/api, adapt path and record ADR.
apps/governed-api/src/routes/export.ts	VERIFY THEN CREATE/ADAPT	PROPOSED / NEEDS VERIFICATION	Governed export request endpoint.	API owner + security steward	Actual backend framework and route convention	contract + integration tests	Route flag off; revert PR	If actual repo uses apps/governed_api or packages/api, adapt path and record ADR.
apps/governed-api/src/routes/telemetry .ts	VERIFY THEN CREATE/ADAPT	PROPOSED / NEEDS VERIFICATION	Safe UI telemetry endpoint.	API owner + security steward	Actual backend framework and route convention	contract + integration tests	Route flag off; revert PR	If actual repo uses apps/governed_api or packages/api, adapt path and record ADR.
apps/governed-api/src/ai/ModelAdapte rPort.ts	VERIFY THEN CREATE/ADAPT	PROPOSED / NEEDS VERIFICATION	Provider-neutral model adapter interface.	API owner + security steward	Actual backend framework and route convention	contract + integration tests	Route flag off; revert PR	If actual repo uses apps/governed_api or packages/api, adapt path and record ADR.
apps/governed-api/src/ai/MockAdapter .ts	VERIFY THEN CREATE/ADAPT	PROPOSED / NEEDS VERIFICATION	Deterministic adapter for tests and local fixtures.	API owner + security steward	Actual backend framework and route convention	contract + integration tests	Route flag off; revert PR	If actual repo uses apps/governed_api or packages/api, adapt path and record ADR.
apps/governed-api/src/ai/CitationValid ator.ts	VERIFY THEN CREATE/ADAPT	PROPOSED / NEEDS VERIFICATION	Validates every Focus citation against EvidenceBundle refs.	API owner + security steward	Actual backend framework and route convention	contract + integration tests	Route flag off; revert PR	If actual repo uses apps/governed_api or packages/api, adapt path and record ADR.
apps/governed-api/src/policy/policyClie nt.ts	VERIFY THEN CREATE/ADAPT	PROPOSED / NEEDS VERIFICATION	Policy pre/postcheck wrapper.	API owner + security steward	Actual backend framework and route convention	contract + integration tests	Route flag off; revert PR	If actual repo uses apps/governed_api or packages/api, adapt path and record ADR.
apps/governed-api/src/evidence/evide nceResolver.ts	VERIFY THEN CREATE/ADAPT	PROPOSED / NEEDS VERIFICATION	EvidenceRef to EvidenceBundle resolver boundary.	API owner + security steward	Actual backend framework and route convention	contract + integration tests	Route flag off; revert PR	If actual repo uses apps/governed_api or packages/api, adapt path and record ADR.
tests/fixtures/ui/README.md	CREATE	PROPOSED	Fixture rules and mock markers.	QA + subsystem owner	Schemas + app framework	CI: schema/component/e2 e/a11y	Delete fixture or revert workflow before merge; no published effect	
tests/fixtures/ui/evidence_drawer/answ er.valid.json	CREATE	PROPOSED	Drawer ANSWER fixture.	QA + subsystem owner	Schemas + app framework	CI: schema/component/e2 e/a11y	Delete fixture or revert workflow before merge; no published effect	
tests/fixtures/ui/evidence_drawer/deny _restricted.valid.json	CREATE	PROPOSED	Drawer DENY fixture with sensitivity posture.	QA + subsystem owner	Schemas + app framework	CI: schema/component/e2 e/a11y	Delete fixture or revert workflow before merge; no published effect	
tests/fixtures/ui/evidence_drawer/absta in_missing_evidence.valid.json	CREATE	PROPOSED	Drawer ABSTAIN fixture.	QA + subsystem owner	Schemas + app framework	CI: schema/component/e2 e/a11y	Delete fixture or revert workflow before merge; no published effect	
tests/fixtures/focus/answer.valid.json	CREATE	PROPOSED	Focus supported answer fixture.	QA + subsystem owner	Schemas + app framework	CI: schema/component/e2 e/a11y	Delete fixture or revert workflow before merge; no published effect	

Path	Action	Truth label	Purpose	Owner/home	Depends on	Validated by	Rollback	Notes
tests/fixtures/focus/abstain_uncited.invalid.json	CREATE	PROPOSED	Focus invalid uncited answer fixture.	QA + subsystem owner	Schemas + app framework	CI: schema/component/e2e/a11y	Delete fixture or revert workflow before merge; no published effect	
tests/fixtures/focus/deny_restricted.valid.json	CREATE	PROPOSED	Focus deny fixture.	QA + subsystem owner	Schemas + app framework	CI: schema/component/e2e/a11y	Delete fixture or revert workflow before merge; no published effect	
tests/fixtures/layers/layer_catalog.valid.json	CREATE	PROPOSED	Layer catalog fixture.	QA + subsystem owner	Schemas + app framework	CI: schema/component/e2e/a11y	Delete fixture or revert workflow before merge; no published effect	
tests/fixtures/layers/layer_descriptor.pmtiles.valid.json	CREATE	PROPOSED	Layer descriptor with GeoManifest ref.	QA + subsystem owner	Schemas + app framework	CI: schema/component/e2e/a11y	Delete fixture or revert workflow before merge; no published effect	
tests/fixtures/story/story_manifest.valid.json	CREATE	PROPOSED	Story manifest fixture.	QA + subsystem owner	Schemas + app framework	CI: schema/component/e2e/a11y	Delete fixture or revert workflow before merge; no published effect	
tests/fixtures/review/review_record.valid.json	CREATE	PROPOSED	Review record fixture.	QA + subsystem owner	Schemas + app framework	CI: schema/component/e2e/a11y	Delete fixture or revert workflow before merge; no published effect	
tests/fixtures/runtime/decision_envelope.answer.valid.json	CREATE	PROPOSED	DecisionEnvelope ANSWER fixture.	QA + subsystem owner	Schemas + app framework	CI: schema/component/e2e/a11y	Delete fixture or revert workflow before merge; no published effect	
tests/fixtures/runtime/decision_envelope.deny.valid.json	CREATE	PROPOSED	DecisionEnvelope DENY fixture.	QA + subsystem owner	Schemas + app framework	CI: schema/component/e2e/a11y	Delete fixture or revert workflow before merge; no published effect	
tests/ui/GovernedShell.test.tsx	CREATE	PROPOSED	Shell state/component test.	QA + subsystem owner	Schemas + app framework	CI: schema/component/e2e/a11y	Delete fixture or revert workflow before merge; no published effect	
tests/ui/EvidenceDrawer.test.tsx	CREATE	PROPOSED	Drawer component tests.	QA + subsystem owner	Schemas + app framework	CI: schema/component/e2e/a11y	Delete fixture or revert workflow before merge; no published effect	
tests/ui/FocusOutcomeRenderer.test.tsx	CREATE	PROPOSED	Finite outcome rendering tests.	QA + subsystem owner	Schemas + app framework	CI: schema/component/e2e/a11y	Delete fixture or revert workflow before merge; no published effect	
tests/ui/LayerCatalogPanel.test.tsx	CREATE	PROPOSED	Layer catalog/toggle/legend tests.	QA + subsystem owner	Schemas + app framework	CI: schema/component/e2e/a11y	Delete fixture or revert workflow before merge; no published effect	
tests/e2e/ui_shell_smoke.spec.ts	CREATE	PROPOSED	Playwright shell load/navigation smoke.	QA + subsystem owner	Schemas + app framework	CI: schema/component/e2e/a11y	Delete fixture or revert workflow before merge; no published effect	
tests/e2e/focus_negative_states.spec.ts	CREATE	PROPOSED	ABSTAIN/DENY/ERROR e2e behavior.	QA + subsystem owner	Schemas + app framework	CI: schema/component/e2e/a11y	Delete fixture or revert workflow before merge; no published effect	
tests/accessibility/ui_shell_axe.spec.ts	CREATE	PROPOSED	Accessibility smoke with keyboard and axe-like checks.	QA + subsystem owner	Schemas + app framework	CI: schema/component/e2e/a11y	Delete fixture or revert workflow before merge; no published effect	
.github/workflows/ui-governed.yml	CREATE	PROPOSED	PR-safe UI validation workflow.	QA + subsystem owner	Schemas + app framework	CI: schema/component/e2e/a11y	Delete fixture or revert workflow before merge; no published effect	
.github/workflows/contracts-ui-ai.yml	CREATE	PROPOSED	Schema, fixture, and policy validation workflow.	QA + subsystem owner	Schemas + app framework	CI: schema/component/e2e/a11y	Delete fixture or revert workflow before merge; no published effect	
tools/validators/ui/validate_drawer_payload.py	CREATE	PROPOSED	Validate EvidenceDrawerPayload fixtures and emitted samples.	Tooling/QA owner	Python/Node toolchain verification	unit tests + fixture tests	Revert tool PR; fail closed if absent	
tools/validators/focus/validate_focus_response.py	CREATE	PROPOSED	Validate Focus response + citation report.	Tooling/QA owner	Python/Node toolchain verification	unit tests + fixture tests	Revert tool PR; fail closed if absent	
tools/validators/layers/validate_layer_descriptor.py	CREATE	PROPOSED	Validate layer descriptor and manifest linkage.	Tooling/QA owner	Python/Node toolchain verification	unit tests + fixture tests	Revert tool PR; fail closed if absent	

Path	Action	Truth label	Purpose	Owner/home	Depends on	Validated by	Rollback	Notes
tools/validators/story/validate_story_manifest.py	CREATE	PROPOSED	Validate story manifest and drawer continuity.	Tooling/QA owner	Python/Node toolchain verification	unit tests + fixture tests	Revert tool PR; fail closed if absent	
tools/validators/geo_manifest/validate_geo_manifest.py	CREATE	PROPOSED	Validate PMTiles/COG manifest digests and optional signature bundle.	Tooling/QA owner	Python/Node toolchain verification	unit tests + fixture tests	Revert tool PR; fail closed if absent	
tools/ci/render_ui_validation_summary.py	CREATE	PROPOSED	Render CI reviewer summary without exposing restricted payloads.	Tooling/QA owner	Python/Node toolchain verification	unit tests + fixture tests	Revert tool PR; fail closed if absent	

31. Appendix C: representative schema/DTO/fixture names

Family	Representative names	Notes
Runtime outcomes	DecisionEnvelope; RuntimeResponseEnvelope; ErrorEnvelope	Finite result grammar shared by map click, Focus, review, export, and promotion.
Evidence UI	EvidenceDrawerPayload; EvidenceRefSummary; EvidenceBundleSummary; TrustBadgeState	Drawer payload is resolved from governed API, not built from raw map properties.
Layering	LayerCatalogItem; LayerDescriptor; LayerManifest; KFMGeoManifest; LegendDescriptor	Layer assets are derived surfaces with proof/release refs.
Focus Mode	FocusRequestEnvelope; FocusResponseEnvelope; CitationValidationReport; AiReceiptRef	Citations validated before display; negative states typed.
Story	StoryManifest; StoryNode; StoryTransition; StoryEvidenceGate	2D-first, optional 3D handoff only with evidence continuity.
Review	ReviewRecord; CorrectionNotice; StewardNote; ReleaseReviewSummary	Read-only first slice; release actions deferred.
Telemetry	UiTelemetryEvent; SafeDiagnosticEvent	No raw evidence, prompts, secrets, or exact restricted geometry.
Fixtures	answer.valid.json; deny_restricted.valid.json; abstain_missing_evidence.valid.json; error_invalid_payload.invalid.json	Every surface needs positive and negative fixtures.

Representative DecisionEnvelope shape (illustrative only)

```
{
  "outcome": "ANSWER | ABSTAIN | DENY | ERROR",
  "reason_codes": ["evidence_missing", "policy_denied", "citation_invalid"],
  "obligations": ["generalize_geometry", "show_freshness_warning"],
  "audit_ref": "kfm://audit/...",
  "evidence_bundle_refs": ["kfm://evidence/..."],
  "freshness": {"status": "fresh | stale | unknown", "checked_at": "ISO-8601"}
}
```

Representative EvidenceDrawerPayload fields (illustrative only)

```
{
  "drawer_id": "kfm://drawer/...",
  "opened_from": {"surface": "map", "layer_id": "...", "feature_ref": "..."},
  "decision": {"outcome": "ANSWER", "audit_ref": "..."},
  "claim": {"label": "...", "valid_time": "...", "release_state": "published"},
  "evidence_refs": [{"evidence_ref": "kfm://evidence/ref/...", "source_role": "observed"}],
  "bundle_ref": "kfm://evidence/bundle/...",
  "trust": {"rights": "...", "sensitivity": "...", "review_state": "...", "freshness": "..."},
  "provenance": {"release_manifest_ref": "...", "correction_state": "none"}
}
```

32. Appendix D: validation checklist

Check	Command family	Expected result	Status in this run
Repo mounted	git status --short; git branch --show-current	Valid repo, branch, dirty state known	CONFIRMED failed: no repo
Schema validation	jsonschema/ajv over schemas/contracts/v1 and fixtures	All valid fixtures pass; invalid fixtures fail	PROPOSED
Typecheck	npm/pnpm/yarn run typecheck or repo equivalent	No type errors	PROPOSED
Unit/component tests	npm/pnpm/yarn test or repo equivalent	Shell, drawer, focus, layers pass	PROPOSED
Accessibility smoke	Playwright + axe-like checks + keyboard script	No critical violations; map actions have non-map alternatives	PROPOSED

Check	Command family	Expected result	Status in this run
E2E smoke	Playwright route/load/focus/map-click tests	Finite outcomes display correctly	PROPOSED
Policy tests	confest test or repo policy runner	Deny invalid/unreleased/uncited/restricted flows	PROPOSED
Build	npm/pnpm/yarn build or repo equivalent	Production build succeeds without secrets	PROPOSED
No forbidden browser calls	static grep/import boundary test	No raw store, vector DB, object store, model runtime, or internal DB calls from browser	PROPOSED
Docs propagation	docs link check + object map completeness	Every changed schema/API route/policy file has docs/tests/runbook updates	PROPOSED

33. Appendix E: full visible PDF source inventory

CONFIRMED visible uploaded/source PDF files in /mnt/data at generation time. These are source corpus and lineage evidence, not mounted repo files.

File	Pages	Title / first text
Building an Advanced GraphQL + REST Platform for 3D Graphics and Mapping.pdf	26	Building an Advanced GraphQL + REST Platform for 3D Graphics and Mapping
Cesium Ecosystem Technical Knowledge Base Dossier.pdf	36	Cesium Ecosystem Technical Knowledge Base Dossier
Connecting to Remote Sensing and Environmental Data Sources.pdf	28	Connecting to Remote Sensing and Environmental Data Sources
Designing an LLM-Ingestible PDF Resource on REST-Orchestrated Advanced 3D Rendering.pdf	23	Designing an LLM-Ingestible PDF Resource on REST-Orchestrated Advanced 3D Rendering
Earth, Space, and Environmental Science Explorations with ArcGIS Pro ed2.pdf	141	Earth, Space, and Environmental Science Explorations with ArcGIS Pro ed2.docx
GIS in Sustainable Urban Planning and Management.pdf	365	GIS in Sustainable Urban Planning and Management A Global Perspective
KFM Agriculture.pdf	10	(anonymous)
KFM Fauna.pdf	5	(anonymous)
KFM Flora.pdf	6	(anonymous)
KFM Habitat.pdf	8	(anonymous)
KFM Hazards.pdf	8	(anonymous)
KFM Hydrology.pdf	16	KFM Hydrology Repo Discovery and Plan
KFM People_DNA_Land.pdf	7	(anonymous)
KFM Soil.pdf	20	KFM Soil Architecture Repo Inspection Result and Proposed Scaffold
KFM archaeology.pdf	19	(anonymous)
KFM atmosphere & air.pdf	6	(anonymous)
KFM geology & natural resources.pdf	24	(anonymous)
KFM habitat& fauna Crossover.pdf	68	Kansas Frontier Matrix Habitat + Fauna Thin-Slice Implementation Report Fixture-first scaffold created outside the mounted repo Generated 2026-04-19 Truth posture: CONFIRMED / PROPOSED / UNKNOWN / CONFLICTED Primary deli
KFM ideas.pdf	62	Table template: extraction dimension → output artifact mapping (Use this as a required appendix table in the compiled PDF; the KFM pipeline should auto-generate it.) Extraction dimension Primary output artifact Secondary
KFM roads rail & trade routes.pdf	23	KFM Roads Rail Trade Routes Architecture Plan
KFM settlements & infrastructure.pdf	9	(anonymous)
KFM_Components_Pass_11_Idea_Index_Category_Atlas_and_Expansion_Dossier.pdf	70	KFM Components Pass 11
KFM_Components_Pass_12_Idea_Index_Category_Atlas_Verification_Dossier_Expansion_Manual.pdf	92	[KFM Components Pass 12] — Idea Index, Category Atlas, Verification Dossier, and Expansion Manual A detailed evidence-first synthesis of the attached source corpus, strengthened through official-source verification and t
KFM_Components_Pass_13_Idea_Index_Category_Atlas_Verification_Dossier_Expansion_Manual.pdf	63	KFM Components Pass 13
KFM_Components_Pass_15_Idea_Index_Category_Atlas_Verification_Dossier_Expansion_Manual.pdf	98	KFM Components Pass 15
KFM_Components_Pass_16_Idea_Index_Category_Atlas_Verification_Dossier_Expansion_Manual.pdf	69	KFM Components Pass 16 · 1 KANSAS FRONTIER MATRIX [KFM Components Pass 16] — Idea Index, Category Atlas, Verification Dossier, and Expansion Manual A corpus-governed successor synthesis of the attached source base, stren
KFM_Components_Pass_17_Idea_Index_Category_Atlas_Verification_Dossier_Expansion_Manual.pdf	81	KANSAS FRONTIER MATRIX [KFM Components Pass 17] — Idea Index, Category Atlas, Verification Dossier, and Expansion Manual Subtitle. A detailed evidence-first synthesis of the attached source corpus, strengthened through e
KFM_Components_Pass_18_Idea_Index_Category_Atlas_Verification_Dossier_Expansion_Manual.pdf	70	KFM Components Pass 18 - Idea Index, Category Atlas, Verification Dossier, and Expansion Manual
KFM_Components_Pass_19_Idea_Index_Category_Atlas_Verification_Dossier_Expansion_Manual.pdf	77	[KFM Components Pass 19] Idea Index, Category Atlas, Verification Dossier, and Expansion Manual A detailed evidence-first synthesis of the attached source corpus, strengthened through external verification and technical

File	Pages	Title / first text
KFM_Components_Pass_9_Idea_Index_Category_Atlas_and_Expansion_Dossier_final.pdf	68	[KFM Components Pass 9] — Idea Index, Category Atlas, and Expansion Dossier A detailed evidence-first synthesis of the attached source corpus Source boundary The attached documents in the current session are the controll
KFM_Documentation_Architecture_Master_Package_2026-04-19.pdf	44	KFM Documentation Architecture Master Package
KFM_Governed_AI_Extended_Pro_Source_Ledger_PDF_Only_Architecture_Report_2026-04-20.pdf	36	KFM Governed AI Extended Pro Source Ledger PDF-Only Architecture Report
KFM_MapLibre_UI_Architecture_and_Governed_Interaction_Design.pdf	23	KFM MapLibre UI Architecture and Governed Interaction Design
Latest ideas 1-4-26.pdf	120	Latest ideas 1-4-26
MapLibre Ecosystem Research Dossier.pdf	36	MapLibre Ecosystem Research Dossier
Mapping Urban Spaces.pdf	309	Mapping Urban Spaces; Designing the European City
New Ideas 3-11-26.pdf	149	New Ideas 3-11-26
New Ideas 3-16-26.pdf	114	New Ideas 3-16-26
New Ideas 3-27-26.pdf	35	New Ideas 3-27-26
New Ideas 3-31-26.pdf	403	New Ideas 3-31-26
New Ideas 4-10-26.pdf	871	New Ideas 4-10-26
New Ideas 4-12-26.pdf	1092	New Ideas 4-12-26
New Ideas 4-13-26.pdf	462	New Ideas 4-13-26
New Ideas 4-14-26.pdf	410	New Ideas 4-14-26
New Ideas 4-15-26.pdf	435	New Ideas 4-15-26
New Ideas 4-17-26.pdf	869	New Ideas 4-17-26
New Ideas 4-19-26 Part 2.pdf	643	New Ideas 4-19-26 Part 2
New Ideas 4-19-26.pdf	1120	New Ideas 4-19-26
New Ideas 4-2-26.pdf	177	New Ideas 4-2-26
New ideas 2-22-26.pdf	87	New ideas 2-22-26
Ollama & Ubuntu Information.pdf	66	Contents Kansas Frontier Matrix — Functional Guide for Integrating Ollama 1 1. Executive Summary 1 2. Source Integrity and Truth Postu
Planetary_Spatial_Systems_Architecture.pdf	44	Planetary Spatial Systems Architecture Manual - Improved Working Edition
a-primer-of-gis-fundamental-geographic-and-cartographic-concepts.pdf	321	Primer of GIS : Fundamental Geographic and Cartographic Concepts
gis_manual_integrated_reconciled.pdf	21	Integrated GIS Manual
google_geospatial_programming_reference_manual.pdf	66	Google Geospatial Programming Reference Manual Compiled technical manual 1 OpenAI synthesis Google Geospatial Programming Reference Manual A unified technical synthesis of Google Earth Engine and the Google Maps JavaScri