



ASSIGNMENT:-13

CREATE A WORKMAIL FOR YOUR ORGANIZATION

Step 1: First go to the searchbar and type workmail and then create a workmail organization



Step 2: Then select for free test domain



Step 3: then go to the user and add user then give the username name with password

Add a user [info](#)
Add a user to your Amazon WorkMail organization.

User details

Username
The username enables the user to login to the Amazon WorkMail webmail.

Username can only contain the following characters: a-z, A-Z, 0-9, _ (underscore) - (hyphen) and . (dot); or it has to be a valid email address.

First name - optional

Last name - optional

Display name
The name by which the user is presented in the system.

Primary email address to be used for this user:
 @

Advanced - optional

Password setup

Password
Password for the user to log in with.

Passwords have an 8-character minimum with at least one character from three of these four categories: lowercase, uppercase, numeric, and special characters.

Repeat password

[Cancel](#) [Add user](#)

Step 4: then go to the organization which we have created and click on the amazon workmail below

Amazon WorkMail [Find email address](#) [Delete organization](#)


abmckvie

Organization details [info](#)


Organization ID m-81746fd337f54a78a4aa3fad16baefa8	State Active	Directory type WorkMail directory
ARN arn:aws:workmail:us-east-1:9761932-49230:organization/m-81746fd337f54a78a4aa3fad16baefa8	Date created April 09, 2025 at 10:56 (UTC+5:30)	Directory ID d-9067cfff76
Default domain info abmckvie.awsapps.com		

User setup guide

Step 5: then give the username and password and and login into it



Step 6: after login into aws workmail send a msg to our own gmail



Step 7: again if we send the mail from our own gmail then this is what we received in aws workmail

