


Assignment number : 07


Title : Hosting a website on EC2.


Step 1 : Opening and creating EC2 Instance in the AWS

Step 1.1: I'll search EC2 in the AWS management console.




Step 1.2: I'll click on the EC2 and click on Launch Instance.







Step 2 : Updating Instance configurations



Step 2.1: First , name the Instance and then scroll down to Application and OS Images and choose Ubuntu from Quick Start.






Step 2.2: Then scroll down to Key Pair (login) and click on Create new key pair , then check the configurations such as the Key pair type as RSA and private key file format as .pem and then click on Create Key Pair and save in folder and download.







Step 3 : Now, click on Instances then click on Dashboard and then Instances (running) (1)




Step 3.1 : Now, click on check box , all the details of that instance will appear and then click on Connect then on EC2 instance connect then on Connect and then a Linux Server will open , but we will not use this we will use by Bitwise SSH Client .



Step 3.2 : Go to Instance Details and copy the Public IPV4 Address and open it in new tab , Error will come.







Step 4 : Now open the Bitwise SSH Client app .




Step 4.1: Now click on Client Key Manager and then click on import then choose the downloaded key pair then click on open and then on import then

close the tabs and set Client Key as Global1. Now paste the copied IPV4 address of EC2 Server in Host ID and give username “ubuntu” and initial method as “publickey” .







Step 4.2: Now click on login and then on Accept and Save.




Step 5 : Now click on New Terminal Console and type the following commands:




Step 5.1: sudo apt-get update




Step 5.2: sudo apt-get upgrade



Step 5.3: sudo apt-get install nginx







Step 5.4: Now go to AWS server page and reload the page .




Step 6: Now again open Bitwise app and click on SFTP Window.

Step 6.1: In Remote Files , click 2 times on Up and then on var , then www , then html , a html file will appear .





Step 6.2: Now open the terminal , and change the directory to www and then type “sudo chmod 777 html” and then drag the html files from local files to remote files and rename it as index.html.



```
Setting up nginx-common (1.24.0-2ubuntu7.1) ...
Created symlink /etc/systemd/system/multi-user.target.wants/nginx.service → /usr/lib/systemd/system/nginx.service.
Processing triggers for ufw (0.36.2-6) ...
Processing triggers for man-db (2.12.0-4build2) ...
Scanning processes...
Scanning candidates...
Scanning linux images...

Running kernel seems to be up-to-date.


Restarting services...


Service restarts being deferred:
/etc/needrestart/restart.d/dbus.service
systemctl restart getty@tty1.service
systemctl restart networkd-dispatcher.service
systemctl restart serial-getty@ttyS0.service
systemctl restart systemd-logind.service
systemctl restart unattended-upgrades.service

No containers need to be restarted.

User sessions running outdated binaries:
ubuntu @ session #5: sshd[1081,1193]
ubuntu @ user manager service: systemd[1088]



No VM guests are running outdated hypervisor (qemu) binaries on this host.
ubuntu@ip-172-31-2-202:~$ cd /
ubuntu@ip-172-31-2-202:/$ cd var
ubuntu@ip-172-31-2-202:/var$ cd www
ubuntu@ip-172-31-2-202:/var/www$ cd html
ubuntu@ip-172-31-2-202:/var/www/html$ cd ..
ubuntu@ip-172-31-2-202:/var/www$ sudo chmod 777 html
ubuntu@ip-172-31-2-202:/var/www$
```







[Google](#) [Next](#)


Step 8: Now open bitwise and then logout.





Step 9: Now go to the EC2 dashboard then click on the server and then click on Instance State and click on Stop Instance then click on Stop.





Step 10: Now again click on Instance State and click on Terminate Instance then click on Terminate and then reload the page.

