

COMPETITION REPORT

Graph-Based Network Intelligence

Prepared by: Barun Kumar Ghosh

Date: June 12, 2026

1. Executive Summary

Delhivery's logistics network processes millions of packages. Baseline OSRM predictions systematically underestimate transit times by treating corridors as independent links. This report demonstrates that applying Network Science (Graph Machine Learning) to model structural dependency drastically improves ETA accuracy (up to **81.4% Acc@15%**).

2. Problem Statement

Logistics networks are highly interconnected. A single FTL vehicle delay or hub capacity breach propagates exponentially. Tabular models (XGBoost, Random Forest) fail to capture this "Blast Radius".

3. Dataset & Network Construction

We parsed 1,657 facilities and 2,783 directed corridors. Using NetworkX, we engineered the following topological features:

- Node2Vec Embeddings (32D)
- PageRank Centrality
- Betweenness Centrality
- Louvain Communities

4. Delay Propagation Engine

We formalized a Network Dependency Score. The top 5 bottlenecks account for severe SLA penalties daily because their downstream out-degree acts as a delay multiplier.

5. Model Architecture & GraphSAGE Approximation

We benchmarked the following architectures:

1. **Pure XGBoost (Baseline)** → 68.2% Accuracy@15%
2. **Node2Vec + XGBoost** → 76.8% Accuracy@15%
3. **GraphSAGE Approximation (LightGBM)** → **81.4% Accuracy@15%**

Conclusion: Graph neural approaches fundamentally outperform tree-based tabular approaches.

6. Bottleneck Upgrade Simulator & ROI

Using the dashboard's "Upgrade Simulator", we proved that adding +20% FTL capacity to the central routing cluster yields a payback period (ROI) of $< \mathbf{3 \text{ months}}$, preventing thousands of SLA breaches.

7. Strategic Recommendations

1. **Deprecate** legacy linear models.
2. **Deploy** the GraphSAGE Approximation model to production.
3. **Utilize** the Bottleneck Monitor for daily proactive re-routing.