# Evidencia respuestas API

POST REGISTRO

```
curl --location 'http://localhost:5000/registro' \
--header 'Content-Type: application/json' \
--data '{
    "usuario": "user-bar2",
    "contraseña": "pass-bar2"
}'
```


POST LOGIN

```
curl --location 'http://localhost:5000/login' \
--header 'Content-Type: application/json' \
--data '{
```

```
  "usuario": "user-bar2",

  "contraseña": "pass-bar2"

}'
```

```
curl --location 'http://localhost:5000/login' \
--header 'Content-Type: application/json' \
--data '{
    "usuario": "user-bar",
    "contraseña": "pass-bar2"
}'
```



```
curl --location 'http://localhost:5000/login' \
--header 'Content-Type: application/json' \
--data '{
    "usuario": "user-bar2",
    "contraseña": "pass-bar"
}'
```

GET TAREAS (BIENVENIDA)

curl --location 'http://localhost:5000/tareas' \

--header 'Content-Type: application/json'

Registro terminal:

```
PS C:\Users\Barbara\desarrollo\REDES\Redes-PF02> python servidor.py
 * Serving Flask app 'servidor'
 * Debug mode: on
WARNING: This is a development server. Do not use it in a production deployment. Use a production WSGI server instead.
 * Running on http://127.0.0.1:5000
Press CTRL+C to quit
 * Restarting with stat
 * Debugger is active!
 * Debugger PIN: 142-918-235
✅ Base de datos inicializada correctamente
127.0.0.1 - - [26/Sep/2025 16:42:08] "POST /registro HTTP/1.1" 201 -
127.0.0.1 - - [26/Sep/2025 16:46:42] "POST /login HTTP/1.1" 200 -
127.0.0.1 - - [26/Sep/2025 16:50:11] "POST /registro HTTP/1.1" 201 -
127.0.0.1 - - [26/Sep/2025 16:50:33] "POST /login HTTP/1.1" 200 -
127.0.0.1 - - [26/Sep/2025 16:50:57] "POST /login HTTP/1.1" 401 -
127.0.0.1 - - [26/Sep/2025 16:51:32] "POST /login HTTP/1.1" 401 -
127.0.0.1 - - [26/Sep/2025 16:52:54] "POST /tareas HTTP/1.1" 405 -
127.0.0.1 - - [26/Sep/2025 16:53:05] "POST /login HTTP/1.1" 401 -
127.0.0.1 - - [26/Sep/2025 16:53:11] "POST /login HTTP/1.1" 500 -
127.0.0.1 - - [26/Sep/2025 16:53:15] "POST /login HTTP/1.1" 400 -
127.0.0.1 - - [26/Sep/2025 16:53:32] "GET /tareas HTTP/1.1" 200 -
```