

1. Authentication (Login)

Before making API requests, the system requires authentication.

Request:

- POST {APIURL}/api/login/
- Parameters:
 - api_key – required for all client requests.
 - username – user login.
 - password – user password.

Response:

- auth_key – must be included in all further API requests in the headers.

Error Handling:

- 401 – Invalid API key or incorrect credentials.
 - 403 – API key missing.
 - 500 – Internal server error.
-

2. Create a Player Account

Before interacting with the system, a player account must be created.

Request:

- POST {APIURL}/api/v1/player/create
- Parameters:
 - UserID – unique player ID.

Response:

- Pid – platform-assigned unique player ID.

Note:

If the player already exists, the API returns the same Pid.

3. Retrieve Game List

Get a list of available games.

Request:

- POST {APIURL}/api/v1/game/list
- Parameters:
 - Language – e.g., en, th, es.

Response:

- List of games (ID, Name, Type, IconUrl).
-

4. Get Game Login URL

Retrieve a URL to launch a specific game.

Request:

- POST {APIURL}/api/v1/game/launch
- Parameters:
 - UserID – player ID.
 - GameID – ID of the game.
 - Language – preferred language.

Response:

- Url – game login URL.
-

5. Get Player Balance

Fetch the player's current balance.

Request:

- POST {APIURL}/api/v1/player/balance
- Parameters:
 - UserID – player ID.

Response:

- Balance – available balance.
-

6. Deposit Funds (Transfer In)

Players must deposit funds before playing.

Request:

- POST {APIURL}/api/v1/player/transferIn
- Parameters:
 - UserID – player ID.
 - Amount – deposit amount (>0).
 - TraceId – transaction ID.

Response:

- **AfterBalance** – updated balance after deposit.
-

7. Get Updates (Optional: Internal System Updates)

Retrieve new updates in the system, such as changes to game mechanics.

Request:

- **POST {APIURL}/api/updates/**
- **Parameters:**
 - **auth_key** – authentication token.
 - **version** – current system version.

Response:

- **List of updates including new game settings.**
-

8. Place Bets

Deducts the bet amount when a player places a bet.

Request:

- **POST {OPURL}/Cash/TransferInOut**
- **Parameters:**
 - **UserID**
 - **TransactionID**
 - **Amount** (negative value for a bet).
 - **GameID**
 - **Reason: "bet"**

Response:

- **Balance** – updated balance after bet deduction.
-

9. Process Winnings

Credit winnings to the player's account.

Request:

- **POST {OPURL}/Cash/TransferInOut**
- **Parameters:**
 - **UserID**
 - **TransactionID**
 - **Amount (positive value for winnings).**
 - **GameID**
 - **Reason: "win"**

Response:

- **Balance – updated balance after payout.**
-

10. Retrieve Betting History

Fetch the player's betting history.

Request:

- **POST {APIURL}/api/v1/record/getbetlogs**
- **Parameters:**
 - **UserID**
 - **GameID**
 - **StartTime, EndTime**
 - **Page, PageSize**

Response:

- **List of bets (Bet, Win, WinLose, Balance).**
-

11. Get Pending Games (Unsettled Bets)

Retrieve games that have not been settled.

Request:

- **POST {APIURL}/api/v1/player/pendinggames**
- **Parameters:**
 - **UserID – player ID.**

Response:

- **PendingGames – list of unsettled games.**
-

12. Withdraw Funds (Transfer Out)

Allow a player to withdraw funds.

Request:

- **POST {APIURL}/api/v1/player/transferOut**
- **Parameters:**
 - **UserID**
 - **Amount**
 - **TraceId**

Response:

- **AfterBalance** – updated balance after withdrawal.
-

13. Withdraw All Funds

Withdraw the player's entire balance.

Request:

- **POST {APIURL}/api/v1/player/transferOutAll**
- **Parameters:**
 - **UserID**
 - **TraceId**

Response:

- **Amount** – total amount withdrawn.
-

14. Query Transaction Status

If a transaction is pending or an error occurs, check its status.

Request:

- **POST {APIURL}/api/v1/transaction/queryOrder**
- **Parameters:**
 - **TraceId**

Response:

- **Transaction details (Completed, Error, Amount).**
-

15. Retrieve Deleted Entries (Optional: Internal Data Deletion Tracking)

Fetch a list of deleted items from the system.

Request:

- POST {APIURL}/api/deletions/
- Parameters:
 - auth_key
 - version

Response:

- List of deleted game or transaction entries.
-

16. Fetch Recipe Image (Optional: If Related to Player Items)

Retrieve an image for a specific game or item.

Request:

- GET {APIURL}/api/image/<recipe_id>/
- Parameters:
 - auth_key
 - recipe_id

Response:

- Image URL.
-

Final API Call Order Summary

1. Authenticate/Login (/api/login/)
2. Create a player account (/player/create)
3. Retrieve game list (/game/list)

- 4. Get game login URL (/game/launch)**
- 5. Check player balance (/player/balance)**
- 6. Deposit funds (/player/transferIn)**
- 7. Get updates (optional) (/api/updates/)**
- 8. Place bets (/Cash/TransferInOut with Reason="bet")**
- 9. Process winnings (/Cash/TransferInOut with Reason="win")**
- 10. Retrieve betting history (/record/getbetlogs)**
- 11. Get pending games (/player/pendinggames)**
- 12. Withdraw funds (/player/transferOut)**
- 13. Withdraw all funds (/player/transferOutAll)**
- 14. Query transaction status (/transaction/queryOrder)**
- 15. Retrieve deletions (optional) (/api/deletions/)**
- 16. Fetch recipe image (optional) (/api/image/<recipe_id>/)**