

```

import { useState, useRef, useEffect,
useCallback } from "react";

// ——— ICONS



---



const IC = {
  Home: ({ a }) => <svg width="24"
height="24" fill={a?"white":"none"} stroke=
{a?"white":"#777"} strokeWidth="2"
viewBox="0 0 24 24"><path d="M3 9l9-7 9
7v11a2 2 0 01-2 2H5a2 2 0 01-2-2z"/>
<polyline points="9 22 9 12 15 12 15 22"/>
</svg>,
  Friends: ({ a }) => <svg width="24"
height="24" fill="none" stroke=
{a?"white":"#777"} strokeWidth="2"
viewBox="0 0 24 24"><path d="M17 21v-2a4 4
0 00-4-4H5a4 4 0 00-4 4v2"/><circle cx="9"
cy="7" r="4"/><path d="M23 21v-2a4 4 0 00-
3-3.87M16 3.13a4 4 0 010 7.75"/></svg>,
  Inbox: ({ a, n }) => <div style=
{{position:"relative"}}><svg width="24"
height="24" fill="none" stroke=
{a?"white":"#777"} strokeWidth="2"
viewBox="0 0 24 24"><path d="M21 15a2 2 0
01-2 2H7l-4 4V5a2 2 0 012-2h14a2 2 0 012
2z"/></svg>{n>0&&<span style=
{{position:"absolute",top:-4,right:-6,backg
round:"#fe2c55",color:"white",fontSize:9,fo

```

```

ntWeight:700,minWidth:15,height:15,borderRa
dius:8,display:"flex",alignItems:"center",j
ustifyContent:"center",padding:"0 3px"}}>
{n}</span></div>,
  Profile: ({ a }) => <svg width="24"
height="24" fill="none" stroke=
{a?"white":"#777"} strokeWidth="2"
viewBox="0 0 24 24"><path d="M20 21v-2a4 4
0 00-4-4H8a4 4 0 00-4 4v2"/><circle cx="12"
cy="7" r="4"/></svg>,
  Heart: ({ f }) => <svg width="28"
height="28" fill={f?"#fe2c55":"white"}
viewBox="0 0 24 24"><path d="M20.84
4.61a5.5 5.5 0 00-7.78 0L12 5.67l-1.06-
1.06a5.5 5.5 0 00-7.78 7.78l1.06 1.06L12
21.23l7.78-7.78 1.06-1.06a5.5 5.5 0 00-
7.78z"/></svg>,
  Comment: () => <svg width="28"
height="28" fill="white" viewBox="0 0 24
24"><path d="M21 15a2 2 0 01-2 2H7l-4 4V5a2
2 0 012-2h14a2 2 0 012 2z"/></svg>,
  Share: () => <svg width="26" height="26"
fill="none" stroke="white" strokeWidth="2"
viewBox="0 0 24 24" strokeLinecap="round"
strokeLinejoin="round"><path d="M4 12v8a2 2
0 002 2h12a2 2 0 002-2v-8M16 6l-4-4-4 4M12
2v13"/></svg>,
  Back: () => <svg width="22" height="22"
fill="none" stroke="white"
strokeWidth="2.5" viewBox="0 0 24 24">
<polyline points="15 18 9 12 15 6"/></svg>,
  Send: () => <svg width="18" height="18"
fill="white" viewBox="0 0 24 24"><polygon
points="22 2 15 22 11 13 2 9 22 2"/></svg>,

```

```
Edit: () => <svg width="16" height="16"
fill="none" stroke="white" strokeWidth="2"
viewBox="0 0 24 24"><path d="M11 4H4a2 2 0
00-2 2v14a2 2 0 002 2h14a2 2 0 002-2v-7"/>
<path d="M18.5 2.5a2.121 2.121 0 013 3L12
15l-4 1 1-4 9.5-9.5z"/></svg>,
Camera: () => <svg width="20" height="20"
fill="none" stroke="#555" strokeWidth="2"
viewBox="0 0 24 24"><path d="M23 19a2 2 0
01-2 2H3a2 2 0 01-2-2V8a2 2 0 012-2h4l2-
3h6l2 3h4a2 2 0 012 2z"/><circle cx="12"
cy="13" r="4"/></svg>,
Search: ({ a }) => <svg width="24"
height="24" fill="none" stroke=
{a?"white":"#777"} strokeWidth="2"
viewBox="0 0 24 24"><circle cx="11" cy="11"
r="8"/><line x1="21" y1="21" x2="16.65"
y2="16.65"/></svg>,
Plus: () => <svg width="22" height="22"
fill="none" stroke="white"
strokeWidth="2.5" viewBox="0 0 24 24"><line
x1="12" y1="5" x2="12" y2="19"/><line
x1="5" y1="12" x2="19" y2="12"/></svg>,
Check: () => <svg width="16" height="16"
fill="none" stroke="#00e5ff"
strokeWidth="2.5" viewBox="0 0 24 24">
<polyline points="20 6 9 17 4 12"/></svg>,
Upload: () => <svg width="28" height="28"
fill="none" stroke="white" strokeWidth="2"
viewBox="0 0 24 24"><polyline points="16 16
12 12 8 16"/><line x1="12" y1="12" x2="12"
y2="21"/><path d="M20.39 18.39A5 5 0 0018
9h-1.26A8 8 0 103 16.3"/></svg>,
Video: () => <svg width="24" height="24"
```

```

fill="none" stroke="white" strokeWidth="2"
viewBox="0 0 24 24"><polygon points="23 7
16 12 23 17 23 7"/><rect x="1" y="5"
width="15" height="14" rx="2" ry="2"/>
</svg>,
  Close: () => <svg width="22" height="22"
fill="none" stroke="white"
strokeWidth="2.5" viewBox="0 0 24 24"><line
x1="18" y1="6" x2="6" y2="18"/><line x1="6"
y1="6" x2="18" y2="18"/></svg>,
};

const AVATARS =
["🐱", "🦊", "🐼", "🦁", "🐻", "🐼", "🐼", "🦉", "
🌱", "☀️", "⚡️", "🔥", "💨", "🌸", "🍀", "🌈", "💎",
", 🎸", "🚀", "🎯"];
const BG_GRADIENTS = [
  "from-purple-900 via-indigo-900 to-
black",
  "from-rose-900 via-pink-900 to-black",
  "from-green-900 via-emerald-900 to-
black",
  "from-yellow-900 via-amber-900 to-black",
  "from-blue-900 via-cyan-900 to-black",
  "from-red-900 via-orange-900 to-black",
];
const VID_EMOJIS =
["🎵", "🎬", "☀️", "🔥", "🏹", "🐼", "💨", "⚡️", "
🎮", "🌸", "😎", "😁"];

function fmtTime(ts) {
  if (!ts) return "";
  const d = new Date(ts), now = new Date();
  const diff = (now - d) / 1000;

```

```

    if (diff < 60) return "এখনই";
    if (diff < 3600) return
Math.floor(diff/60) + "m আগে";
    if (diff < 86400) return
Math.floor(diff/3600) + "h আগে";
    return d.toLocaleDateString("bn-BD");
}

// ——— STORAGE HELPERS


---



async function sget(key, shared=false) {
  try { const r = await
window.storage.get(key, shared); return r ?
JSON.parse(r.value) : null; } catch {
return null; }
}
async function sset(key, val, shared=false)
{
  try { await window.storage.set(key,
JSON.stringify(val), shared); return true;
} catch { return false; }
}
async function slist(prefix, shared=false)
{
  try { const r = await
window.storage.list(prefix, shared); return
r?.keys || []; } catch { return []; }
}

// ——— AUTH SCREEN


---



function AuthScreen({ onLogin }) {

```

```

    const [mode, setMode] =
useState("welcome");
    const [username, setUsername] =
useState("");
    const [password, setPassword] =
useState("");
    const [displayName, setDisplayName] =
useState("");
    const [avatar, setAvatar] =
useState(AVATARS[0]);
    const [bio, setBio] = useState("");
    const [error, setError] = useState("");
    const [loading, setLoading] =
useState(false);

    const doLogin = async () => {
        if (!username.trim() ||
!password.trim()) { setError("সব ফিল্ড পূরণ
করুন"); return; }
        setLoading(true); setError("");
        const user = await sget("user:" +
username.toLowerCase().trim(), true);
        if (!user) { setError("অ্যাকাউন্ট পাওয়া
যায়নি"); setLoading(false); return; }
        if (user.password !== password) {
setError("পাসওয়ার্ড ভুল"); setLoading(false);
return; }
        await sset("session", { uid: user.uid,
username: user.username }, false);
        onLogin(user);
        setLoading(false);
    };

    const doSignup = async () => {

```

```

        if (!username.trim() ||
!password.trim() || !displayName.trim()) {
setError("সব ফিল্ড পূরণ করুন"); return; }
        if (username.length < 3) {
setError("ইউজারনেম কমপক্ষে ৩ অক্ষর"); return;
}
        if (password.length < 4) {
setError("পাসওয়ার্ড কমপক্ষে ৪ অক্ষর"); return;
}
        setLoading(true); setError("");
        const existing = await sget("user:" +
username.toLowerCase().trim(), true);
        if (existing) { setError("এই ইউজারনেম
আগেই নেওয়া হয়েছে"); setLoading(false);
return; }
        const uid = "u_" + Date.now() + "_" +
Math.random().toString(36).slice(2,7);
        const user = { uid, username:
username.toLowerCase().trim(), displayName:
displayName.trim(), password, avatar, bio,
followers: 0, following: 0, likes: 0,
createdAt: Date.now() };
        await sset("user:" + user.username,
user, true);
        await sset("session", { uid, username:
user.username }, false);
        onLogin(user);
        setLoading(false);
    };

    const inp = (placeholder, value,
onChange, type="text", emoji="") => (
    <div style={{position:"relative",
marginBottom:12}}>

```

```

        {emoji} && <span style=
        {{position:"absolute",left:12,top:"50%",tra
        nsform:"translateY(-50%)",fontSize:16}}>
        {emoji}</span>
        <input type={type} placeholder=
        {placeholder} value={value} onChange=
        {e=>onChange(e.target.value)}
        style=
        {{width:"100%",background:"#1a1a1a",border:
        "1px solid
        #2a2a2a",borderRadius:12,color:"white",padd
        ing:`12px ${emoji?"40px":"14px"} 12px
        ${emoji?"40px":"14px"}`,fontSize:15,outline
        : "none",boxSizing:"border-
        box",fontFamily:"inherit"}}/>
        </div>
    );

    if (mode === "welcome") return (
        <div style=
        {{height:"100vh",background:"#000",display:
        "flex",flexDirection:"column",alignItems:"c
        enter",justifyContent:"center",padding:"0
        28px"}}>
            <div style=
            {{fontSize:72,marginBottom:16}}>🎬</div>
            <h1 style=
            {{color:"white",fontSize:28,fontWeight:800,
            letterSpacing:-1,marginBottom:6}}>VideoApp<
            /h1>
            <p style=
            {{color:"#666",fontSize:14,marginBottom:40,
            textAlign:"center"}}>ভিডিও শেয়ার করুন, বন্ধু
            বানান</p>

```



```

        <button onClick=
        {()=>setMode("signup")} style=
        {{width:"100%",background:"linear-
        gradient(135deg,#fe2c55,#ff6b6b)",color:"wh
        ite",fontWeight:700,fontSize:16,padding:"14
        px",borderRadius:14,border:"none",cursor:"p
        ointer",marginBottom:12}}>নতুন অ্যাকাউন্ট তৈরি
        করুন</button>

        <button onClick=
        {()=>setMode("login")} style=
        {{width:"100%",background:"#1a1a1a",color:"
        white",fontWeight:600,fontSize:16,padding:"
        14px",borderRadius:14,border:"1px solid
        #333",cursor:"pointer"}}>লগইন করুন</button>
    </div>
    );

    if (mode === "login") return (
        <div style=
        {{height:"100vh",background:"#000",display:
        "flex",flexDirection:"column",padding:"60px
        24px 0"}}>
            <button onClick={()=>
            {setMode("welcome");setError("");}} style=
            {{background:"none",border:"none",cursor:"p
            ointer",alignSelf:"flex-
            start",marginBottom:24}}><IC.Back/>
            </button>

            <h2 style=
            {{color:"white",fontSize:24,fontWeight:800,
            marginBottom:4}}>স্বাগতম 🙌</h2>

            <p style=
            {{color:"#666",fontSize:14,marginBottom:28}}
            >আপনার অ্যাকাউন্টে লগইন করুন</p>

```

```

        {inp("ইউজারনেম", username,
setUsername, "text", "👤")
        {inp("পাসওয়ার্ড", password,
setPassword, "password", "🔒")
        {error && <p style=
{{color:"#fe2c55",fontSize:13,marginBottom:
12}}>{error}</p>}
        <button onClick={doLogin} disabled=
{loading} style=
{{width:"100%",background:"linear-
gradient(135deg,#fe2c55,#fff6b6b)",color:"wh
ite",fontWeight:700,fontSize:16,padding:"14
px",borderRadius:14,border:"none",cursor:"p
ointer",marginTop:8,opacity:loading?
0.7:1}}>
        {loading ? "লোড হচ্ছে..." : "লগইন
করুন"}
        </button>
        <p style=
{{color:"#666",fontSize:13,textAlign:"cente
r",marginTop:20}}>অ্যাকাউন্ট নেই? <button
onClick={()=>
{setMode("signup");setError("");}} style=
{{background:"none",border:"none",color:"#f
e2c55",cursor:"pointer",fontSize:13,fontWei
ght:600}}>সাইনআপ করুন</button></p>
        </div>
    );

    return (
        <div style=
{{height:"100vh",background:"#000",overflow
Y:"auto",padding:"50px 24px 40px"}}>
            <button onClick={()=>

```

```

{setMode("welcome");setError("");}} style=
{{background:"none",border:"none",cursor:"p
ointer",marginBottom:20}}><IC.Back/>
</button>
    <h2 style=
    {{color:"white",fontSize:24,fontWeight:800,
    marginBottom:4}}>প্রোফাইল তৈরি করুন</h2>
    <p style=
    {{color:"#666",fontSize:14,marginBottom:24}
    }>আপনার তথ্য দিন</p>
    <p style=
    {{color:"#aaa",fontSize:13,marginBottom:10}
    }>আপনার আইকন বেছে নিন</p>
    <div style=
    {{display:"flex",flexWrap:"wrap",gap:10,mar
    ginBottom:20}}>
        {AVATARS.map(a=>(
            <button key={a} onClick=
            {()=>setAvatar(a)} style=
            {{width:44,height:44,borderRadius:12,backgr
            ound:avatar===a?"#222":"#111",border:avatar
            ===a?"2px solid #fe2c55":"2px solid
            transparent",fontSize:22,cursor:"pointer",d
            isplay:"flex",alignItems:"center",justifyCo
            ntent:"center",transition:"all 0.15s"}}>
                {a}
            </button>
        ))}
    </div>
    {inp("ডিসপ্লে নেম (যেমন: Mahedi)",
    displayName, setDisplayName, "text", "🌟")}
    {inp("ইউজারনেম (যেমন: mahedi_123)",
    username, setUsername, "text", "@")}
    {inp("পাসওয়ার্ড (কমপক্ষে ৪ অক্ষর)",

```

```

password, setPassword, "password", "🔒"))}
    <div style=
    {{position:"relative",marginBottom:12}}>
        <textarea placeholder="বায়ো লিখুন
        (ঐচ্ছিক)..." value={bio} onChange=
        {e=>setBio(e.target.value)} rows={2}
        style=
        {{width:"100%",background:"#1a1a1a",border:
        "1px solid
        #2a2a2a",borderRadius:12,color:"white",padd
        ing:"12px
        14px",fontSize:15,outline:"none",resize:"no
        ne",boxSizing:"border-
        box",fontFamily:"inherit"}}/>
    </div>
    {error && <p style=
    {{color:"#fe2c55",fontSize:13,marginBottom:
    12}}>{error}</p>}}
    <button onClick={doSignup} disabled=
    {loading} style=
    {{width:"100%",background:"linear-
    gradient(135deg,#fe2c55,#ff6b6b)",color:"wh
    ite",fontWeight:700,fontSize:16,padding:"14
    px",borderRadius:14,border:"none",cursor:"p
    ointer",opacity:loading?0.7:1}}>
        {loading ? "তৈরি হচ্ছে..." : "অ্যাকাউন্ট
        তৈরি করুন ✓"}
    </button>
    <p style=
    {{color:"#666",fontSize:13,textAlign:"cente
    r",marginTop:16}}>আগেই অ্যাকাউন্ট আছে?
    <button onClick={()=>
    {setMode("login");setError("");}} style=
    {{background:"none",border:"none",color:"#f

```

```

e2c55",cursor:"pointer",fontSize:13,fontWei
ght:600}}>লগইন করুন</button></p>
</div>

);
}

// ——— UPLOAD MODAL


---




---



function UploadModal({ currentUser,
onClose, onUploaded }) {
  const [caption, setCaption] =
useState("");
  const [selectedEmoji, setSelectedEmoji] =
useState(VID_EMOJIS[0]);
  const [selectedBg, setSelectedBg] =
useState(BG_GRADIENTS[0]);
  const [videoFile, setVideoFile] =
useState(null);
  const [videoPreview, setVideoPreview] =
useState(null);
  const [uploading, setUploading] =
useState(false);
  const [step, setStep] = useState("pick");
  // pick | details
  const fileRef = useRef();

  const handleFile = (e) => {
    const f = e.target.files[0];
    if (!f) return;
    if (!f.type.startsWith("video/")) {
      alert("শুধু ভিডিও ফাইল সাপোর্টেড"); return; }
    if (f.size > 50 * 1024 * 1024) {
      alert("ভিডিও সাইজ সর্বোচ্চ ৫০MB"); return; }
  }

```

```

    setVideoFile(f);
    const url = URL.createObjectURL(f);
    setVideoPreview(url);
    setStep("details");
  };

  const doUpload = async () => {
    if (!caption.trim()) { alert("ক্যাপশন দিন"); return; }
    setUploading(true);
    try {
      const vid = {
        id: "video:" + Date.now() + "_" +
Math.random().toString(36).slice(2,7),
        uid: currentUser.uid,
        username: currentUser.username,
        displayName:
currentUser.displayName,
        avatar: currentUser.avatar,
        caption: caption.trim(),
        emoji: selectedEmoji,
        bg: selectedBg,
        likes: 0,
        comments: 0,
        hasVideo: !!videoFile,
        createdAt: Date.now(),
      };
      // Store video as base64 if provided
      if (videoFile) {
        const base64 = await new
Promise((res, rej) => {
          const reader = new FileReader();
          reader.onload = () =>
res(reader.result);

```

```

        reader.onerror = rej;
        reader.readAsDataURL(videoFile);
    });
    vid.videoData = base64;
}
await sset(vid.id, vid, true);
onUploaded();
onClose();
} catch(e) {
    alert("আপলোড ব্যর্থ হয়েছে");
}
setUploading(false);
};

return (
    <div style=
    {{position:"fixed",inset:0,background:"rgba
    (0,0,0,0.92)",zIndex:200,display:"flex",fle
    xDirection:"column",overflowY:"auto"}}>
        { /* Header */}
        <div style=
        {{display:"flex",alignItems:"center",justif
        yContent:"space-between",padding:"16px
        18px",borderBottom:"1px solid
        #1f1f1f",position:"sticky",top:0,background
        :"#0a0a0a",zIndex:10}}>
            <button onClick={onClose} style=
            {{background:"none",border:"none",cursor:"p
            ointer",padding:4}}><IC.Close/></button>
            <span style=
            {{color:"white",fontWeight:700,fontSize:16}
            }>নতুন ভিডিও</span>
            <div style={{width:30}}/>
        </div>

```

```

{step === "pick" ? (
  <div style=
    {{flex:1,display:"flex",flexDirection:"column",alignItems:"center",justifyContent:"center",padding:"0 24px",gap:20}}>
    <div style=
      {{width:110,height:110,borderRadius:"50%",background:"#1a1a1a",border:"2px dashed #333",display:"flex",alignItems:"center",justifyContent:"center",cursor:"pointer"}}
      onClick={()=>fileRef.current?.click()}>
        <IC.Upload/>
      </div>
      <div style=
        {{textAlign:"center"}}>
        <p style=
          {{color:"white",fontWeight:600,fontSize:17,marginBottom:6}}>গ্যালারি থেকে ভিডিও বেছে
          নিন</p>
          <p style=
            {{color:"#555",fontSize:13}}>MP4, MOV
            সাপোর্টেড • সর্বোচ্চ ৫০MB</p>
          </div>
          <button onClick=
            {()=>fileRef.current?.click()} style=
              {{background:"linear-gradient(135deg,#fe2c55,#ff6b6b)",color:"white",fontWeight:700,fontSize:15,padding:"13px 32px",borderRadius:12,border:"none",cursor:"pointer"}}>
              📁 ফাইল বেছে নিন
            </button>

```



```

        <input ref={fileRef} type="file"
        accept="video/*" onChange={handleFile}
        style={{display:"none"}}/>
        {/* Skip to emoji post */}
        <button onClick=
        {()=>setStep("details")} style=
        {{background:"none",border:"none",color:"#5
        55",fontSize:13,cursor:"pointer",marginTop:
        8}}>
            বা শুধু ইমোজি পোস্ট করুন →
        </button>
    </div>
    ) : (
        <div style={{padding:"20px 18px
        40px",display:"flex",flexDirection:"column"
        ,gap:16}}>
            {/* Preview */}
            <div style=
            {{borderRadius:14,overflow:"hidden",backgro
            und:"#111",aspectRatio:"9/16",maxHeight:260
            ,display:"flex",alignItems:"center",justify
            Content:"center",position:"relative"}}>
                {videoPreview ? (
                    <video src={videoPreview}
                    style=
                    {{width:"100%",height:"100%",objectFit:"cov
                    er"}} controls muted autoPlay loop
                    playsInline/>
                ) : (
                    <div style=
                    {{display:"flex",flexDirection:"column",ali
                    gnItems:"center",gap:8}}>
                        <span style=
                        {{fontSize:56}}>{selectedEmoji}</span>

```

```

        <p style=
{{color:"#555",fontSize:12}}>ইমোজি
প্রিভিউ</p>

    </div>
    )}
    {!videoPreview && (
        <button onClick=
{{()=>fileRef.current?.click()}} style=
{{position:"absolute",top:8,right:8,backgro
und:"rgba(0,0,0,0.6)",border:"1px solid
#333",borderRadius:8,color:"#aaa",fontSize:
11,padding:"5px 10px",cursor:"pointer"}}>
        📁 ভিডিও যোগ করুন
    </button>
    )}
</div>
    <input ref={fileRef} type="file"
accept="video/*" onChange={handleFile}
style={{display:"none"}}/>

    {/* Caption */}
    <div>
        <p style=
{{color:"#aaa",fontSize:13,marginBottom:8}}
        >ক্যাপশন *</p>
        <textarea value={caption}
onChange={e=>setCaption(e.target.value)}
placeholder="আপনার ভিডিও সম্পর্কে লিখুন..."
rows={3}
        style=
{{width:"100%",background:"#1a1a1a",border:
"1px solid
#2a2a2a",borderRadius:12,color:"white",padd
ing:"12px",fontSize:14,outline:"none",resiz

```

```

e:"none",boxSizing:"border-
box",fontFamily:"inherit"}}/>
</div>

    {/* Emoji picker */}
    {!videoPreview && (
      <div>
        <p style=
{{color:"#aaa",fontSize:13,marginBottom:8}}
>ইমোজি থিম</p>
        <div style=
{{display:"flex",flexWrap:"wrap",gap:8}}>
          {VID_EMOJIS.map(e=>(
            <button key={e} onClick=
{()=>setSelectedEmoji(e)}
            style=
{{width:40,height:40,borderRadius:10,backgr
ound:selectedEmoji===e?"#2a1a2a":"#111",bor
der:selectedEmoji===e?"2px solid
#fe2c55":"2px solid
#222",fontSize:20,cursor:"pointer"}}>
              {e}
            </button>
          ))}
        </div>
      </div>
    )}

    {/* Background picker */}
    {!videoPreview && (
      <div>
        <p style=
{{color:"#aaa",fontSize:13,marginBottom:8}}
>ব্যাকগ্রাউন্ড</p>

```

```

        <div style=
{{display:"flex",gap:8,flexWrap:"wrap"}}>
            {BG_GRADIENTS.map((bg,i)={
                const colors =
[["#6d28d9","#312e81"],
["#881337","#831843"],
["#14532d","#064e3b"],
["#713f12","#451a03"],
["#1e3a5f","#164e63"],
["#7f1d1d","#7c2d12"]];
                const [c1,c2] =
colors[i]||["#333","#111"];
                return (
                    <button key={bg}
onClick={()=>setSelectedBg(bg)}
                    style=
{{width:40,height:40,borderRadius:10,backgr
ound:`linear-
gradient(135deg,$${c1},${c2})`,border:select
edBg===bg?"3px solid white":"3px solid
transparent",cursor:"pointer",flexShrink:0}
                }/>
                    );
                )}}
            </div>
        </div>
    )}

    <button onClick={doUpload}
disabled={uploading}
        style={{background:"linear-
gradient(135deg,#fe2c55,#ff6b6b)",color:"wh
ite",fontWeight:700,fontSize:16,padding:"14
px",borderRadius:14,border:"none",cursor:"p

```

```

inter",marginTop:4,opacity:uploading?
0.7:1}}>
      {uploading ? "আপলোড হচ্ছে..." :
"🚀 পোস্ট করুন"}
    </button>
  </div>
)}
</div>
);
}

```

```
// — VIDEO CARD
```

```

function VideoCard({ video, liked, onLike
}) {
  return (
    <div style=
    {{position:"relative",width:"100%",height:"
100vh",flexShrink:0,overflow:"hidden",backg
round:"#000",scrollSnapAlign:"start"}}>
      {video.videoData ? (
        <video src={video.videoData} style=
        {{position:"absolute",inset:0,width:"100%",
height:"100%",objectFit:"cover"}} autoPlay
loop muted playsInline/>
      ) : (
        <div style=
        {{position:"absolute",inset:0;background:"l
inear-gradient(to bottom, #1a0030,
#000)",display:"flex",alignItems:"center",j
ustifyContent:"center"}}>
          <span style={{fontSize:90}}>
{video.emoji||"👁️"}</span>

```

```

    </div>
  )}
  <div style=
  {{position:"absolute",inset:0,background:"linear-gradient(to top, rgba(0,0,0,0.9) 28%, transparent 60%)"}}/>
    {/* Right actions */}
    <div style=
    {{position:"absolute",right:12,bottom:100,display:"flex",flexDirection:"column",alignItems:"center",gap:18,zIndex:10}}>
      <div style={{marginBottom:4}}>
        <div style=
        {{width:46,height:46,borderRadius:"50%",border:"2px solid white",background:"#111",display:"flex",alignItems:"center",justifyContent:"center",fontSize:22}}>{video.avatar||"🎬"}</div>
      </div>
      <button onClick=
      {()=>onLike(video.id)} style=
      {{display:"flex",flexDirection:"column",alignItems:"center",gap:2,background:"none",border:"none",cursor:"pointer"}}>
        <IC.Heart f={liked}/>
        <span style=
        {{color:"white",fontSize:11}}>{liked ? (video.likes||0)+1 : (video.likes||0)}</span>
      </button>
      <button style=
      {{display:"flex",flexDirection:"column",alignItems:"center",gap:2,background:"none",border:"none",cursor:"pointer"}}>

```

```

        <IC.Comment/>
        <span style=
{{color:"white",fontSize:11}}>
{video.comments||0}</span>
        </button>
        <button style=
{{background:"none",border:"none",cursor:"p
ointer"}}><IC.Share/></button>
    </div>
    {/* Info */}
    <div style=
{{position:"absolute",bottom:90,left:14,righ
ht:72,zIndex:10}}>
        <p style=
{{color:"white",fontWeight:700,fontSize:15}
}>{video.displayName||"User"} <span style=
{{color:"#aaa",fontWeight:400,fontSize:12}}
>@{video.username}</span></p>
        <p style=
{{color:"#ddd",fontSize:13,marginTop:4,line
Height:1.5}}>{video.caption}</p>
        <p style=
{{color:"#666",fontSize:11,marginTop:4}}>
{fmtTime(video.createdAt)}</p>
    </div>
</div>
);
}

// — SEARCH TAB

function SearchTab({ currentUser }) {
    const [query, setQuery] = useState("");

```

```

    const [allUsers, setAllUsers] =
useState([]);
    const [allVideos, setAllVideos] =
useState([]);
    const [loading, setLoading] =
useState(false);
    const [searchMode, setSearchMode] =
useState("users"); // users | videos
    const inputRef = useRef();

    useEffect(() => {
        const load = async () => {
            setLoading(true);
            const ukeys = await slist("user:",
true);
            const users = (await
Promise.all(ukeys.map(k=>sget(k,true))))
.filter(Boolean);
            setAllUsers(users);
            const vkeys = await slist("video:",
true);
            const videos = (await
Promise.all(vkeys.map(k=>sget(k,true))))
.filter(Boolean);
            videos.sort((a,b)=>(b.createdAt||0)-
(a.createdAt||0));
            setAllVideos(videos);
            setLoading(false);
        };
        load();
    }, []);

    const filtered = query.trim() === ""
        ? (searchMode === "users" ? allUsers :

```



```

allVideos)
  : searchMode === "users"
  ? allUsers.filter(u =>

u.username?.toLowerCase().includes(query.to
LowerCase()) ||

u.displayName?.toLowerCase().includes(query
.toLowerCase())
  )
  : allVideos.filter(v =>

v.username?.toLowerCase().includes(query.to
LowerCase()) ||

v.displayName?.toLowerCase().includes(query
.toLowerCase()) ||

v.caption?.toLowerCase().includes(query.toL
owerCase())
  );

return (
  <div style=
{{background:"#000",minHeight:"100%",padding
gBottom:20}}>
    /* Search bar */
    <div style={{padding:"12px 14px
0",position:"sticky",top:0,background:"#000
",zIndex:10}}>
      <div style=
{{display:"flex",alignItems:"center",backgr
ound:"#1a1a1a",borderRadius:12,padding:"10p
x 14px",gap:10,border:"1px solid

```

```

#2a2a2a"}}>
    <IC.Search a={false}/>
    <input
      ref={inputRef}
      value={query}
      onChange=
{e=>setQuery(e.target.value)}
      placeholder="ইউজারনেম বা নাম
খুঁজুন..."
      style=
{{flex:1,background:"none",border:"none",co
lor:"white",fontSize:15,outline:"none",font
Family:"inherit"}}
    />
    {query && (
      <button onClick=
{()=>setQuery("")} style=
{{background:"none",border:"none",cursor:"p
ointer",color:"#555",fontSize:18,lineHeight
:1}}>x</button>
    )}
  </div>
  {/* Mode toggle */}
  <div style=
{{display:"flex",gap:12,marginTop:10,margin
Bottom:4}}>
    {[["users","👤 ইউজার"],
["videos","🎬 ভিডিও"]].map(([m,l])=>(
      <button key={m} onClick=
{()=>setSearchMode(m)}
      style=
{{flex:1,padding:"8px",borderRadius:10,back
ground:searchMode===m?"#fe2c55":"#1a1a1a",c
olor:"white",fontWeight:searchMode===m?

```

```

700:400,fontSize:13,border:"none",cursor:"pointer",transition:"all 0.15s"}}>
    {1}
  </button>
)}
</div>
</div>

{/* Results */}
<div style={{padding:"4px 14px"}}>
  {loading ? (
    <div style=
    {{textAlign:"center",padding:"60px
    0",color:"#555"}}>
      <p style=
      {{fontSize:32,marginBottom:8}}>🔍</p>
      <p>লোড হচ্ছে...</p>
    </div>
    ) : filtered.length === 0 ? (
      <div style=
      {{textAlign:"center",padding:"60px
      0",color:"#555"}}>
        <p style=
        {{fontSize:40,marginBottom:10}}>😞</p>
        <p style={{fontSize:15}}>{query
        ? "কোনো ফলাফল পাওয়া যায়নি" : "কোনো ডেটা
        নেই"}</p>
        {query && <p style=
        {{fontSize:12,color:"#444",marginTop:4}}>অ
        ন্য কিওয়ার্ড দিয়ে খোঁজ করুন</p>}
      </div>
    ) : searchMode === "users" ? (
      <div style=
      {{display:"flex",flexDirection:"column",gap

```

```

:2,paddingTop:4}}>
      {filtered.map(u=>(
        <div key={u.uid} style=
{{display:"flex",alignItems:"center",gap:12
,padding:"12px
10px",borderRadius:14,background:"#0d0d0d",
marginBottom:6,border:"1px solid
#1a1a1a"}}>
          <div style=
{{width:52,height:52,borderRadius:"50%",bac
kground:"#1a1a1a",display:"flex",alignItems
:"center",justifyContent:"center",fontSize:
26,flexShrink:0,border:"2px solid
#2a2a2a"}}>
            {u.avatar||"👤"}
          </div>
          <div style=
{{flex:1,minWidth:0}}>
            <p style=
{{color:"white",fontWeight:700,fontSize:15,
marginBottom:1}}>{u.displayName}</p>
            <p style=
{{color:"#666",fontSize:13}}>@{u.username}
</p>
            {u.bio && <p style=
{{color:"#555",fontSize:12,marginTop:3,over
flow:"hidden",textOverflow:"ellipsis",white
Space:"nowrap"}}>{u.bio}</p>}
          </div>
          {u.uid === currentUser.uid
&& (
            <span style=
{{background:"#1a1a1a",color:"#fe2c55",font
Size:11,fontWeight:600,padding:"3px

```

```

8px",borderRadius:6,border:"1px solid
#2a1a1a"}}>আপনি</span>
    )}
  </div>
  )})
</div>
) : (
  <div style=
{{display:"grid",gridTemplateColumns:"1fr
1fr",gap:8,paddingTop:8}}>
    {filtered.map(v=>(
      <div key={v.id} style=
{{borderRadius:12,overflow:"hidden",backgro
und:"#111",aspectRatio:"9/16",position:"rel
ative",border:"1px solid #1a1a1a"}}>
        {v.videoData ? (
          <video src={v.videoData}
style=
{{width:"100%",height:"100%",objectFit:"cov
er"}} muted playsInline/>
        ) : (
          <div style=
{{width:"100%",height:"100%",background:"li
near-
gradient(135deg,#1a0030,#000)",display:"fle
x",alignItems:"center",justifyContent:"cent
er"}}>
            <span style=
{{fontSize:36}}>{v.emoji||"🎬"}</span>
          </div>
        )}
      <div style=
{{position:"absolute",bottom:0,left:0,right
:0;background:"linear-

```

```

gradient(transparent,rgba(0,0,0,0.85))",padding:"20px 8px 8px"}}>
    <p style=
    {{color:"white",fontSize:11,fontWeight:600,
    overflow:"hidden",textOverflow:"ellipsis",whiteSpace:"nowrap"}}>@{v.username}</p>
    <p style=
    {{color:"#bbb",fontSize:10,marginTop:2,overflow:"hidden",textOverflow:"ellipsis",whiteSpace:"nowrap"}}>{v.caption}</p>
  </div>
</div>
  )}
</div>
</div>
);
}

```

```
// — HOME TAB
```

```

function HomeTab({ currentUser, onUpload })
{
  const [tab, setTab] = useState("foryou");
  const [videos, setVideos] = useState([]);
  const [myVideos, setMyVideos] =
  useState([]);
  const [liked, setLiked] = useState({});
  const [loading, setLoading] =
  useState(true);
  const [showSearch, setShowSearch] =
  useState(false);

```

```

    const loadVideos = useCallback(async ()
=> {
    setLoading(true);
    try {
        const keys = await slist("video:",
true);
        const all = (await
Promise.all(keys.map(k => sget(k,
true))))).filter(Boolean);
        all.sort((a,b) => (b.createdAt||0)-
(a.createdAt||0));
        setVideos(all);
        setMyVideos(all.filter(v => v.uid ===
currentUser.uid));
    } finally { setLoading(false); }
    }, [currentUser]);

    useEffect(() => { loadVideos(); const t =
setInterval(loadVideos, 8000); return
()=>clearInterval(t); }, [loadVideos]);

    const toggleLike = async (id) =>
setLiked(p => ({...p, [id]: !p[id]}));

    const feed = tab === "foryou" ? videos :
myVideos;

    if (showSearch) return (
        <div style=
{{width:"100%",height:"100%",background:"#0
00",display:"flex",flexDirection:"column"}}
        >
            <div style=

```

```

{{display:"flex",alignItems:"center",gap:10
,padding:"14px 14px 8px",borderBottom:"1px
solid #1a1a1a"}}>
    <button onClick=
    {()=>setShowSearch(false)} style=
    {{background:"none",border:"none",cursor:"p
ointer"}}><IC.Back/></button>
    <span style=
    {{color:"white",fontWeight:700,fontSize:16}
}>সার্চ</span>
  </div>
  <div style=
  {{flex:1,overflowY:"auto"}}>
    <SearchTab currentUser=
    {currentUser}/>
  </div>
</div>
);

return (
  <div style=
  {{width:"100%",height:"100%",background:"#0
00"}}>
    {/* Top bar */}
    <div style=
    {{position:"fixed",top:0,left:0,right:0,zIn
dex:50,display:"flex",justifyContent:"cente
r",alignItems:"center",paddingTop:10,paddin
gBottom:6,background:"linear-gradient(to
bottom,rgba(0,0,0,0.7),transparent)}}>
      <div style=
      {{display:"flex",gap:24}}>
        {[["foryou","For You"],
["following","নিজের"]].map(([t,l])=>(

```



```

        <button key={t} onClick=
        {()=>setTab(t)} style=
        {{color:t===tab?"white":"#aaa",fontWeight:t
        ===tab?
        700:400,fontSize:16,background:"none",borde
        r:"none",cursor:"pointer",paddingBottom:3,b
        orderBottom:t===tab?"2px solid white":"2px
        solid transparent"}}>{l}</button>
    ))}
</div>
    { /* Search icon top right */
    <button onClick=
    {()=>setShowSearch(true)} style=
    {{position:"absolute",right:14,top:8,backgr
    ound:"none",border:"none",cursor:"pointer",
    padding:4}}>
        <IC.Search a={false}/>
    </button>
</div>

    <div style=
    {{overflowY:"scroll",scrollSnapType:"y
    mandatory",height:"100%",scrollbarWidth:"no
    ne"}}>
        {loading ? (
            <div style=
            {{height:"100vh",display:"flex",alignItems:
            "center",justifyContent:"center",color:"#55
            5"}}>
                <div style=
                {{textAlign:"center"}}><div style=
                {{fontSize:40,marginBottom:12}}>🎬</div>
                <p>লোড হচ্ছে...</p></div>
            </div>

```

```

    ) : feed.length === 0 ? (
      <div style=
        {{height:"100vh",display:"flex",flexDirecti
        on:"column",alignItems:"center",justifyCont
        ent:"center",color:"#555",gap:10}}>
        <span style={{fontSize:48}}>📺
      </span>
      <p style=
        {{fontSize:15,color:"#777"}}>
        {tab==="following"? "আপনি কোনো ভিডিও পোস্ট
        করেননি": "এখনো কোনো ভিডিও নেই"}</p>
      <p style=
        {{fontSize:12,color:"#444"}}>+ বাটন থেকে
        ভিডিও আপলোড করুন</p>
      </div>
    ) : feed.map(v => <VideoCard key=
    {v.id} video={v} liked={!!liked[v.id]}
    onLike={toggleLike}/>)}
  </div>
</div>
);
}

```

```
// — FRIENDS TAB
```

```

function FriendsTab({ currentUser }) {
  const [videos, setVideos] = useState([]);
  const [users, setUsers] = useState([]);
  const [liked, setLiked] = useState({});
  const [subTab, setSubTab] =
  useState("feed");

  useEffect(() => {

```

```

const load = async () => {
  const vkeys = await slist("video:",
true);
  const all = (await
Promise.all(vkeys.map(k=>sget(k,true))))
.filter(Boolean);
  all.sort((a,b)=>(b.createdAt||0)-
(a.createdAt||0));

setVideos(all.filter(v=>v.uid!==currentUser
.uid));
  const ukeys = await slist("user:",
true);
  const allu = (await
Promise.all(ukeys.map(k=>sget(k,true))))
.filter(Boolean);

setUsers(allu.filter(u=>u.uid!==currentUser
.uid));
};
load(); const t=setInterval(load,8000);
return(=>clearInterval(t);
}, [currentUser]);

return (
  <div style=
{{background:"#000",minHeight:"100%}}>
    <div style=
{{position:"sticky",top:0,background:"#0a0a
0a",borderBottom:"1px solid
#1a1a1a",zIndex:10}}>
      <div style=
{{display:"flex",justifyContent:"center",ga
p:24,padding:"12px 0 8px"}}>

```

```

        {["feed", "ভিডিও"],
["people", "মানুষ"]].map(([t,l])=>(
        <button key={t} onClick=
        {()=>setSubTab(t)} style=
        {{color:t===subTab?"white":"#777",fontWeigh
        t:t===subTab?
        700:400,fontSize:15,background:"none",borde
        r:"none",cursor:"pointer",paddingBottom:3,b
        orderBottom:t===subTab?"2px solid
        #fe2c55":"2px solid transparent"}}>{l}
        </button>
        )))
    </div>
</div>
    {subTab==="feed" ? (
    <div style=
    {{overflowY:"scroll",scrollSnapType:"y
    mandatory",height:"calc(100vh -
    110px)",scrollbarWidth:"none"}}>
        {videos.length===0 ? (
        <div style=
        {{height:"60vh",display:"flex",flexDirectio
        n:"column",alignItems:"center",justifyConte
        nt:"center",color:"#555",gap:8}}>
            <span style={{fontSize:40}}>
👥</span><p>অন্যদের ভিডিও এখানে দেখাবে</p>
            </div>
        ) : videos.map(v=>(
            <div key={v.id} style=
            {{scrollSnapAlign:"start",height:"calc(100v
            h -
            110px)",position:"relative",overflow:"hidde
            n"}}>
                {v.videoData ? (

```

```

        <video src={v.videoData}
style=
{{position:"absolute",inset:0,width:"100%",
height:"100%",objectFit:"cover"}} autoPlay
loop muted playsInline/>
      ) : (
        <div style=
{{position:"absolute",inset:0;background:"l
inear-gradient(to
bottom,#1a0030,#000)",display:"flex",alignI
tems:"center",justifyContent:"center"}}>
          <span style=
{{fontSize:72}}>{v.emoji||"👁️"}</span>
        </div>
      )}
    <div style=
{{position:"absolute",inset:0;background:"l
inear-gradient(to top,rgba(0,0,0,0.85)
28%,transparent 60%)}"/>
      <div style=
{{position:"absolute",right:12,bottom:16,di
splay:"flex",flexDirection:"column",alignIt
ems:"center",gap:14,zIndex:10}}>
        <button onClick=
{()=>setLiked(p=>({...p,[v.id]:!p[v.id]}))}
style=
{{display:"flex",flexDirection:"column",ali
gnItems:"center",gap:2;background:"none",bo
rder:"none",cursor:"pointer"}}>
          <IC.Heart f=
{!!liked[v.id]}/><span style=
{{color:"white",fontSize:11}}>{liked[v.id]?
(v.likes||0)+1:(v.likes||0)}</span>
        </button>
      </div>
    </div>
  )}
}

```

```

        </div>
        <div style=
{{position:"absolute",bottom:12,left:12,righ
ht:60,zIndex:10}}>
            <p style=
{{color:"white",fontWeight:700,fontSize:14}
}>{v.displayName} <span style=
{{color:"#888",fontWeight:400,fontSize:12}}
>@{v.username}</span></p>
            <p style=
{{color:"#ccc",fontSize:12,marginTop:3}}>
{v.caption}</p>
        </div>
    </div>
    ) : (
        <div style={{padding:"12px
14px",display:"flex",flexDirection:"column"
,gap:8}}>
            {users.length===0 ? (
                <div style=
{{textAlign:"center",padding:"60px
0",color:"#555"}}>
                    <span style={{fontSize:40}}>
 </span>
                    <p style=
{{marginTop:10}}>কোনো ইউজার নেই</p>
                </div>
            ) : users.map(u=>(
                <div key={u.uid} style=
{{display:"flex",alignItems:"center",gap:12
,padding:"12px
10px",borderRadius:14,background:"#0d0d0d",

```

```

border:"1px solid #1a1a1a"}}>
    <div style=
    {{width:50,height:50,borderRadius:"50%",bac
    kground:"#1a1a1a",display:"flex",alignItems
    :"center",justifyContent:"center",fontSize:
    24,border:"2px solid #2a2a2a"}}>
        {u.avatar||"👤"}
    </div>
    <div style={{flex:1}}>
        <p style=
        {{color:"white",fontWeight:700,fontSize:14}}
        >{u.displayName}</p>
        <p style=
        {{color:"#555",fontSize:12}}>@{u.username}
        </p>
        {u.bio && <p style=
        {{color:"#444",fontSize:11,marginTop:2}}>
        {u.bio}</p>}
    </div>
</div>
    )}
</div>
);
}

```

// — PROFILE TAB

```

function ProfileTab({ currentUser, onLogout
}) {
    const [myVideos, setMyVideos] =
    useState([]);

```

```

useEffect(() => {
  const load = async () => {
    const keys = await slist("video:",
true);
    const all = (await
Promise.all(keys.map(k=>sget(k,true))))).fil
ter(Boolean);

setMyVideos(all.filter(v=>v.uid===currentUs
er.uid).sort((a,b)=>(b.createdAt||0)-
(a.createdAt||0)));
  };
  load();
}, [currentUser]);

return (
  <div style=
{{background:"#000",minHeight:"100%",paddin
gBottom:20}}>
    <div style={{padding:"20px 18px
16px",borderBottom:"1px solid #1a1a1a"}}>
      <div style=
{{display:"flex",alignItems:"center",gap:16
,marginBottom:16}}>
        <div style=
{{width:72,height:72,borderRadius:"50%",bac
kground:"#1a1a1a",display:"flex",alignItems
:"center",justifyContent:"center",fontSize:
36,border:"2px solid #2a2a2a"}}>
          {currentUser.avatar||"👤"}
        </div>
      </div>
    </div>
  <p style=

```



```

{{color:"white",fontWeight:800,fontSize:18}}
}>{currentUser.displayName}</p>
    <p style=
{{color:"#555",fontSize:13,marginTop:2}}>@{
currentUser.username}</p>
        {currentUser.bio && <p style=
{{color:"#777",fontSize:12,marginTop:4}}>
{currentUser.bio}</p>}
    </div>
</div>
<div style=
{{display:"flex",gap:20}}>
    {[["ভিডিও",myVideos.length],
["ফলোয়ার",currentUser.followers||0],
["ফলোইং",currentUser.following||0]].map(([,
,v])=>(
        <div key={l} style=
{{textAlign:"center"}}>
            <p style=
{{color:"white",fontWeight:800,fontSize:18}}
            >{v}</p>
            <p style=
{{color:"#666",fontSize:12}}>{l}</p>
        </div>
    )]}
</div>
</div>
<div style=
{{display:"grid",gridTemplateColumns:"1fr
1fr 1fr",gap:2,padding:"2px"}}>
    {myVideos.length===0 ? (
        <div style=
{{gridColumn:"1/-1",textAlign:"center",padd
ing:"50px 0",color:"#555"}}>

```

```

        <span style={{fontSize:36}}>🎬
    </span>

    <p style=
    {{marginTop:8,fontSize:14}}>কোনো ভিডিও
    নেই</p>

    </div>
    ) : myVideos.map(v=>(
        <div key={v.id} style=
        {{aspectRatio:"9/16",background:"#111",posi
        tion:"relative",overflow:"hidden"}}>
            {v.videoData ? (
                <video src={v.videoData}
                style=
                {{width:"100%",height:"100%",objectFit:"cov
                er"}} muted playsInline/>
            ) : (
                <div style=
                {{width:"100%",height:"100%",background:"li
                near-
                gradient(135deg,#1a0030,#000)",display:"fle
                x",alignItems:"center",justifyContent:"cent
                er"}}>
                    <span style=
                    {{fontSize:28}}>{v.emoji||"🎬"}</span>
                </div>
            )}
        </div>
    )))
    </div>
    <div style={{padding:"20px 18px 0"}}>
        <button onClick={onLogout} style=
        {{width:"100%",background:"#1a1a1a",color:"
        #fe2c55",fontWeight:700,fontSize:15,padding
        : "12px",borderRadius:12,border:"1px solid

```

```
#2a1a1a",cursor:"pointer"}}>
```

```
    লগআউট করুন
```

```
  </button>
```

```
</div>
```

```
</div>
```

```
);
```

```
}
```

```
// ——— MAIN APP
```

```
export default function App() {
```

```
  const [currentUser, setCurrentUser] =  
  useState(null);
```

```
  const [tab, setTab] = useState("home");
```

```
  const [showUpload, setShowUpload] =  
  useState(false);
```

```
  const [uploadRefresh, setUploadRefresh] =  
  useState(0);
```

```
  const [booting, setBooting] =  
  useState(true);
```

```
  useEffect(() => {
```

```
    const restore = async () => {
```

```
      const session = await sget("session",  
false);
```

```
      if (session?.username) {
```

```
        const user = await sget("user:" +  
session.username, true);
```

```
        if (user) setCurrentUser(user);
```

```
      }
```

```
      setBooting(false);
```

```
    };
```

```
    restore();
```

```

}, []);

const handleLogout = async () => {
  await sset("session", null, false);
  setCurrentUser(null);
  setTab("home");
};

if (booting) return (
  <div style=
    {{height:"100vh",background:"#000",display:
    "flex",alignItems:"center",justifyContent:"
    center",flexDirection:"column",gap:12}}>
    <span style={{fontSize:48}}>🏠</span>
    <p style=
    {{color:"#444",fontSize:14}}>লোড হচ্ছে...
  </p>
  </div>
);

if (!currentUser) return <AuthScreen
onLogin={setCurrentUser}/>;

const tabs = [
  { id:"home", label:"হোম", icon:<IC.Home
a={tab==="home"}/> },
  { id:"friends", label:"বন্ধু", icon:
<IC.Friends a={tab==="friends"}/> },
  { id:"search", label:"সার্চ", icon:
<IC.Search a={tab==="search"}/> },
  { id:"profile", label:"প্রোফাইল", icon:
<IC.Profile a={tab==="profile"}/> },
];

```

```

    return (
      <div style=
        {{width:"100%",height:"100vh",background:"#
        000",display:"flex",flexDirection:"column",
        overflow:"hidden",position:"relative"}}>
        { /* Content */ }
        <div style=
        {{flex:1,overflowY:"auto",overflowX:"hidden
        "}}>
          {tab==="home" && <HomeTab key=
          {uploadRefresh} currentUser={currentUser}
          onUpload={()=>setShowUpload(true)}/>}
          {tab==="friends" && <FriendsTab
          currentUser={currentUser}/>}
          {tab==="search" && <SearchTab
          currentUser={currentUser}/>}
          {tab==="profile" && <ProfileTab
          currentUser={currentUser} onLogout=
          {handleLogout}/>}
        </div>

        { /* Bottom nav */ }
        <div style=
        {{display:"flex",alignItems:"center",backgr
        ound:"#0a0a0a",borderTop:"1px solid
        #1a1a1a",paddingBottom:"env(safe-area-
        inset-bottom)",zIndex:100,flexShrink:0}}>
          {tabs.map((t,i) => (
            <button key={t.id} onClick=
            {()=>setTab(t.id)} style=
            {{flex:1,display:"flex",flexDirection:"colu
            mn",alignItems:"center",justifyContent:"cen
            ter",padding:"10px 0
            8px",background:"none",border:"none",cursor

```

```

:"pointer",gap:3}}>
      {t.icon}
      <span style=
{{color:tab===t.id?"white":"#555",fontSize:
10}}>{t.label}</span>
    </button>
  )))
  {/* Upload button in center */}
  <button onClick=
{()=>setShowUpload(true)} style=
{{flex:1,display:"flex",flexDirection:"colu
mn",alignItems:"center",justifyContent:"cen
ter",padding:"10px 0
8px",background:"none",border:"none",cursor
:"pointer",gap:3,order:-1}}>
    <div style=
{{width:42,height:28,borderRadius:8,backgro
und:"linear-
gradient(135deg,#fe2c55,#ff6b6b)",display:"
flex",alignItems:"center",justifyContent:"c
enter"}}>
      <IC.Plus/>
    </div>
    <span style=
{{color:"#555",fontSize:10}}>আপলোড</span>
  </button>
</div>

  {/* Upload modal */}
  {showUpload && (
    <UploadModal
      currentUser={currentUser}
      onClose=
{()=>setShowUpload(false)}

```

```
        onUploaded={()=>{  
          setUploadRefresh(r=>r+1); setTab("home");  
        }}  
      />  
    )}  
  </div>  
);  
}
```