


Feature			Scei	nario			St	ер	
Name	Duration	T	P	F	S	T	P	F	S
Login	55.909 s	1	1	0	0	4	4	0	0
Reports feature	11 m 27.516 s	11	9	2	0	39	37	2	0
Tiers feature	4 m 37.561 s	5	5	0	0	18	18	0	0
Add new program & platform configuration	1 m 18.397 s	5	0	5	0	26	1	5	20
Member search feature	13 m 5.673 s	15	15	0	0	54	54	0	0
Member search filter feature	27.602 s	1	0	1	0	6	1	1	4

FAIL & SKIP SCENARIOS -- 3 --

#	Feature Name	Scenario Name
1	Reports feature	View the recently created communication report in the communication section
2		Download the recently created accrual reports in the transactional section
3	Add new program & platform configuration	Test and verify Add new program
4		Test and verify Add company deatils
5		Test and verify Add Program details
6		Test and verify Points Configuration details
7		Test and Select newly created program & Verify Configurations details
8	Member search filter feature	Apply any single filter with its respective operator and do a search


TAG		Scei	nario			Fea	ture	
Name	Τ	P	F	S	T	P	F	S
@AppLoginSmoketest1	1	1	0	0	1	1	0	0
@ReportSettingsSmoketest1	1	1	0	0	1	0	1	0
@TransactionalSmoketest1	3	3	0	0	1	0	1	0
@CommunicationReportSmoketest1	3	2	1	0	1	0	1	0
@MembersReportSmoketest1	3	2	1	0	1	0	1	0
@LogsSmoketest1	1	1	0	0	1	0	1	0
@TiersSmoketest1	5	5	0	0	1	1	0	0
@Smoketest1	5	0	5	0	1	0	1	0
@MembersSmoketest1	15	15	0	0	1	1	0	0
@MemberSearchFilterSmoketest1	1	0	1	0	1	0	1	0

FEATURES SUMMARY -- 5 --




#	Feature Name	T	P	F	S	Duration
1	<u>Login</u>	1	1	0	0	55.909 s
2	Reports feature	11	9	2	0	11 m 27.516 s
3	<u>Tiers feature</u>	5	5	0	0	4 m 37.561 s
4	Add new program & platform configuration	5	0	5	0	1 m 18.397 s
5	Member search feature	15	15	0	0	13 m 5.673 s
6	Member search filter feature	1	0	1	0	27.602 s

SCENARIOS SUMMARY -- 6 --



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Login</u>	Intialize browser,login to the application	4	4	0	0	55.901 s
2	Reports feature	Change the reports settings accordingly	4	4	0	0	55.897 s
3		Create the accrual reports in the transactional section	7	7	0	0	1 m 51.923 s
4		Validate the recently created report in the transactional section	1	1	0	0	20.622 s
5		Delete the recently created accrual reports in the transactional section	2	2	0	0	25.225 s
6		Create the accrual reports in the transactional section	6	6	0	0	2 m 25.789 s
7		View the recently created communication report in the communication section	1	0	1	0	1 m 6.190 s
8		Delete the recently created accrual reports in the transactional section	2	2	0	0	14.961 s
9		Create the accrual reports in the transactional section	10	10	0	0	2 m 42.772 s


SCENARIOS SUMMARY -- 7 --



#	Feature Name	Scenario Name	T	P	F	S	Duration
10	Reports feature	Download the recently created accrual reports in the transactional section	1	0	1	0	14.120 s
11		Delete the recently created accrual reports in the transactional section	2	2	0	0	13.542 s
12		View the logs by using search file name and select the require date and check the logs details	3	3	0	0	56.069 s
13	<u>Tiers feature</u>	Create a new tier	5	5	0	0	1 m 14.184 s
14		<u>create second Tier</u>	4	4	0	0	1 m 0.027 s
15		Edit Tier	4	4	0	0	1 m 42.578 s
16		Delete Tier	2	2	0	0	23.438 s
17		<u>Tier Settings</u>	3	3	0	0	17.213 s
18	Add new program & platform configuration	Test and verify Add new program	4	1	1	2	27.124 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
19		Test and verify Add company deatils	2	0	1	1	20.485 s


SCENARIOS SUMMARY -- 9 --



#	Feature Name	Scenario Name	T	P	F	S	Duration
20	Add new program & platform configuration	Test and verify Add Program details	3	0	1	2	10.334 s
21		Test and verify Points Configuration details	5	0	1	4	20.358 s
22		Test and Select newly created program & Verify Configurations details	12	0	1	11	0.006 s
23	Member search feature	Navigate to member search module, enter different search string and validate the result	4	4	0	0	1 m 4.156 s
24		Navigate to member search module, enter different search string and validate the result	4	4	0	0	45.013 s
25		Navigate to member search module, enter different search string and validate the result	4	4	0	0	44.113 s
26		Navigate to member search module, enter different search string and validate the result	4	4	0	0	49.593 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
27		issue manual credit/debit points	5	5	0	0	1 m 20.903 s
28		issue manual credit/debit points	5	5	0	0	1 m 6.921 s


SCENARIOS SUMMARY



#	Feature Name	Scenario Name	T	P	F	S	Duration
29	Member search feature	Suspend member	5	5	0	0	48.291 s
30		Re-Actiavte member	5	5	0	0	44.448 s
31		Check Audit log for a member	4	4	0	0	42.939 s
32		Search transactions for member using date range	4	4	0	0	2 m 22.185 s
33		Navigate to member search and click on manage attribute link	2	2	0	0	25.147 s
34		Create different member attributes using manage_member_attribute	2	2	0	0	38.926 s
35		Create different member attributes using manage_member_attribute	2	2	0	0	33.453 s
36		Create different member attributes using manage_member_attribute	2	2	0	0	22.983 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
37		Create different member attributes using	2	2	0	0	36.251 s
		manage_member_attribute					

SCENARIOS SUMMARY -- 13 --




#	Feature Name	Scenario Name	T	P	F	S	Duration
38	Member search filter feature	Apply any single filter with its respective operator and do a search	6	1	1	4	27.602 s

DETAILED SECTION -- 14 --

Login


PASSED	DURATION - 55.909 s	Scenarios		Steps	
		Total - 1		Total - 4	
/ 1:30:36.036 pm /	// 1:31:31.945 pm /	Pass - 1	1	Pass - 4	4
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

Intialize browser, login to the application




#	Step / Hook Details	Status	Duration
1	Given Login to the application using username and password	PASSED	13.500 s
2	When validate if the title is "Giift LBMS"	PASSED	0.523 s
3	Then click on the profile section	PASSED	39.762 s
4	Then select the program "A program four"	PASSED	2.062 s

Reports feature




Change the reports settings accordingly



#	Step / Hook Details	Status	Duration
1	Given User navigates to reports module	PASSED	14.900 s
2	When user clicks on the settings	PASSED	15.355 s
3	And user change the Financial Year to "1st July - 30th June" Week Starting on to "Monday" Delay in Generation "1" Days and	PASSED	23.258 s
	Historical View as "10" Days		
4	Then user should get the success message as "Setting saved sucessfully"	PASSED	2.358 s

Create the accrual reports in the transactional section



#	Step / Hook Details	Status	Duration
1	Given User navigates to reports module	PASSED	4.078 s
2	When user selects "transactional" and click on add new view and add the report name as "Spend points report"	PASSED	9.050 s
3	And add the report column as "Transaction Id" "Transaction Amount" "Relation Reference" "Points Issued" "Transaction Date"	PASSED	1 m 2.148 s
	"Processing Date" "Type" "Product Code" "Sub Product Code" "Narration" "Points Spoiled" "Merchant Name" "Transaction		
	Count" "Impacted Members" "Total Points Issued" "Total Amount" "Total Points Spoiled"		
4	And add the filter as "Credit by accrual" "Credit by bonus" "Debit By Bonus" "Debit By Cashback"	PASSED	12.625 s
5	And select the period of generation as "Daily" "Weekly" "Monthly" "Quarterly" "Yearly"	PASSED	14.654 s
6	And clicks on the "Save" button	PASSED	2.645 s

DETAILED SECTION -- 16 --


#	Step / Hook Details	Status	Duration
7	Then user should get the success message as "Report saved successfully"	PASSED	6.709 s

Validate the recently created report in the transactional section




#	Step / Hook Details	Status	Duration
1	When user validate the existing report "Spend points report" and click on "View"	PASSED	20.602 s

Delete the recently created accrual reports in the transactional section




#	Step / Hook Details	Status	Duration
1	When user validate the existing report "Spend points report" and click on "Delete"	PASSED	24.176 s
2	Then user should get the success message as "Report deleted successfully"	PASSED	1.044 s

Create the accrual reports in the transactional section



#	Step / Hook Details	Status	Duration
1	When user selects "Communication" and click on add new view and add the report name as "Email and SMS communication	PASSED	16.670 s
	report"		
2	And add the report column as "Template Name" "Email Status" "SMS Status" "Date Email/SMS Sent" "Communication Channel"	PASSED	57.122 s
	"Member ID" "PhoneNumber" "Member Name" "Email" "Total Communication Sent" "Total Success Delivery" "Total Failed		
	Delivery"		
3	And add the filter as "SMS Communication Channel" "Email Communication Channel"	PASSED	6.456 s
4	And select the period of generation as "Daily" "Weekly" "Monthly" "Quarterly" "Yearly"	PASSED	14.858 s
5	And clicks on the "Save" button	PASSED	2.918 s
6	Then user should get the success message as "Report saved successfully"	PASSED	47.729 s

View the recently created communication report in the communication section




	#	Step / Hook Details	Status	Duration
1		When user validate the existing report "Email and SMS communication report" and click on "View"	FAILED	1 m 5.867 s
		org.openqa.selenium.NoSuchElementException: no such element: No node with given id found (Session info: chrome=120.0.6099.129) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.16.1', revision: '9b4c83354e' System info: os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '14.2.1', java. version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [c54e4ab30f5c93b68f6295fe30205469, getElementText		

DETAILED SECTION -- 18 --

#	Step / Hook Details	Status	Duration
	[id=2D580E94CB6C1FC7C44FB88F4972FC49_element_6043]] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.129, chrome: {chromedriverVersion: 120.0.6099.109 (3419140ab66, userDataDir: /var/folders/nj/n_9gw81j7mq), fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:52040/, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), secdp: ws:/localhost:52040/devtoo, secdpVersion: 120.0.6099.129, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on mac (c54e4ab3015c93b68f6295fe30205469]] -> xpath: //table{@class=MuiTable-root tss-900muf-MUIDataTable-tableRoot css-1owb465]/td] Session ID: c54e4ab30f5c93b68f6295fe30205469 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:19) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:19) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:19) at org.openqa.selenium.remote.RemoteWebElement.getText(RemoteWebElement.java:224) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:224) at org.openqa.selenium.remote.RemoteWebElement.getText(RemoteWebElement.java:192) at stepDefinition.ReportStepDefinition.user_validate_the_existing_report_and_c		
	AFTER - stepDefinition.Hooks.takeScreenShotOnFailure(io.cucumber.java.Scenario)	PASSED	0.312 s
	View the recently created communication report in the communication section NOT FOUND		


DETAILED SECTION -- 19 --

Delete the recently created accrual reports in the transactional section



	#	Step / Hook Details	Status	Duration
1	L	When user validate the existing report "Email and SMS communication report" and click on "Delete"	PASSED	14.945 s
2	2	Then user should get the success message as "Report deleted sucessfully"	PASSED	0.003 s

Create the accrual reports in the transactional section



#	Step / Hook Details	Status	Duration
1	Given User navigates to reports module	PASSED	5.547 s
2	When user selects "Members" and click on add new view and add the report name as "Members report"	PASSED	18.788 s
3	And add the report column as "Member ID" "Member Name" "Email" "Phone Number" "Segment Tag" "Enrollment Date" "Tier"	PASSED	1 m 16.374 s
	"Status" "DOB" "Gender" "Address" "Points Available" "Points Expired" "Points Redeemed" "Last Transaction" "Total		
	Transactions" "Total Members" "Total Points Issued" "Total Points Redeemed" "Total Points Expired"		
4	And select the period of generation as "Daily" "Weekly" "Monthly" "Quarterly" "Yearly"	PASSED	21.591 s
5	And user click on the Add Filters link	PASSED	5.608 s
6	And select the "Age" filter	PASSED	1.425 s
7	And select operator "Is less than or equal to" then enter values1 "20" and click Add Filter button	PASSED	10.331 s
8	And click on apply filter button and validate the filters	PASSED	3.536 s

DETAILED SECTION -- 20 --

#	Step / Hook Details	Status	Duration
9	And clicks on the "Save" button	PASSED	4.579 s
10	Then user should get the success message as "Report saved successfully"	PASSED	14.929 s

Download the recently created accrual reports in the transactional section




#	Step / Hook Details	Status	Duration
1	When user validate the existing report "Members report" and click on "View"	FAILED	13.712 s
	org.openqa.selenium.NoSuchElementException: no such element: No node with given id found (Session info: chrome=120.0.6099.129) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.16.1', revision: '9b4c83354e' System info: os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '14.2.1', java. version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [c54e4ab30f5c93b68f6295fe30205469, getElementText {id=2D580E94CB6C1FC7C44FB88F4972FC49_element_9033}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.129, chrome: {chromedriverVersion: 120.0.6099.109 (3419140ab66, userDataDir: /var/folders/nj/n_9gw81j7mq}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:52040}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:52040/devtoo, se:cdpVersion: 120.0.6099.129, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:intPinLength: true, webauthn:extension:credBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:vitualAuthenticators: true} Element: [[ChromeDriver: chrome on mac (c54e4ab30f5c93b68f6295fe30205469)] - xpath: //table@class='MuiTable-root tss-900muf-MUIDataTable-tableRoot css-1owb465/]/td] Session ID: c54e4ab30f5c93b68f6295fe30205469 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jak.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(VinterConstructor.java:49) at java.base/jak.internal.reflect.DelegatingConstructor.newInstance(Constructor.java:49) at java.base/jak.in		

DETAILED SECTION -- 21 --

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:224)		
	at org.openqa.selenium.remote.RemoteWebElement.getText(RemoteWebElement.java:192)		
	at stepDefinition.ReportsStepDefinition.user_validate_the_existing_report_and_click_on(ReportsStepDefinition.java:273)		
	at ?.user validate the existing report "Members report" and click on "View"(file:///Users/basavaraj/Automation/Pramod/v2/LBMSCloud/src/test/		
	java/features/Reports.feature:78)		
	* Not displayable characters are replaced by '?'.		
	AFTER - stepDefinition.Hooks.takeScreenShotOnFailure(io.cucumber.java.Scenario)	PASSED	0.401 s
	Download the recently created accrual reports in the transactional section		
	NOT FOUND		


Delete the recently created accrual reports in the transactional section



;	#	Step / Hook Details	Status	Duration
1		When user validate the existing report "Members report" and click on "Delete"	PASSED	13.534 s
2	2	Then user should get the success message as "Report deleted sucessfully"	PASSED	0.000 s

View the logs by using search file name and select the require date and check the logs details

DETAILED SECTION -- 22 --




#	Step / Hook Details	Status	Duration
1	Given User navigates to reports module	PASSED	6.590 s
2	When user click on the logs section and search the file name by entering from date as "11/25/2023" and to date as "01/01/2024"	PASSED	43.733 s
3	And user search the file name as "1812202325p5TXN" and validate the result	PASSED	5.735 s

Tiers feature

DURATION - 4 m 37.561 s	Scenarios		Steps	
	Total - 5		Total - 18	
// 1:47:37.165 pm /	Pass - 5	5	Pass - 18	18
	Fail - 0	, ·	Fail - 0	10
	Skip - 0		Skip - 0	
		Total - 5 Pass - 5 Fall - 0	Total - 5 Pass - 5 Fall - 0	Total - 5 Pass - 5 Fall - 0 Steps Total - 18 Pass - 18 Fall - 0

Create a new tier




#	Step / Hook Details	Status	Duration
1	Given User navigates to tier module	PASSED	3.955 s
2	When user clicks on the Enable Tiers or Add a New Tier button	PASSED	18.247 s

DETAILED SECTION -- 23 --


#	Step / Hook Details	Status	Duration
3	And User navigates to create new tier page and select the "Silver" tier icon	PASSED	12.748 s
4	And enter tier name as "Silver" multiplier as "1.25" milestone as "1000" bonus as "10" and click "Launch"	PASSED	39.210 s
5	Then user gets the success message as "Tiers has been successfully enabled"	PASSED	0.003 s

create second Tier



#	Step / Hook Details	Status	Duration
1	When user clicks on the Enable Tiers or Add a New Tier button	PASSED	20.164 s
2	And User navigates to create new tier page and select the "Platinum" tier icon	PASSED	13.032 s
3	And enter tier name as "Platinum" multiplier as "1.5" milestone as "20000" bonus as "20" and click "Launch"	PASSED	26.818 s
4	Then user gets the success message as "Tiers has been successfully enabled"	PASSED	0.001 s

Edit Tier




#	Step / Hook Details	Status	Duration
1	Then user validates "Platinum" tier and clicks "Edit"	PASSED	16.508 s
2	When User navigates to create new tier page and select the "Bronze" tier icon	PASSED	16.683 s
3	And enter tier name as "Titanium" multiplier as "2" milestone as "50000" bonus as "200" and click "Update"	PASSED	1 m 9.370 s

DETAILED SECTION -- 24 --


#	Step / Hook Details	Status	Duration
4	Then user gets the success message as "Tier Updated Successfully"	PASSED	0.002 s

Delete Tier



#	Step / Hook Details	Status	Duration
1	Then user validates "Titanium" tier and clicks "Delete"	PASSED	23.435 s
2	Then user should navigate to tier lists page along with success message "Titanium" "tier has been successfully deleted"	PASSED	0.001 s

Tier Settings




#	Step / Hook Details	Status	Duration
1	Given User navigates to tier module	PASSED	3.746 s
2	When user change the tier settings timeframe	PASSED	10.796 s
3	Then user gets the success message as "Tier Setting Updated Successfully"	PASSED	2.661 s

Add new program & platform configuration

FAILED	DURATION - 1 m 18.397 s	Scenarios		Steps	
		Total - 5		Total - 26	
/ 1:47:37.193 pm // 1	:48:55.590 pm /	Pass - 0	5	Pass - 1	26
		Fail - 5		Fail - 5	
		Skip - 0		Skip - 20	


Test and verify Add new program



#	Step / Hook Details	Status	Duration
1	Then click on the profile section	PASSED	6.110 s
2	Then click on Add new program	FAILED	20.675 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebElement.click()" because the return value of "resources.BrowserUtils. findAndWaitForElement(org.openqa.selenium.WebElement)" is null at resources.BrowserUtils.clickElement(BrowserUtils.java:69) at stepDefinition.ConfigurationsStepDefinition.click_on_add_new_program(ConfigurationsStepDefinition.java:22) at ?.click on Add new program(file:///Users/basavaraj/Automation/Pramod/v2/LBMSCloud/src/test/java/features/Zconfiguration.feature:6) * Not displayable characters are replaced by '?'.		
3	Then Add "Automation" "Program" "automation@gmail.com" "+91" "9860979070"	SKIPPED	0.011 s
4	Then Click on continue button	SKIPPED	0.000 s
	AFTER - stepDefinition.Hooks.takeScreenShotOnFailure(io.cucumber.java.Scenario)	PASSED	0.320 s
	Test and verify Add new program]	

#	Step / Hook Details	Status	Duration
	NOT FOUND		


Test and verify Add company deatils



#	Step / Hook Details	Status	Duration
1	Then Add company deatils "Automation" "Automation.com" "Pune" "South" "India"	FAILED	20.136 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebElement.isDisplayed()" because the return value of "resources. BrowserUtils.findAndWaitForElement(org.openqa.selenium.WebElement)" is null at resources.BrowserUtils.enterText(BrowserUtils.java:74) at stepDefinition.ConfigurationsStepDefinition.add_company_deatils(ConfigurationsStepDefinition.java:43) at ?.Add company deatils "Automation" "Automation.com" "Pune" "South" "India"(file:///Users/basavaraj/Automation/Pramod/v2/LBMSCloud/src/test/java/features/Zconfiguration.feature:12) * Not displayable characters are replaced by '?'.		
2	Then Click on continue button	SKIPPED	0.001 s
	AFTER - stepDefinition.Hooks.takeScreenShotOnFailure(io.cucumber.java.Scenario)	PASSED	0.315 s
	Test and verify Add company deatils		

#	Step / Hook Details	Status	Duration
	NOT FOUND		

Test and verify Add Program details




#	Step / Hook Details	Status	Duration
1	Then Add Program name	FAILED	10.084 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//input[@placeholder='Enter Program Name']"} (Session info: chrome=120.0.6099.129) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.16.1', revision: '9b4c83354e' System info: os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '14.2.1', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [c54e4ab30f5c93b68f6295fe30205469, findElement {using=xpath, value=//input[@placeholder='Enter Program Name']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.129, chrome: {chromedriverVersion: 120.0.6099.109 (3419140ab66, userDataDir: /var/folders/nj/n_9gw81j7mq}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:52040}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:52040/devtoo, se:cdpVersion: 120.0.6099.129, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: c54e4ab30f5c93b68f6295fe30205469 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)		

DETAILED SECTION -- 28 --

#	Step / Hook Details	Status	Duration
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3cHttpResponseCodec.createException(W3cHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3cHttpResponseCodec.decode(W3cHttpResponseCodec.java:133) at org.openqa.selenium.remote.ethttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.briverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:523) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(RemoteWebDriver.java:360) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:354) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:354) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy27.sendKeys(Unknown Source) at stepDefinition.ConfigurationsStepDefinition.add_program_name(ConfigurationsStepDefinition.java:149) at ?.Add Program name(file:///Users/basavaraj/Automation/Pramod/v2/LBMSCloud/src/test/java/features/Zconfiguration.feature:18) * Not displayable characters are replaced by '?'.		
2	Then Add Program Logo	SKIPPED	0.001 s
3	Then Select Base Currency "? - Indian Rupees"	SKIPPED	0.003 s
	AFTER - stepDefinition.Hooks.takeScreenShotOnFailure(io.cucumber.java.Scenario) Test and verify Add Program details NOT FOUND	PASSED	0.237 s


Test and verify Points Configuration details

DETAILED SECTION -- 29 --




#	Step / Hook Details	Status	Duration
1	Then Add Points Terminology as "1" "11" "1"	FAILED	20.091 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebElement.isDisplayed()" because the return value of "resources. BrowserUtils.findAndWaitForElement(org.openqa.selenium.WebElement)" is null at resources.BrowserUtils.enterText(BrowserUtils.java:74) at stepDefinition.ConfigurationsStepDefinition.add_points_terminology_ad(ConfigurationsStepDefinition.java:80) at ?.Add Points Terminology as "1" "11" "1"(file:///Users/basavaraj/Automation/Pramod/v2/LBMSCloud/src/test/java/features/Zconfiguration. feature:25) * Not displayable characters are replaced by '?'.		
2	Then Select Point Expiration Period as "Quarterly"	SKIPPED	0.000 s
3	Then Add Cashback Rate "10.7" Customer Purchase Rate "5.5" Redemption Rate "10"	SKIPPED	0.001 s
4	Then Click on Create program	SKIPPED	0.000 s
5	Then Click on Done	SKIPPED	0.000 s
	AFTER - stepDefinition.Hooks.takeScreenShotOnFailure(io.cucumber.java.Scenario)	PASSED	0.259 s
	Test and verify Points Configuration details]	
	NOT FOUND		

DETAILED SECTION -- 30 -




#	Step / Hook Details	Status	Duration
1	Then click on the profile section using	FAILED	0.002 s
	Step undefined		
2	Then Click on recently created program	SKIPPED	0.000 s
3	Then Click on Configurations	SKIPPED	0.001 s
4	Then Click on Organisation	SKIPPED	0.000 s
5	Then Edit basic details As "NewProgram" "Program" "www@xoxoday.com" "9545002222"	SKIPPED	0.000 s
6	Then Edit company details As "NewProgram" "Program" "www@xoxoday.com" "9545002222"	SKIPPED	0.000 s
7	When Click on Program	SKIPPED	0.000 s
8	Then Verify Program Name	SKIPPED	0.000 s
9	Then Click on Program Details try to edit then cancel "XYZ"	SKIPPED	0.000 s
10	Then Click on Point Definition try to edit then cancel "Point" "Points" "1.5" "0.5" "0.10"	SKIPPED	0.000 s
11	Then Click on Marketplace	SKIPPED	0.000 s
12	Then Click on Communication try to edit then cancel "Xoxoday" "xoxoday@xoxoday.com"	SKIPPED	0.001 s

Member search feature




Navigate to member search module, enter different search string and validate the result

DETAILED SECTION -- 31 --



#	Step / Hook Details	Status	Duration
1	Given Naviagte to member search module	PASSED	25.952 s
2	When enter different search "name" and "MRF 01"	PASSED	29.790 s
3	Then click on the first search result	PASSED	2.666 s
4	Then Validate the following details "name" and "MRF 01"	PASSED	5.731 s


Navigate to member search module, enter different search string and validate the result



#	Step / Hook Details	Status	Duration
1	Given Naviagte to member search module	PASSED	16.901 s
2	When enter different search "member_ref_no" and "MRF01"	PASSED	18.608 s
3	Then click on the first search result	PASSED	3.980 s
4	Then Validate the following details "member_ref_no" and "MRF01"	PASSED	5.498 s


Navigate to member search module, enter different search string and validate the result

DETAILED SECTION -- 32 --



#	Step / Hook Details	Status	Duration
1	Given Naviagte to member search module	PASSED	16.540 s
2	When enter different search "mobile" and "9036820287"	PASSED	21.441 s
3	Then click on the first search result	PASSED	3.435 s
4	Then Validate the following details "mobile" and "9036820287"	PASSED	2.683 s


Navigate to member search module, enter different search string and validate the result



#	Step / Hook Details	Status	Duration
1	Given Naviagte to member search module	PASSED	16.459 s
2	When enter different search "email" and "pramod.brs@xoxoday.com"	PASSED	22.827 s
3	Then click on the first search result	PASSED	3.217 s
4	Then Validate the following details "email" and "pramod.brs@xoxoday.com"	PASSED	7.063 s


issue manual credit/debit points

DETAILED SECTION -- 33 --



#	Step / Hook Details	Status	Duration
1	Given Naviagte to member search module	PASSED	17.432 s
2	When search member "MRF01"	PASSED	21.110 s
3	Then click on the first search result	PASSED	3.858 s
4	Then click on Actions	PASSED	9.241 s
5	Then issue manual "Debit" point of "25" with "TestDebit"	PASSED	29.236 s


issue manual credit/debit points



#	Step / Hook Details	Status	Duration
1	Given Naviagte to member search module	PASSED	23.097 s
2	When search member "MRF01"	PASSED	17.717 s
3	Then click on the first search result	PASSED	3.434 s
4	Then click on Actions	PASSED	3.008 s
5	Then issue manual "Credit" point of "60" with "TestCredit"	PASSED	19.642 s


Suspend member

DETAILED SECTION -- 34 --



#	Step / Hook Details	Status	Duration
1	Given Naviagte to member search module	PASSED	20.934 s
2	When search member "MRF01"	PASSED	17.719 s
3	Then click on the first search result	PASSED	3.364 s
4	Then click on Actions	PASSED	2.478 s
5	Then click on suspend and confirm	PASSED	3.770 s


Re-Actiavte member



#	Step / Hook Details	Status	Duration
1	Given Naviagte to member search module	PASSED	19.101 s
2	When search member "MRF01"	PASSED	17.571 s
3	Then click on the first search result	PASSED	3.515 s
4	Then click on Actions	PASSED	2.849 s
5	Then click on Re-Activate	PASSED	1.397 s


Check Audit log for a member

DETAILED SECTION -- 35 --




#	Step / Hook Details	Status	Duration
1	Given Naviagte to member search module	PASSED	18.860 s
2	When search member "MRF01"	PASSED	17.762 s
3	Then click on the first search result	PASSED	3.450 s
4	And click on Audit_log	PASSED	2.852 s

Search transactions for member using date range




#	Step / Hook Details	Status	Duration
1	Given Naviagte to member search module	PASSED	17.194 s
2	When search member "MRF01"	PASSED	17.944 s
3	Then click on the first search result	PASSED	4.815 s
4	And Enter "11/30/2023" "12/29/2023" and click on Search	PASSED	1 m 42.211 s

Navigate to member search and click on manage attribute link




#	Step / Hook Details	Status	Duration
1	Given Naviagte to member search module	PASSED	23.030 s
2	When click on manage member attributes link	PASSED	2.077 s

Create different member attributes using manage_member_attribute



#	Step / Hook Details	Status	Duration
1	When click on Add new custom attribute link	PASSED	11.027 s
2	Then Enter value "String_FF" "String_FF" "String" "false"	PASSED	27.890 s


Create different member attributes using manage_member_attribute



DETAILED SECTION -- 37 --


#	Step / Hook Details	Status	Duration
1	When click on Add new custom attribute link	PASSED	15.265 s
2	Then Enter value "Number_TF" "Numbers" "false" "true"	PASSED	18.178 s

Create different member attributes using manage_member_attribute



#	Step / Hook Details	Status	Duration
1	When click on Add new custom attribute link	PASSED	7.989 s
2	Then Enter value "DATE_FT" "DATE_FT" "Decimals" "true" "false"	PASSED	14.980 s


Create different member attributes using manage_member_attribute




#	Step / Hook Details	Status	Duration
1	When click on Add new custom attribute link	PASSED	13.917 s
2	Then Enter value "decimal_TT" "decimal_TT" "Date" "true"	PASSED	22.318 s

Member search filter feature

DETAILED SECTION -- 38 -



Apply any single filter with its respective operator and do a search



#	Step / Hook Details	Status	Duration
1	Given Naviagte to member search module	PASSED	23.928 s
2	When click on filter option	FAILED	3.389 s
	org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element is not clickable at point (1309, 10). Other element would receive the click: <header class="headerstylesStyledHeader-sc-1v5ql1-0 cBTgLc fixed"></header> (Session info: chrome=120.0.6099.129) Build info: version: '4.16.1', revision: '9b4c83354e' System info: os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '14.2.1', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [c54e4ab30f5c93b68f6295fe30205469, clickElement {id=4938Df5c5846843517E466E55E_element_39295}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.129, chrome: {chromedriverVersion: 120.0.6099.109 (3419140ab66, userDataDir: /var/folders/nj/n_9gw81j7mq}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:52040}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:52040/devtoo, se:cdpVersion: 120.0.6099.129, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on mac (c54e4ab30f5c93b68f6295fe30205469)] -> xpath: //span[text()='Filters']] Session ID: c54e4ab30f5c93b68f6295fe30205469 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)		

DETAILED SECTION -- 39 --

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:523) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:224) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77) at jdk.internal.reflect.GeneratedMethodAccessor101.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:51) at jdk.proxy2/jdk.proxy2.\$Proxy27.click(Unknown Source) at resources.BrowserUtils.clickElement(BrowserUtils.java:69) at stepDefinition.MemberSearchFilterStepDefinition.click_on_filter_option(MemberSearchFilterStepDefinition.java:15) at ?.click on filter option(file:///Users/basavaraj/Automation/Pramod/v2/LBMSCloud/src/test/java/features/membersearchfilter.feature:6) * Not displayable characters are replaced by '?'.		
3	Then select "Age" filter	SKIPPED	0.001 s
4	Then Select operator "Is less than or equal to"	SKIPPED	0.001 s
5	Then Enter value1 "40" and value2 "2023-09-09" for operator "Is less than or equal to"	SKIPPED	0.000 s
6	Then click on apply filter button and validate the result	SKIPPED	0.000 s
	AFTER - stepDefinition.Hooks.takeScreenShotOnFailure(io.cucumber.java.Scenario) Apply any single filter with its respective operator and do a search NOT FOUND	PASSED	0.270 s