Cucumber Report

01-Jan-2024, 12:57:53 pm

| Start : Jan 01, 12:53:05.643 pm	End : Jan 01, 12:57:49.044 pm	Duration : 4 m 43.401 s
Features	Scenarios	Steps
PASSED - 1 FAILED - 1 SKIPPED - 0	PASSED - 3 FAILED - 3 SKIPPED - 0	PASSED - 19 FAILED - 3 SKIPPED - 0

Features: 2 — 50 %

Scenarios: 6 — 50 %

Steps: 22 — 86 %

Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
Login	59.185 s	1	1	0	0	4	4	0	0
Tiers feature	3 m 44.147 s	5	2	3	0	18	15	3	0

#	Feature Name	Scenario Name
1	*Tiers feature*	*Create a new tier*
2		*create second Tier*
3		*Edit Tier*

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@AppLoginSmoketest1	1	1	0	0	1	1	0	0
@TiersSmoketest1	5	2	3	0	1	0	1	0

#	Feature Name	T	P	F	S	Duration
1	Login	1	1	0	0	59.185 s
2	Tiers feature	5	2	3	0	3 m 44.147 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Login	Intialize browser,login to the application	4	4	0	0	59.182 s
2	Tiers feature	Create a new tier	5	4	1	0	1 m 20.600 s
3		create second Tier	4	3	1	0	51.157 s
4		Edit Tier	4	3	1	0	48.773 s
5		Delete Tier	2	2	0	0	28.285 s
6		Tier Settings	3	3	0	0	15.185 s

Login

PASSED	DURATION - 59.185 s	Scenarios Total - 1 Pass - 1 Fail - 0 Skip - 0		Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 12:53:05.643 pm // 12:54:04.828 pm /			1		4

Intialize browser,login to the application

PASSED	DURATION - 59.182 s		Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 12:53:05.646 pm // 12:54:04.828 pm /				4
Login				
@AppLoginSmoketest1				

#	Step / Hook Details	Status	Duration
1	Given Login to the application using username and password	PASSED	13.954 s
2	When validate if the title is "Giift LBMS"	PASSED	0.526 s
3	Then click on the profile section	PASSED	42.389 s
4	Then select the program "A program four"	PASSED	2.265 s

Tiers feature

FAILED	DURATION - 3 m 44.147 s	Scenarios Total - 5 Pass - 2 Fail - 3 Skip - 0		Steps Total - 18 Pass - 15 Fail - 3 Skip - 0	
/ 12:54:04.897 pm // 12:57:49.044 pm /			5		18

Create a new tier

FAILED	DURATION - 1 m 20.600 s
/ 12:54:04.898 pm // 12:55:25.498 pm /	
Tiers feature	
@TiersSmoketest1	

Steps
Total - 5
Pass - 4
Fail - 1
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given User navigates to tier module	PASSED	15.261 s
2	When user clicks on the Enable Tiers or Add a New Tier button	PASSED	19.706 s
3	And User navigates to create new tier page and select the "Silver" tier icon	PASSED	10.909 s
4	And enter tier name as "Silver" multiplier as "1.25" milestone as "1000" bonus as "10" and click "Launch"	PASSED	24.302 s
5	Then user gets the success message as "Tier Setting Updated Successfully"	FAILED	10.081 s

org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//div[text()='Tier Setting Updated Successfully']"}   (Session info: chrome=120.0.6099.129) For documentation on this error, please visit: https://www.selenium. dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.16.1', revision: '9b4c83354e' System info: os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '14.2.1', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [8636ffb232fcda4d6091d187d209e7b8, findElement {using=xpath, value=//div[text()='Tier Setting Updated Successfully']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.129, chrome: {chromedriverVersion: 120.0.6099.109 (3419140ab66..., userDataDir: /var/folders/nj/n_9gw81j7mq...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:62090}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:62090/devtoo..., se:cdpVersion: 120.0.6099.129, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 8636ffb232fcda4d6091d187d209e7b8
   at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
   at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
   at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
   at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
   at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)
   at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)
   at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)
   at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)
   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:523)
   at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165)

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:360) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:354) at stepDefinition.TiersStepDefinition.user_gets_the_success_message_as(TiersStepDefinition.java:209) at ?.user gets the success message as "Tier Setting Updated Successfully"(file:///Users/basavaraj/Automation/Pramod/v2/LBMSCloud/src/test/java/features/Tiers.feature:10) * Not displayable characters are replaced by '?'.		
	AFTER - stepDefinition.Hooks.takeScreenShotOnFailure(io.cucumber.java.Scenario) Create a new tier NOT FOUND	PASSED	0.297 s

create second Tier

FAILED	DURATION - 51.157 s		Steps
/ 12:55:25.544 pm // 12:56:16.701 pm /			Total - 4
Tiers feature			Pass - 3 Fail - 1 Skip - 0
@TiersSmoketest1			

#	Step / Hook Details	Status	Duration
1	When user clicks on the Enable Tiers or Add a New Tier button	PASSED	19.544 s
2	And User navigates to create new tier page and select the "Platinum" tier icon	PASSED	8.651 s
3	And enter tier name as "Platinum" multiplier as "1.5" milestone as "20000" bonus as "20" and click "Launch"	PASSED	12.633 s
4	Then user gets the success message as "Tier Setting Updated Successfully"	FAILED	10.052 s

| #	Step / Hook Details	Status	Duration

	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//div[text()='Tier Setting Updated Successfully']"} (Session info: chrome=120.0.6099.129) For documentation on this error, please visit: https://www.selenium. dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.16.1', revision: '9b4c83354e' System info: os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '14.2.1', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [8636ffb232fcda4d6091d187d209e7b8, findElement {using=xpath, value=//div[text()='Tier Setting Updated Successfully']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.129, chrome: {chromedriverVersion: 120.0.6099.109 (3419140ab66..., userDataDir: /var/folders/nj/n_9gw81j7mq...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:62090}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:62090/devtoo..., se:cdpVersion: 120.0.6099.129, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 8636ffb232fcda4d6091d187d209e7b8
	  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)
	  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:523)
	  at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165)
	  at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)
	  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:360)
	  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:354)
	  at stepDefinition.TiersStepDefinition.user_gets_the_success_message_as(TiersStepDefinition.java:209)
	  at ?.user gets the success message as "Tier Setting Updated Successfully"(file:///Users/basavaraj/Automation/Pramod/v2/LBMSCloud/src/ test/java/features/Tiers.feature:19)
	* Not displayable characters are replaced by '?'.		

	AFTER - stepDefinition.Hooks.takeScreenShotOnFailure(io.cucumber.java.Scenario)	PASSED	0.252 s
	create second Tier		

#	Step / Hook Details	Status	Duration
	NOT FOUND		

Edit Tier

FAILED	DURATION - 48.773 s		Steps
/ 12:56:16.735 pm // 12:57:05.508 pm /			Total - 4
Tiers feature			Pass - 3
			Fail - 1
@TiersSmoketest1			Skip - 0

| #	Step / Hook Details	Status	Duration
1	Then user validates "Platinum" tier and clicks "Edit"	PASSED	12.140 s
2	When User navigates to create new tier page and select the "Bronze" tier icon	PASSED	5.129 s
3	And enter tier name as "Titanium" multiplier as "2" milestone as "50000" bonus as "200" and click "Update"	PASSED	21.117 s
4	Then user gets the success message as "Tier Setting Updated Successfully"	FAILED	10.089 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//div[text()='Tier Setting Updated Successfully']"} (Session info: chrome=120.0.6099.129) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.16.1', revision: '9b4c83354e' System info: os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '14.2.1', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [8636ffb232fcda4d6091d187d209e7b8, findElement {using=xpath, value=//div[text()='Tier Setting Updated Successfully']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.129, chrome: {chromedriverVersion: 120.0.6099.109 (3419140ab66..., userDataDir: /var/folders/nj/n_9gw81j7mq...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:62090}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:62090/devtoo..., se:cdpVersion: 120.0.6099.129, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators:		

#	Step / Hook Details	Status	Duration

	true} Session ID: 8636ffb232fcda4d6091d187d209e7b8
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)
	    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:523)
	    at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165)
	    at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)
	    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:360)
	    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:354)
	    at stepDefinition.TiersStepDefinition.user_gets_the_success_message_as(TiersStepDefinition.java:209)
	    at ?.user gets the success message as "Tier Setting Updated Successfully"(file:///Users/basavaraj/Automation/Pramod/v2/LBMSCloud/src/test/java/features/Tiers.feature:27)
	* Not displayable characters are replaced by '?'.		

	AFTER - stepDefinition.Hooks.takeScreenShotOnFailure(io.cucumber.java.Scenario) Edit Tier NOT FOUND	PASSED	0.276 s

Delete Tier

PASSED   *DURATION - 28.285 s*

/ 12:57:05.552 pm // 12:57:33.837 pm /

Tiers feature

@TiersSmoketest1

Steps
Total - 2
Pass - 2
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Then user validates "Titanium" tier and clicks "Delete"	PASSED	25.275 s
2	Then user should navigate to tier lists page along with success message "Titanium" "tier has been successfully deleted"	PASSED	3.005 s

Tier Settings

PASSED   *DURATION - 15.185 s*

/ 12:57:33.859 pm // 12:57:49.044 pm /

Tiers feature

@TiersSmoketest1

Steps
Total - 3
Pass - 3
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given User navigates to tier module	PASSED	3.425 s
2	When user change the tier settings timeframe	PASSED	9.751 s
3	Then user gets the success message as "Tier Setting Updated Successfully"	PASSED	1.999 s