

Feature	Feature			Scenario				Step					
Name	Duration	T	P	F	S	T	P	F	S				
Login	57.269 s	1	1	0	0	4	4	0	0				
Reports feature	11 m 1.525 s	11	11	0	0	39	39	0	0				
Tiers feature	4 m 39.700 s	5	5	0	0	18	18	0	0				
Add new program & platform configuration	2 m 19.274 s	5	3	2	0	27	14	2	11				
Member search feature	1 m 50.978 s	16	0	16	0	56	0	16	40				
Member search filter feature	3.329 s	1	0	1	0	6	0	1	5				

FAIL & SKIP SCENARIOS -- 3 --


#	Feature Name	Scenario Name
1	Add new program & platform configuration	Test and verify Points Configuration details
2		Test and Select newly created program & Verify Configurations details
3	Member search feature	Profile click and Program selection
4		Navigate to member search module, enter different search string and validate the result
5	Navigate to member search module, enter different search string and validate the result	
6		Navigate to member search module, enter different search string and validate the result
7		Navigate to member search module, enter different search string and validate the result
8		issue manual credit/debit points
9		issue manual credit/debit points
10		Suspend member

FAIL & SKIP SCENARIOS -- 4 --

#	Feature Name	Scenario Name				
11	Member search feature	Re-Actiavte member				
12		Check Audit log for a member				
13		Search transactions for member using date range				
14	Navigate to member search and click on manage attribute link					
15	Create different member attributes using manage_member_attributes.					
16		Create different member attributes using manage_member_attribute				
17		Create different member attributes using manage_member_attribute				
18		Create different member attributes using manage_member_attribute				
19	Member search filter feature	Apply any single filter with its respective operator and do a search				


TAG	Scenario				Feature					
Name	T	P	F	S	T	P	F	S		
@AppLoginSmoketest1	1	1	0	0	1	1	0	0		
@ReportSettingsSmoketest1	1	1	0	0	1	1	0	0		
@TransactionalSmoketest1	3	3	0	0	1	1	0	0		
@CommunicationReportSmoketest1	3	3	0	0	1	1	0	0		
@MembersReportSmoketest1	3	3	0	0	1	1	0	0		
@LogsSmoketest1	1	1	0	0	1	1	0	0		
@TiersSmoketest1	5	5	0	0	1	1	0	0		
@ConfigurationSmoketest1	5	3	2	0	1	0	1	0		
@MembersSmoketest1	16	0	16	0	1	0	1	0		
@MemberSearchFilterSmoketest1	1	0	1	0	1	0	1	0		

FEATURES SUMMARY -- 6 --




#	Feature Name	T	P	F	S	Duration
1	<u>Login</u>	1	1	0	0	57.269 s
2	Reports feature	11	11	0	0	11 m 1.525 s
3	<u>Tiers feature</u>	5	5	0	0	4 m 39.700 s
4	Add new program & platform configuration	5	3	2	0	2 m 19.274 s
5	Member search feature	16	0	16	0	1 m 50.978 s
6	Member search filter feature	1	0	1	0	3.329 s

SCENARIOS SUMMARY



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Login	Intialize browser,login to the application	4	4	0	0	57.260 s
2	Reports feature	Change the reports settings accordingly	4	4	0	0	48.382 s
3		Create the accrual reports in the transactional section	7	7	0	0	1 m 59.248 s
4	-	Validate the recently created report in the transactional section	1	1	0	0	22.924 s
5		Delete the recently created accrual reports in the transactional section	2	2	0	0	15.197 s
6		Create the accrual reports in the transactional section	6	6	0	0	2 m 39.411 s
7		View the recently created communication report in the communication section	1	1	0	0	20.864 s
8		Delete the recently created accrual reports in the transactional section	2	2	0	0	13.554 s
9		Create the accrual reports in the transactional section	10	10	0	0	2 m 46.883 s


SCENARIOS SUMMARY -- 8 --



#	Feature Name	Scenario Name	T	P	F	S	Duration
10	Reports feature	Download the recently created accrual reports in the transactional section	1	1	0	0	19.219 s
11		Delete the recently created accrual reports in the transactional section	2	2	0	0	15.388 s
12		View the logs by using search file name and select the require date and check the logs details	3	3	0	0	1 m 0.095 s
13	<u>Tiers feature</u>	Create a new tier	5	5	0	0	1 m 11.790 s
14		<u>create second Tier</u>	4	4	0	0	1 m 11.105 s
15		Edit Tier	4	4	0	0	1 m 33.192 s
16		<u>Delete Tier</u>	2	2	0	0	26.092 s
17		<u>Tier Settings</u>	3	3	0	0	17.350 s
18	Add new program & platform configuration	Test and verify Add new program	4	4	0	0	34.834 s

	#	Feature Name	Scenario Name	T	P	F	S	Duration
-	19		Test and verify Add company deatils	2	2	0	0	39.507 s


SCENARIOS SUMMARY -- 10 --



#	Feature Name	Scenario Name	T	P	F	S	Duration
20	Add new program & platform configuration	Test and verify Add Program details	4	4	0	0	13.442 s
21		Test and verify Points Configuration details	5	4	1	0	51.347 s
22		Test and Select newly created program & Verify Configurations details	12	0	1	11	0.018 s
23	Member search feature	Profile click and Program selection	2	0	1	1	3.558 s
24		Navigate to member search module, enter different search string and validate the result	4	0	1	3	2.795 s
25		Navigate to member search module, enter different search string and validate the result	4	0	1	3	2.728 s
26		Navigate to member search module, enter different search string and validate the result	4	0	1	3	1.980 s


#	Feature Name	Scenario Name	T	P	F	S	Duration
27		Navigate to member search module, enter different search string and validate the result	4	0	1	3	2.031 s
28		issue manual credit/debit points	5	0	1	4	2.850 s

SCENARIOS SUMMARY -- 12 --



#	Feature Name	Scenario Name	T	P	F	S	Duration
29	Member search feature	issue manual credit/debit points	5	0	1	4	2.195 s
30		Suspend member	5	0	1	4	1.954 s
31		Re-Actiavte member	5	0	1	4	2.110 s
32		Check Audit log for a member	4	0	1	3	2.163 s
33		Search transactions for member using date range	4	0	1	3	1.951 s
34		Navigate to member search and click on manage attribute link	2	0	1	1	1.900 s
35		Create different member attributes using manage_member_attribute	2	0	1	1	20.415 s
36		Create different member attributes using manage_member_attribute	2	0	1	1	20.787 s
37		Create different member attributes using manage_member_attribute	2	0	1	1	20.323 s

SCENARIOS SUMMARY -- 13 --




#	Feature Name	Scenario Name	T	P	F	S	Duration
38	Member search feature	Create different member attributes using manage_member_attribute	2	0	1	1	21.073 s
39	Member search filter feature	Apply any single filter with its respective operator and do a search	6	0	1	5	3.329 s

DETAILED SECTION -- 14 --

Login

PASSED	DURATION - 57.269 s	Scenarios		Steps	
		Total - 1		Total - 4	
/ 4:18:36.521 pm //	4:19:33.790 pm /	Pass - 1	1	Pass - 4	4
		Fail - 0	· ·	Fail - 0	
		Skip - 0		Skip - 0	

Intialize browser,login to the application




#	Step / Hook Details	Status	Duration
1	Given Login to the application using username and password	PASSED	11.540 s
2	When validate if the title is "Giift LBMS"	PASSED	0.524 s
3	Then click on the profile section	PASSED	42.451 s
4	Then select the program "A program four"	PASSED	2.678 s

Reports feature


PASSED	DURATION - 11 m 1.525 s	Scenarios Total - 11		Steps Total - 39	
/ 4:19:33.930 pm	n // 4:30:35.455 pm /	Pass - 11	11	Pass - 39	39
		Fail - 0 Skip - 0		Fail - 0 Skip - 0	

Change the reports settings accordingly



#	Step / Hook Details	Status	Duration
1	Given User navigates to reports module	PASSED	3.721 s
2	When user clicks on the settings	PASSED	7.713 s
3	And user change the Financial Year to "1st July - 30th June" Week Starting on to "Monday" Delay in Generation "1" Days and	PASSED	30.164 s
	Historical View as "10" Days		
4	Then user should get the success message as "Setting saved sucessfully"	PASSED	6.767 s

Create the accrual reports in the transactional section




#	Step / Hook Details	Status	Duration
1	Given User navigates to reports module	PASSED	5.376 s
2	When user selects "transactional" and click on add new view and add the report name as "Spend points report"	PASSED	8.694 s
3	And add the report column as "Transaction Id" "Transaction Amount" "Relation Reference" "Points Issued" "Transaction Date"	PASSED	56.184 s
	"Processing Date" "Type" "Product Code" "Sub Product Code" "Narration" "Points Spoiled" "Merchant Name" "Transaction		
	Count" "Impacted Members" "Total Points Issued" "Total Amount" "Total Points Spoiled"		
4	And add the filter as "Credit by accrual" "Credit by bonus" "Debit By Bonus" "Debit By Cashback"	PASSED	12.396 s
5	And select the period of generation as "Daily" "Weekly" "Monthly" "Quarterly" "Yearly"	PASSED	22.621 s
6	And clicks on the "Save" button	PASSED	3.080 s

DETAILED SECTION -- 16 --


	#	Step / Hook Details	Status	Duration
-	7	Then user should get the success message as "Report saved successfully"	PASSED	10.874 s

Validate the recently created report in the transactional section



#	Step / Hook Details	Status	Duration
1	When user validate the existing report "Spend points report" and click on "View"	PASSED	22.910 s


Delete the recently created accrual reports in the transactional section



#	Step / Hook Details	Status	Duration
1	When user validate the existing report "Spend points report" and click on "Delete"	PASSED	14.165 s
2	Then user should get the success message as "Report deleted successfully"	PASSED	1.025 s


Create the accrual reports in the transactional section

DETAILED SECTION -- 17 --



#	Step / Hook Details	Status	Duration
1	When user selects "Communication" and click on add new view and add the report name as "Email and SMS communication	PASSED	7.934 s
	report"		
2	And add the report column as "Template Name" "Email Status" "SMS Status" "Date Email/SMS Sent" "Communication Channel"	PASSED	1 m 12.815 s
	"Member ID" "PhoneNumber" "Member Name" "Email" "Total Communication Sent" "Total Success Delivery" "Total Failed		
	Delivery"		
3	And add the filter as "SMS Communication Channel" "Email Communication Channel"	PASSED	10.122 s
4	And select the period of generation as "Daily" "Weekly" "Monthly" "Quarterly" "Yearly"	PASSED	18.265 s
5	And clicks on the "Save" button	PASSED	2.872 s
6	Then user should get the success message as "Report saved successfully"	PASSED	47.359 s


View the recently created communication report in the communication section



#	Step / Hook Details	Status	Duration
1	When user validate the existing report "Email and SMS communication report" and click on "View"	PASSED	20.856 s


Delete the recently created accrual reports in the transactional section

DETAILED SECTION -- 18 --



#	Step / Hook Details	Status	Duration
1	When user validate the existing report "Email and SMS communication report" and click on "Delete"	PASSED	13.547 s
2	Then user should get the success message as "Report deleted sucessfully"	PASSED	0.001 s

Create the accrual reports in the transactional section




#	Step / Hook Details	Status	Duration
1	Given User navigates to reports module	PASSED	6.482 s
2	When user selects "Members" and click on add new view and add the report name as "Members report"	PASSED	13.583 s
3	And add the report column as "Member ID" "Member Name" "Email" "Phone Number" "Segment Tag" "Enrollment Date" "Tier"	PASSED	1 m 22.479 s
	"Status" "DOB" "Gender" "Address" "Points Available" "Points Expired" "Points Redeemed" "Last Transaction" "Total		
	Transactions" "Total Members" "Total Points Issued" "Total Points Redeemed" "Total Points Expired"		
4	And select the period of generation as "Daily" "Weekly" "Monthly" "Quarterly" "Yearly"	PASSED	21.607 s
5	And user click on the Add Filters link	PASSED	5.595 s
6	And select the "Age" filter	PASSED	1.633 s
7	And select operator "Is less than or equal to" then enter values1 "20" and click Add Filter button	PASSED	10.267 s
8	And click on apply filter button and validate the filters	PASSED	4.448 s
9	And clicks on the "Save" button	PASSED	5.562 s

DETAILED SECTION -- 19 --


7	# Step / Hook Details	Status	Duration
10	Then user should get the success message as "Report saved successfully"	PASSED	15.189 s

Download the recently created accrual reports in the transactional section



#	Step / Hook Details	Status	Duration
1	When user validate the existing report "Members report" and click on "View"	PASSED	19.213 s


Delete the recently created accrual reports in the transactional section



#	Step / Hook Details	Status	Duration
1	When user validate the existing report "Members report" and click on "Delete"	PASSED	15.380 s
2	Then user should get the success message as "Report deleted successfully"	PASSED	0.001 s

View the logs by using search file name and select the require date and check the logs details

DETAILED SECTION -- 20 --




#	Step / Hook Details	Status	Duration
1	Given User navigates to reports module	PASSED	4.691 s
2	When user click on the logs section and search the file name by entering from date as "11/25/2023" and to date as "01/01/2024"	PASSED	49.069 s
3	And user search the file name as "1812202325p5TXN" and validate the result	PASSED	6.326 s

Tiers feature

cenarios	Steps	
otal - 5	Total - 18	
ass - 5 5	Pass - 18	18
ail - 0	Fail - 0	10
kip - 0	Skip - 0	
a: ai	ss - 5 II - 0	ss - 5 II - 0

Create a new tier




#	Step / Hook Details	Status	Duration
1	Given User navigates to tier module	PASSED	3.488 s
2	When user clicks on the Enable Tiers or Add a New Tier button	PASSED	18.549 s

DETAILED SECTION -- 21 --


#	Step / Hook Details	Status	Duration
3	And User navigates to create new tier page and select the "Silver" tier icon	PASSED	12.732 s
4	And enter tier name as "Silver" multiplier as "1.25" milestone as "1000" bonus as "10" and click "Launch"	PASSED	37.001 s
5	Then user gets the success message as "Tiers has been successfully enabled"	PASSED	0.001 s

create second Tier



#	Step / Hook Details	Status	Duration
1	When user clicks on the Enable Tiers or Add a New Tier button	PASSED	18.524 s
2	And User navigates to create new tier page and select the "Platinum" tier icon	PASSED	14.771 s
3	And enter tier name as "Platinum" multiplier as "1.5" milestone as "20000" bonus as "20" and click "Launch"	PASSED	37.789 s
4	Then user gets the success message as "Tiers has been successfully enabled"	PASSED	0.003 s

Edit Tier




#	Step / Hook Details	Status	Duration
1	Then user validates "Platinum" tier and clicks "Edit"	PASSED	16.548 s
2	When User navigates to create new tier page and select the "Bronze" tier icon	PASSED	18.129 s
3	And enter tier name as "Titanium" multiplier as "2" milestone as "50000" bonus as "200" and click "Update"	PASSED	58.477 s

DETAILED SECTION -- 22 --


#	Step / Hook Details	Status	Duration
4	Then user gets the success message as "Tier Updated Successfully"	PASSED	0.004 s

Delete Tier




#	Step / Hook Details	Status	Duration
1	Then user validates "Titanium" tier and clicks "Delete"	PASSED	26.086 s
2	Then user should navigate to tier lists page along with success message "Titanium" "tier has been successfully deleted"	PASSED	0.000 s

Tier Settings




#	Step / Hook Details	Status	Duration
1	Given User navigates to tier module	PASSED	4.033 s
2	When user change the tier settings timeframe	PASSED	9.991 s
3	Then user gets the success message as "Tier Setting Updated Successfully"	PASSED	3.317 s

Add new program & platform configuration



Test and verify Add new program



#	Step / Hook Details	Status	Duration
1	Then click on the profile section	PASSED	6.838 s
2	Then click on Add new program	PASSED	1.045 s
3	Then Add "Automation" "Program" "automation@gmail.com" "+91" "9860979070"	PASSED	25.288 s
4	Then Click on continue button	PASSED	1.652 s


Test and verify Add company deatils

PASSED DURATION - 39.507 s			-		Steps		
/	30-	 			Total - 2		
/ 4:35:50.153 pm // 4:36:29.660 pm /	20-	 			Pass - 2		A
Add new program & platform configuration	10-	 			Fail - 0	2	
	10				Skip - 0		<i>!</i>
@ConfigurationSmoketest1	0 -	 					
		1	2				

#	Step / Hook Details	Status	Duration
1	Then Add company deatils "Automation" "Automation.com" "Pune" "South" "India"	PASSED	36.122 s


#	Step / Hook Details	Status	Duration
2	Then Click on continue button	PASSED	3.379 s

Test and verify Add Program details



#	Step / Hook Details	Status	Duration
1	Then Add Program name	PASSED	0.996 s
2	Then Add Program Logo	PASSED	3.910 s
3	Then Select Base Currency "? - Indian Rupees"	PASSED	3.979 s
4	Then Click on continue button	PASSED	4.547 s


Test and verify Points Configuration details



#	Step / Hook Details	Status	Duration
1	Then Add Points Terminology as "1" "11" "1"	PASSED	6.404 s
2	Then Select Point Expiration Period as "Quarterly"	PASSED	5.761 s
3	Then Add Cashback Rate "10.7" Customer Purchase Rate "5.5" Redemption Rate "10"	PASSED	7.300 s
4	Then Click on Create program	PASSED	1.887 s
5	Then Click on Done	FAILED	29.238 s

#	Step / Hook Details	Status	Duration
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebElement.click()" because the return value of "resources.BrowserUtils. findAndWaitForElement(org.openqa.selenium.WebElement)" is null at resources.BrowserUtils.clickElement(BrowserUtils.java:69) at stepDefinition.ConfigurationsStepDefinition.Click_on_Done(ConfigurationsStepDefinition.java:171) at ?.Click on Done(file:///Users/basavaraj/Automation/Pramod/v2/LBMSCloud/src/test/java/features/Zconfiguration.feature:30) * Not displayable characters are replaced by '?'.		
	AFTER - stepDefinition.Hooks.takeScreenShotOnFailure(io.cucumber.java.Scenario)	PASSED	0.738 s
	Test and verify Points Configuration details NOT FOUND		

Test and Select newly created program & Verify Configurations details



#	Step / Hook Details	Status	Duration
1	Then click on the profile section using	FAILED	0.003 s
	Step undefined		
2	Then Click on recently created program	SKIPPED	0.006 s
3	Then Click on Configurations	SKIPPED	0.000 s
4	Then Click on Organisation	SKIPPED	0.000 s


DETAILED SECTION -- 26 --

#	Step / Hook Details	Status	Duration
5	Then Edit basic details As "NewProgram" "Program" "www@xoxoday.com" "9545002222"	SKIPPED	0.000 s
6	Then Edit company details As "NewProgram" "Program" "www@xoxoday.com" "9545002222"	SKIPPED	0.000 s
7	When Click on Program	SKIPPED	0.001 s
8	Then Verify Program Name	SKIPPED	0.000 s
9	Then Click on Program Details try to edit then cancel "XYZ"	SKIPPED	0.000 s
10	Then Click on Point Definition try to edit then cancel "Point" "Points" "1.5" "0.5" "0.10"	SKIPPED	0.000 s
11	Then Click on Marketplace	SKIPPED	0.000 s
12	Then Click on Communication try to edit then cancel "Xoxoday" "xoxoday@xoxoday.com"	SKIPPED	0.000 s

Member search feature

FAILED	DURATION - 1 m 50.978 s	Scenarios		Steps	
		Total - 16		Total - 56	
/ 4:37:34.661 pm //	4:39:25.639 pm /	Pass - 0	16	Pass - 0	56
		Fail - 16	10	Fail - 16	30
		Skip - 0		Skip - 40	

Profile click and Program selection




	#	Step / Hook Details	Status	Duration
1	L	Then click on the profile section	FAILED	3.252 s
		org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <div class="profilestylesStyledProfileBox-sc-1k9flwi-0 ivnDVX"></div> is not clickable at point (1364, 40). Other element would receive the click: <div class="sc-fifgRP kyjGhX"></div> (Session info: chrome=120.0.6099.129) Build info: version: '4.16.1', revision: '9b4c83354e' System info: os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '14.2.1', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [beb585a306c89bbee73662bf1f40303c, clickElement {id=2E844213C39F3673FCB7DE8738290330_element_79}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.129, chrome: {chromedriverVersion: 120.0.6099.109}		

DETAILED SECTION -- 27 --

#	Step / Hook Details	Status	Duration
	(3419140ab66, userDataDir: /var/folders/nj/n_9gw81j7mq}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress:		
	localhost:62598}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp:		
	ws://localhost:62598/devtoo, se:cdpVersion: 120.0.6099.129, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0,		
	pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators:		
	true} Element: [[ChromeDriver: chrome on mac (beb585a306c89bbee73662bf1f40303c)] -> xpath:		
	//div[@class='profilestyles StyledProfileBox-sc-1k9flwi-0 ivnDVX']] Session ID: beb585a306c89bbee73662bf1f40303c		
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)		
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)		
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)		
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:523)		
	at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:224)		
	at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77)		
	at jdk.internal.reflect.GeneratedMethodAccessor101.invoke(Unknown Source)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:568)		
	at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:51)		
	at jdk.proxy2/jdk.proxy2.\$Proxy27.click(Unknown Source)		
	at resources.BrowserUtils.clickElement(BrowserUtils.java:69)		
	at stepDefinition.LoginStepDefinition.click_on_the_profile_section_using_something(LoginStepDefinition.java:57)		
	at ?.click on the profile section(file:///Users/basavaraj/Automation/Pramod/v2/LBMSCloud/src/test/java/features/membersearch.feature:6)		
	* Not displayable characters are replaced by '?'.		
2	Then select the program "A program four"	SKIPPED	0.003 s
	AFTER - stepDefinition.Hooks.takeScreenShotOnFailure(io.cucumber.java.Scenario)	PASSED	0.293 s
	Profile click and Program selection		

#	Step / Hook Details	Status	Duration
	NOT FOUND		




#	Step / Hook Details	Status	Duration
1	Given Naviagte to member search module	FAILED	2.477 s
	org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element is not clickable at point (78, 168). Other element would receive the click: <div class="sc-fifgRP kyjGhX"></div> (Session info: chrome=120.0.6099.129) Build info: version: '4.16.1', revision: '9b4c83354e' System info: os.name: 'Mac OS X', os.arch: 'x86_64', os. version: '14.2.1', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [beb585a306c89bbee73662bf1f40303c, clickElement {id=2E844213C39F3673FCB7DE8738290330_element_936}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.129, chrome: {chromedriverVersion: 120.0.6099.109 (3419140ab66, userDataDir: /var/folders/nj/n_9gw81j7mq}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:62598}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:62598/devtoo, se:cdpVersion: 120.0.6099.129, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on mac (beb585a306c89bbee73662bf1f40303c] -> xpath: //span[text()='Members']] Session ID: beb585a306c89bbee73662bf140303c at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(NativeConstructorAccessorImpl.java:77)		

DETAILED SECTION -- 29 --

#	Step / Hook Details	Status	Duration
	at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:523) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:224) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77) at jdk.internal.reflect.GeneratedMethodAccessor101.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:51) at jdk.proxy2/jdk.proxy2.\$Proxy27.click(Unknown Source) at resources.BrowserUtils.clickElement(BrowserUtils.java:69) at stepDefinition.MemberSearchStepDefinition.NavigateToMemberSearch(MemberSearchStepDefinition.java:20) at ?.Naviagte to member search module(file:///Users/basavaraj/Automation/Pramod/v2/LBMSCloud/src/test/java/features/membersearch.feature:11) * Not displayable characters are replaced by '?'.		
2	When enter different search "name" and "MRF 01"	SKIPPED	0.002 s
3	Then click on the first search result	SKIPPED	0.004 s
4	Then Validate the following details "name" and "MRF 01"	SKIPPED	0.001 s
	AFTER - stepDefinition.Hooks.takeScreenShotOnFailure(io.cucumber.java.Scenario) Navigate to member search module, enter different search string and validate the result NOT FOUND	PASSED	0.304 s


DETAILED SECTION -- 30 --



#	Step / Hook Details	Status	Duration
1	Given Naviagte to member search module	FAILED	2.428 s
1	Given Naviagte to member search module org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element 	FAILED	2.428 s


DETAILED SECTION

#	Step / Hook Details	Status	Duration
	at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:51) at jdk.proxy2/jdk.proxy2.\$Proxy27.click(Unknown Source) at resources.BrowserUtils.clickElement(BrowserUtils.java:69) at stepDefinition.MemberSearchStepDefinition.NavigateToMemberSearch(MemberSearchStepDefinition.java:20) at ?.Naviagte to member search module(file:///Users/basavaraj/Automation/Pramod/v2/LBMSCloud/src/test/java/features/membersearch. feature:11) * Not displayable characters are replaced by '?'.		
2	When enter different search "member_ref_no" and "MRF01"	SKIPPED	0.002 s
3	Then click on the first search result	SKIPPED	0.000 s
4	Then Validate the following details "member_ref_no" and "MRF01"	SKIPPED	0.001 s
	AFTER - stepDefinition.Hooks.takeScreenShotOnFailure(io.cucumber.java.Scenario)	PASSED	0.284 s
	Navigate to member search module, enter different search string and validate the result		
	NOT FOUND		



#	Step / Hook Details	Status	Duration
1	Given Naviagte to member search module	FAILED	1.711 s
	org openqa.selenium.ElementClickInterceptedException: element click intercepted: Element 		
2	When enter different search "mobile" and "9036820287"	SKIPPED	0.001 s
3	Then click on the first search result	SKIPPED	0.000 s
4	Then Validate the following details "mobile" and "9036820287"	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
	AFTER - stepDefinition.Hooks.takeScreenShotOnFailure(io.cucumber.java.Scenario)	PASSED	0.266 s
	Navigate to member search module, enter different search string and validate the result		
	NOT FOUND		




#	Step / Hook Details	Status	Duration
1	Given Naviagte to member search module	FAILED	1.768 s
	org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element is not clickable at point (78, 168). Other element would receive the click: <div class="sc-fifgRP kyjGhX"></div> (Session info: chrome=120.0.6099.129) Build info: version: '4.16.1', revision: '9b4c83354e' System info: os.name: 'Mac OS X', os.arch: 'x86_64', os. version: '14.2.1', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [beb585a306c89bbee73662bf1f40303c, clickElement {id=2E844213C39F3673FCB7DE8738290330_element_936}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.129, chrome: {chromedriverVersion: 120.0.6099.109 (3419140ab66, userDataDir: /var/folders/nj/n_9gw81j7mq}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:62598}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:62598/devtoo, se:cdpVersion: 120.0.6099.129, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on mac (beb585a306c89bbee73662bf1f40303c)] -> xpath: //span[text()='Members']] Session ID: beb585a306c89bbee73662bf1f40303c		

#	Step / Hook Details	Status	Duration
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstanceO(Native Method)		
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)		
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)		
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:523)		
	at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:224)		
	at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77)		
	at jdk.internal.reflect.GeneratedMethodAccessor101.invoke(Unknown Source)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:568)		
	at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:51)		
	at jdk.proxy2/jdk.proxy2.\$Proxy27.click(Unknown Source)		
	at resources.BrowserUtils.clickElement(BrowserUtils.java:69)		
	at stepDefinition.MemberSearchStepDefinition.NavigateToMemberSearch(MemberSearchStepDefinition.java:20)		
	at ?.Naviagte to member search module(file:///Users/basavaraj/Automation/Pramod/v2/LBMSCloud/src/test/java/features/membersearch.		
	feature:11)		
	* Not displayable characters are replaced by '?'.		
2	When enter different search "email" and "pramod.brs@xoxoday.com"	SKIPPED	0.001 s
3	Then click on the first search result	SKIPPED	0.000 s
4	Then Validate the following details "email" and "pramod.brs@xoxoday.com"	SKIPPED	0.001 s
	AFTER - stepDefinition.Hooks.takeScreenShotOnFailure(io.cucumber.java.Scenario)	PASSED	0.258 s
	Navigate to member search module, enter different search string and validate the result		

#	Step / Hook Details	Status	Duration
	NOT FOUND		

issue manual credit/debit points




#	Step / Hook Details	Status	Duration
1	Given Naviagte to member search module	FAILED	2.273 s
	org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element is not clickable at point (78, 168). Other element would receive the click: <div class="sc-fifgRP kyjGhX"></div> (Session info: chrome=120.0.6099.129) Build info: version: '4.16.1', revision: '9b4c83354e' System info: os.name: 'Mac OS X', os.arch: 'x86_64', os. version: '14.2.1', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [beb585a306c89bbee73662bf1f40303c, clickElement {id=2E844213C39F3673FCB7DE8738290330_element_936}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.129, chrome: {chromedriverVersion: 120.0.6099.109 (3419140ab66, userDataDir: /var/folders/nj/n_9gw81j7mq}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:62598}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:62598/devtoo, se:cdpVersion: 120.0.6099.129, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on mac (beb585a306c89bbee73662bf1f40303c)] -> xpath: //span[text()='Members']] Session ID: beb585a306c89bbee73662bf1f40303c at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(NativeConstructorAccessorImpl.java:77)		

DETAILED SECTION -- 36 --

#	Step / Hook Details	Status	Duration
	at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.Service.DriverCommandExecutor.execute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.Service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:523) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:224) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77) at jdk.internal.reflect.GeneratedMethodAccessor101.invoke(Unknown Source) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:51) at jdk.proxy2/jdk.proxy2.\$Proxy27.click(Unknown Source) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at sepDefinition.MemberSearchStepDefinition.NavigateToMemberSearch(MemberSearchStepDefinition.java:20) at stepDefinition.MemberSearchStepDefinition.NavigateToMemberSearch(MemberSearchStepDefinition.java:20) * Not displayable characters are replaced by '?'. * Not displayable characters are replaced by '?'.		
2	When search member "MRF01"	SKIPPED	0.000 s
3	Then click on the first search result	SKIPPED	0.007 s
4	Then click on Actions	SKIPPED	0.001 s
5	Then issue manual "Debit" point of "25" with "TestDebit"	SKIPPED	0.000 s
	AFTER - stepDefinition.Hooks.takeScreenShotOnFailure(io.cucumber.java.Scenario) issue manual credit/debit points NOT FOUND	PASSED	0.566 s

DETAILED SECTION -- 37 --

issue manual credit/debit points




#	Step / Hook Details	Status	Duration
1	Given Naviagte to member search module	FAILED	1.918 s
1	Given Naviagte to member search module org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element 	FAILED	1.918 s

DETAILED SECTION -- 38 --

#	Step / Hook Details	Status	Duration
	at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:51) at jdk.proxy2/jdk.proxy2.\$Proxy27.click(Unknown Source) at resources.BrowserUtils.clickElement(BrowserUtils.java:69) at stepDefinition.MemberSearchStepDefinition.NavigateToMemberSearch(MemberSearchStepDefinition.java:20) at ?.Naviagte to member search module(file:///Users/basavaraj/Automation/Pramod/v2/LBMSCloud/src/test/java/features/membersearch. feature:25) * Not displayable characters are replaced by '?'.		
2	When search member "MRF01"	SKIPPED	0.000 s
3	Then click on the first search result	SKIPPED	0.000 s
4	Then click on Actions	SKIPPED	0.001 s
5	Then issue manual "Credit" point of "60" with "TestCredit"	SKIPPED	0.002 s
	AFTER - stepDefinition.Hooks.takeScreenShotOnFailure(io.cucumber.java.Scenario)	PASSED	0.259 s
	issue manual credit/debit points		
	NOT FOUND		

Suspend member




#	Step / Hook Details	Status	Duration
1	Given Naviagte to member search module	FAILED	1.670 s
	org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element ,/span*: is not clickable at point (78, 168). Other element would receive the click: <div class="so-fligft kyigfnx">,/div> (Session into: chrome=120.0.6099 1.29) Build info; version: '14.6.1', izvasion: 'pbd-683354e' System info: os.name: 'Mac OS X', os. arch: 'x86, 64', os. version: '14.2.1', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [beb585a30689bbe73662bf140303c; clickElement (ide=2E844213C399-3673FCB7DE783290330, element, '936)] Capabilities (acceptinsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.129, chrome: (chromedriverVersion: 120.0.6099.109 (34,19140ab66, userDataDir: /var/folders/ni/n_9w81/7mq), fedcm:accounts: true, googs.chromeOptions: (debuggerAddress: localhost-62598], networkConnectionEnabled: false, paget.oad'Strategy: normal, platformName: mac, proxy: Proxy(), sec.dp: ws://localhost-62598/idevtoo, sec.up/version: 120.0.6099.129, setWindowRect: true, strictFieIniteractability: false, timeouts: (implicit: 0, paget.oad: 300000), script 300000, uniquedeforomptBehavior: dismiss and notify, webauthn:extension:prif: true, strue, prif: true, prif: t</div>		
2	When search member "MRF01"	SKIPPED	0.001 s
3	Then click on the first search result	SKIPPED	0.001 s
4	Then click on Actions	SKIPPED	0.000 s

DETAILED SECTION -- 40 --

#	Step / Hook Details	Status	Duration
5	Then click on suspend and confirm	SKIPPED	0.000 s
	AFTER - stepDefinition.Hooks.takeScreenShotOnFailure(io.cucumber.java.Scenario)	PASSED	0.279 s
	Suspend member		
	NOT FOUND		

Re-Actiavte member




#	Step / Hook Details	Status	Duration
1	Given Naviagte to member search module	FAILED	1.766 s
	org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element is not clickable at point (78, 168). Other element would receive the click: <div class="sc-fifgRP kyjGhX"></div> (Session info: chrome=120.0.6099.129) Build info: version: '4.16.1', revision: '9b4c83354e' System info: os.name: 'Mac OS X', os.arch: 'x86_64', os. version: '14.2.1', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [beb585a306c89bbee73662bf1f40303c, clickElement {id=2E844213C39F3673FCB7DE8738290330_element_936}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.129, chrome: {chromedriverVersion: 120.0.6099.109 (3419140ab66, userDataDir: /var/folders/nj/n_9gw81j7mq}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:62598}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:62598/devtoo, se:cdpVersion: 120.0.6099.129, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:virtualAuthenticators:		

#	Step / Hook Details	Status	Duration
	true} Element: [[ChromeDriver: chrome on mac (beb585a306c89bbee73662bf1f40303c)] -> xpath: //span[text()='Members']] Session ID:		
	beb585a306c89bbee73662bf1f40303c		
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)		
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)		
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)		
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:523)		
	at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:224)		
	at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77)		
	at jdk.internal.reflect.GeneratedMethodAccessor101.invoke(Unknown Source)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:568)		
	at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:51)		
	at jdk.proxy2/jdk.proxy2.\$Proxy27.click(Unknown Source)		
	at resources.BrowserUtils.clickElement(BrowserUtils.java:69)		
	at stepDefinition.MemberSearchStepDefinition.NavigateToMemberSearch(MemberSearchStepDefinition.java:20)		
	at ?.Naviagte to member search module(file:///Users/basavaraj/Automation/Pramod/v2/LBMSCloud/src/test/java/features/membersearch. feature:46)		
	* Not displayable characters are replaced by '?'.		
		CKIDDED	0.001 -
2	When search member "MRF01"	SKIPPED	0.001 s
3	Then click on the first search result	SKIPPED	0.000 s
4	Then click on Actions	SKIPPED	0.000 s
5	Then click on Re-Activate	SKIPPED	0.001 s
	AFTER - stepDefinition.Hooks.takeScreenShotOnFailure(io.cucumber.java.Scenario)	PASSED	0.340 s
	Re-Actiavte member		

#	Step / Hook Details	Status	Duration
	NOT FOUND		

Check Audit log for a member




#	Step / Hook Details	Status	Duration
1	Given Naviagte to member search module	FAILED	1.885 s
	org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element is not clickable at point (78, 168). Other element would receive the click: <div class="sc-fifgRP kyjGhX"></div> (Session info: chrome=120.0.6099.129) Build info: version: '4.16.1', revision: '9b4c83354e' System info: os.name: 'Mac OS X', os.arch: 'x86_64', os. version: '14.2.1', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [beb585a306c89bbee73662bf1f40303c, clickElement {id=2E844213C39F3673FCB7DE8738290330_element_936}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.129, chrome: {chromedriverVersion: 120.0.6099.109 (3419140ab66, userDataDir: /var/folders/nj/n_9gw81j7mq}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:62598}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:62598/devtoo, se:cdpVersion: 120.0.6099.129, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on mac (beb585a306c89bbee73662bf1f40303c] -> xpath: //span[text()='Members']] Session ID: beb585a306c89bbee73662bf140303c at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(NativeConstructorAccessorImpl.java:77)		

DETAILED SECTION -- 43 --

#	Step / Hook Details	Status	Duration
	at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.Service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:223) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:77) at jdk.internal.reflect.GeneratedMethodAccessor101.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:51) at jdk.proxy2/jdk.proxy2.\$Proxy27.click(Unknown Source) at resources.BrowserUtils.clickElement(BrowserUtils.java:69) at stepDefinition.MemberSearchStepDefinition.NavigateToMemberSearch(MemberSearchStepDefinition.java:20) at ?.Naviagte to member search module(file:///Users/basavaraj/Automation/Pramod/v2/LBMSCloud/src/test/java/features/membersearch.feature:54)		
2	When search member "MRF01"	SKIPPED	0.007 s
3	Then click on the first search result	SKIPPED	0.002 s
4	And click on Audit_log	SKIPPED	0.001 s
	AFTER - stepDefinition.Hooks.takeScreenShotOnFailure(io.cucumber.java.Scenario) Check Audit log for a member NOT FOUND	PASSED	0.259 s

DETAILED SECTION -- 44 --


Search transactions for member using date range



DETAILED SECTION -- 45 --

#	Step / Hook Details	Status	Duration
	at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:51) at jdk.proxy2/jdk.proxy2.\$Proxy27.click(Unknown Source) at resources.BrowserUtils.clickElement(BrowserUtils.java:69) at stepDefinition.MemberSearchStepDefinition.NavigateToMemberSearch(MemberSearchStepDefinition.java:20) at ?.Naviagte to member search module(file:///Users/basavaraj/Automation/Pramod/v2/LBMSCloud/src/test/java/features/membersearch. feature:61) * Not displayable characters are replaced by '?'.		
2	When search member "MRF01"	SKIPPED	0.001 s
3	Then click on the first search result	SKIPPED	0.000 s
4	And Enter "11/30/2023" "12/29/2023" and click on Search	SKIPPED	0.001 s
	AFTER - stepDefinition.Hooks.takeScreenShotOnFailure(io.cucumber.java.Scenario)	PASSED	0.265 s
	Search transactions for member using date range		
	NOT FOUND		


Navigate to member search and click on manage attribute link



DETAILED SECTION -- 46 --


#	Step / Hook Details	Status	Duration
1	Given Naviagte to member search module	FAILED	1.624 s
	org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element 		
2	When click on manage member attributes link	SKIPPED	0.001 s
	AFTER - stepDefinition.Hooks.takeScreenShotOnFailure(io.cucumber.java.Scenario)	PASSED	0.274 s
	Navigate to member search and click on manage attribute link		

#	Step / Hook Details	Status	Duration
	NOT FOUND		




#	Step / Hook Details	Status	Duration
1	When click on Add new custom attribute link	FAILED	20.127 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebElement.click()" because the return value of "resources.BrowserUtils. findAndWaitForElement(org.openqa.selenium.WebElement)" is null at resources.BrowserUtils.clickElement(BrowserUtils.java:69) at stepDefinition.MemberSearchStepDefinition.click_on_Add_new_custom_attribute_link(MemberSearchStepDefinition.java:143) at ?.click on Add new custom attribute link(file:///Users/basavaraj/Automation/Pramod/v2/LBMSCloud/src/test/java/features/membersearch. feature:75) * Not displayable characters are replaced by '?'.		
2	Then Enter value "String_FF" "String_FF" "String" "false"	SKIPPED	0.000 s
	AFTER - stepDefinition.Hooks.takeScreenShotOnFailure(io.cucumber.java.Scenario)	PASSED	0.285 s
	Create different member attributes using manage_member_attribute		

#	Step / Hook Details	Status	Duration
	NOT FOUND		




#	Step / Hook Details	Status	Duration
1	When click on Add new custom attribute link	FAILED	20.127 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebElement.click()" because the return value of "resources.BrowserUtils.findAndWaitForElement(org.openqa.selenium.WebElement)" is null at resources.BrowserUtils.clickElement(BrowserUtils.java:69) at stepDefinition.MemberSearchStepDefinition.click_on_Add_new_custom_attribute_link(MemberSearchStepDefinition.java:143) at ?.click on Add new custom attribute link(file:///Users/basavaraj/Automation/Pramod/v2/LBMSCloud/src/test/java/features/membersearch.feature:75) * Not displayable characters are replaced by '?'.		
2	Then Enter value "Number_TF" "Number_TF" "Numbers" "false" "true"	SKIPPED	0.000 s
	AFTER - stepDefinition.Hooks.takeScreenShotOnFailure(io.cucumber.java.Scenario)	PASSED	0.644 s
	Create different member attributes using manage_member_attribute		

#	Step / Hook Details	Status	Duration
	NOT FOUND		



#	Step / Hook Details	Status	Duration
1	When click on Add new custom attribute link	FAILED	20.058 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebElement.click()" because the return value of "resources.BrowserUtils. findAndWaitForElement(org.openqa.selenium.WebElement)" is null at resources.BrowserUtils.clickElement(BrowserUtils.java:69) at stepDefinition.MemberSearchStepDefinition.click_on_Add_new_custom_attribute_link(MemberSearchStepDefinition.java:143) at ?.click on Add new custom attribute link(file:///Users/basavaraj/Automation/Pramod/v2/LBMSCloud/src/test/java/features/membersearch. feature:75) * Not displayable characters are replaced by '?'.		
2	Then Enter value "DATE_FT" "DATE_FT" "Decimals" "true" "false"	SKIPPED	0.000 s
	AFTER - stepDefinition.Hooks.takeScreenShotOnFailure(io.cucumber.java.Scenario)	PASSED	0.262 s
	Create different member attributes using manage_member_attribute		

#	Step / Hook Details	Status	Duration
	NOT FOUND		




#	Step / Hook Details	Status	Duration
1	When click on Add new custom attribute link	FAILED	20.085 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebElement.click()" because the return value of "resources.BrowserUtils.findAndWaitForElement(org.openqa.selenium.WebElement)" is null at resources.BrowserUtils.clickElement(BrowserUtils.java:69) at stepDefinition.MemberSearchStepDefinition.click_on_Add_new_custom_attribute_link(MemberSearchStepDefinition.java:143) at ?.click on Add new custom attribute link(file:///Users/basavaraj/Automation/Pramod/v2/LBMSCloud/src/test/java/features/membersearch.feature:75) * Not displayable characters are replaced by '?'.		
2	Then Enter value "decimal_TT" "decimal_TT" "Date" "true"	SKIPPED	0.000 s
	AFTER - stepDefinition.Hooks.takeScreenShotOnFailure(io.cucumber.java.Scenario)	PASSED	0.985 s
	Create different member attributes using manage_member_attribute		

#	Step / Hook Details	Status	Duration
	NOT FOUND		

Member search filter feature

FAILED DURATION - 3.329 s	Scenarios		Steps	
	Total - 1		Total - 6	
/ 4:39:25.681 pm // 4:39:29.010 pm /	Pass - 0	1	Pass - 0	6
	Fail - 1	•	Fail - 1	
	Skip - 0		Skip - 5	

Apply any single filter with its respective operator and do a search



	#	Step / Hook Details	Status	Duration
1	L	Given Naviagte to member search module		3.037 s
		org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element is not clickable at point (78, 168). Other element would receive the click: <div class="sc-fifgRP kyjGhX"></div> (Session info: chrome=120.0.6099.129) Build info: version: '4.16.1', revision: '9b4c83354e' System info: os.name: 'Mac OS X', os.arch: 'x86_64', os. version: '14.2.1', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command:		

#	Step / Hook Details	Status	Duration
	Ibeb585a306c89bbee73662bf14d0303c, clickElement (id=2E844213C39F3673FCB7DE8738290330_element_936) Capabilities (acceptinsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.129, chrome: (chromedriverVersion: 120.0.6099.109 (3419140ab66) userDataDir: /var/folders/nj/n_9yw81/Tmq), fedem:accounts: true, gogo;chromeOptions: (debuggerAddress: localhost:62598), networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy0, sex.ctp; ws://localhost:62598/devtoo, sex.cdpVersion: 120.0.6099.129, setWindowRect: true, strictFileIntercataBills: false, timeouts: {implicit: 0, pageLoadStrategy: normal, platformName: mac, proxy: Proxy0, sex.ctp; ws://localhost:62598/devtoo, sex.cdpVersion: 120.0.6099.129, setWindowRect: true, strictFileIntercataBills: false, timeouts: {implicit: 0, pageLoadStrategy: normal, platformName: mac, proxy: Proxy0, sex.ctp; ws://localhost:62598/devtoo, sex.cdpVersion: 120.0.6099.129, setWindowRect: true, strictFileIntercataBills: false, timeouts: {implicit: 0, pageLoadStrategy: normal, platformName: mac, proxy: Proxy0, sex.ctp; ws://localhost:120.00000, row: acceptable.2000.1200.1200.1200.1200.1200.1200.120	Status	Duración
2	When click on filter option	SKIPPED	0.000 s
3	Then select "Age" filter	SKIPPED	0.000 s
4	Then Select operator "Is less than or equal to"	SKIPPED	0.000 s
5	Then Enter value1 "40" and value2 "2023-09-09" for operator "Is less than or equal to"	SKIPPED	0.000 s
6	Then click on apply filter button and validate the result	SKIPPED	0.001 s
	AFTER - stepDefinition.Hooks.takeScreenShotOnFailure(io.cucumber.java.Scenario)	PASSED	0.285 s
	Apply any single filter with its respective operator and do a search		

#	Step / Hook Details	Status	Duration
	NOT FOUND		