

Cucumber Report

01-Jan-2024, 4:02:19 pm

Start : Jan 01, 3:59:52.968 pm

End : Jan 01, 4:02:15.066 pm

Duration : 2 m 22.098 s

Features


Scenarios

Steps

PASSED - 1
FAILED - 1
SKIPPED - 0

PASSED - 1
FAILED - 2
SKIPPED - 0

PASSED - 8
FAILED - 2
SKIPPED - 4




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Login</u>	56.267 s	1	1	0	0	4	4	0	0
<u>Member search feature</u>	1 m 25.714 s	2	0	2	0	10	4	2	4

#	Feature Name	Scenario Name
1	<u>Member search feature</u>	<u>issue manual credit/debit points</u>
2		<u>issue manual credit/debit points</u>

TAG	Scenario				Feature			
Name	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>
@AppLoginSmoketest1	1	1	0	0	1	1	0	0
@MembserSmoketest3	2	0	2	0	1	0	1	0





#	Feature Name	T	P	F	S	Duration
1	<u>Login</u>	1	1	0	0	56.267 s
2	<u>Member search feature</u>	2	0	2	0	1 m 25.714 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Login</u>	<u>Intialize browser,login to the application</u>	4	4	0	0	56.260 s
2	<u>Member search feature</u>	<u>issue manual credit/debit points</u>	5	4	1	0	1 m 22.854 s
3		<u>issue manual credit/debit points</u>	5	0	1	4	2.812 s

Login



PASSED	DURATION - 56.267 s	Scenarios		Steps	
/ 3:59:52.968 pm // 4:00:49.235 pm /		Total - 1		Total - 4	
		Pass - 1		Pass - 4	
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

Intialize browser,login to the application



<div>PASSED</div> <div>DURATION - 56.260 s</div>	<div></div>	Steps	<div></div>
/ 3:59:52.975 pm // 4:00:49.235 pm /		Total - 4	
Login		Pass - 4	
		Fail - 0	
		Skip - 0	
@AppLoginSmoketest1			

#	Step / Hook Details	Status	Duration
1	Given Login to the application using username and password	PASSED	13.694 s
2	When validate if the title is "Giift LBMS"	PASSED	0.516 s
3	Then click on the profile section	PASSED	39.689 s
4	Then select the program "A program four"	PASSED	2.319 s

Member search feature

FAILED	DURATION - 1 m 25.714 s	Scenarios		Steps	
/ 4:00:49.352 pm // 4:02:15.066 pm /		Total - 2		Total - 10	
		Pass - 0		Pass - 4	
		Fail - 2		Fail - 2	
		Skip - 0		Skip - 4	



issue manual credit/debit points

<div>FAILED</div> <div>DURATION - 1 m 22.854 s</div>		<div></div>	<div>Steps</div> <div>Total - 5</div> <div>Pass - 4</div> <div>Fail - 1</div> <div>Skip - 0</div>	<div></div>
/ 4:00:49.355 pm // 4:02:12.209 pm /				
Member search feature				
@MembserSmoketest3				

#	Step / Hook Details	Status	Duration
1	Given Naviagte to member search module	PASSED	17.607 s
2	When search member "MRF01"	PASSED	26.367 s
3	Then click on the first search result	PASSED	1.995 s
4	Then click on Actions	PASSED	6.242 s
5	Then issue manual "Debit" point of "25" with "TestDebit"	FAILED	30.295 s
	<p>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//span[text()='Submit']} (Session info: chrome=120.0.6099.129) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.16.1', revision: '9b4c83354e' System info: os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '14.2.1', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [d82d641e3ab893e43e8ffa945cc7fbbe, findElement {using=xpath, value=//span[text()='Submit']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.129, chrome: {chromedriverVersion: 120.0.6099.109 (3419140ab66..., userDataDir: /var/folders/nj/n_9gw81j7mq...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:65358}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:65358/devtoo..., se:cdpVersion: 120.0.6099.129, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: d82d641e3ab893e43e8ffa945cc7fbbe</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:523) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)</p>		

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:360) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:354) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy27.isDisplayed(Unknown Source) at stepDefinition.MemberSearchStepDefinition.issue_manual_credit_point(MemberSearchStepDefinition.java:101) at ?.issue manual "Debit" point of "25" with "TestDebit"(file:///Users/basavaraj/Automation/Pramod/v2/LBMSCloud/src/test/java/features/membersearch.feature:29) * Not displayable characters are replaced by '?'. </pre>		
	<p>AFTER - stepDefinition.Hooks.takeScreenShotOnFailure(io.cucumber.java.Scenario)</p> <p>issue manual credit/debit points</p> 	PASSED	0.310 s

issue manual credit/debit points

<div>FAILED</div> <div>DURATION - 2.812 s</div>		<div></div>	<div>Steps</div> <div>Total - 5</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 4</div>	<div></div>
<div>/ 4:02:12.254 pm // 4:02:15.066 pm /</div>				
<div>Member search feature</div>				
<div>@MembserSmoketest3</div>				

#	Step / Hook Details	Status	Duration
1	<p>Given Naviagte to member search module</p> <pre> org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <span class="menu-text eui-menu- </pre>	FAILED	2.552 s

#	Step / Hook Details	Status	Duration
	<p>name">... is not clickable at point (78, 168). Other element would receive the click: <div class="sc-fifgRP kyjGhX">...</div> (Session info: chrome=120.0.6099.129) Build info: version: '4.16.1', revision: '9b4c83354e' System info: os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '14.2.1', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [d82d641e3ab893e43e8ffa945cc7fbbe, clickElement {id=9DAAAB9E077D821C775B172A2EF3BCFE_element_760}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.129, chrome: {chromedriverVersion: 120.0.6099.109 (3419140ab66..., userDataDir: /var/folders/nj/n_9gw81j7mq...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:65358}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:65358/devtoo..., se:cdpVersion: 120.0.6099.129, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on mac (d82d641e3ab893e43e8ffa945cc7fbbe)] -> xpath: //span[text()='Members']] Session ID: d82d641e3ab893e43e8ffa945cc7fbbe</p> <pre> at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:523) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:224) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:51) at jdk.proxy2/jdk.proxy2.\$Proxy27.click(Unknown Source) at resources.BrowserUtils.clickElement(BrowserUtils.java:69) at stepDefinition.MemberSearchStepDefinition.NavigateToMemberSearch(MemberSearchStepDefinition.java:20) at ?.Naviagte to member search module(file:///Users/basavaraj/Automation/Pramod/v2/LBMSCloud/src/test/java/features/membersearch.feature:25) </pre> <p>* Not displayable characters are replaced by '?'. </p>		
2	When search member "MRF01"	SKIPPED	0.003 s
3	Then click on the first search result	SKIPPED	0.009 s
4	Then click on Actions	SKIPPED	0.000 s
5	Then issue manual "Credit" point of "60" with "TestCredit"	SKIPPED	0.001 s

#	Step / Hook Details	Status	Duration
	AFTER - stepDefinition.Hooks.takeScreenShotOnFailure(io.cucumber.java.Scenario)	PASSED	0.241 s
	issue manual credit/debit points		
	