

Cucumber Report

02-Jan-2024, 1:27:56 pm

Start : Jan 02, 1:11:59.652 pm

End : Jan 02, 1:27:52.158 pm

Duration : 15 m 52.506 s

Features



Scenarios

Steps

PASSED - 1
FAILED - 5
SKIPPED - 0

PASSED - 11
FAILED - 27
SKIPPED - 0

PASSED - 47
FAILED - 27
SKIPPED - 73




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Login</u>	57.370 s	1	1	0	0	4	4	0	0
<u>Reports feature</u>	11 m 47.201 s	11	9	2	0	39	37	2	0
<u>Tiers feature</u>	2 m 57.590 s	5	1	4	0	18	6	4	8
<u>Add new program & platform configuration</u>	1.236 s	5	0	5	0	26	0	5	21
<u>Member search feature</u>	8.241 s	15	0	15	0	54	0	15	39
<u>Member search filter feature</u>	0.528 s	1	0	1	0	6	0	1	5

#	Feature Name	Scenario Name
1	<u>Reports feature</u>	<u>Validate the recently created report in the transactional section</u>
2		<u>Download the recently created accrual reports in the transactional section</u>
3	<u>Tiers feature</u>	<u>create second Tier</u>
4		<u>Edit Tier</u>
5		<u>Delete Tier</u>
6		<u>Tier Settings</u>
7	<u>Add new program & platform configuration</u>	<u>Test and verify Add new program</u>
8		<u>Test and verify Add company details</u>
9		<u>Test and verify Add Program details</u>
10		<u>Test and verify Points Configuration details</u>
11		<u>Test and Select newly created program & Verify Configurations details</u>
12	<u>Member search feature</u>	<u>Navigate to member search module, enter different search string and validate the result</u>


#	Feature Name	Scenario Name
13	<u>Member search feature</u>	<u>Navigate to member search module, enter different search string and validate the result</u>
14		<u>Navigate to member search module, enter different search string and validate the result</u>
15		<u>Navigate to member search module, enter different search string and validate the result</u>
16		<u>issue manual credit/debit points</u>
17		<u>issue manual credit/debit points</u>
18		<u>Suspend member</u>
19		<u>Re-Activate member</u>
20		<u>Check Audit log for a member</u>
21		<u>Search transactions for member using date range</u>
22		<u>Navigate to member search and click on manage attribute link</u>
23		<u>Create different member attributes using manage_member_attribute</u>

#	Feature Name	Scenario Name
24	<u>Member search feature</u>	<u>Create different member attributes using manage_member_attribute</u>
25		<u>Create different member attributes using manage_member_attribute</u>
26		<u>Create different member attributes using manage_member_attribute</u>
27	<u>Member search filter feature</u>	<u>Apply any single filter with its respective operator and do a search</u>


TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@AppLoginSmoketest1	1	1	0	0	1	1	0	0
@ReportSettingsSmoketest1	1	1	0	0	1	0	1	0
@TransactionalSmoketest1	3	2	1	0	1	0	1	0
@CommunicationReportSmoketest1	3	3	0	0	1	0	1	0
@MembersReportSmoketest1	3	2	1	0	1	0	1	0
@LogsSmoketest1	1	1	0	0	1	0	1	0
@TiersSmoketest1	5	1	4	0	1	0	1	0
@Smoketest1	5	0	5	0	1	0	1	0
@MembersSmoketest1	15	0	15	0	1	0	1	0
@MemberSearchFilterSmoketest1	1	0	1	0	1	0	1	0



#	Feature Name	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>	Duration
1	<u>Login</u>	1	1	0	0	57.370 s
2	<u>Reports feature</u>	11	9	2	0	11 m 47.201 s
3	<u>Tiers feature</u>	5	1	4	0	2 m 57.590 s
4	<u>Add new program & platform configuration</u>	5	0	5	0	1.236 s
5	<u>Member search feature</u>	15	0	15	0	8.241 s
6	<u>Member search filter feature</u>	1	0	1	0	0.528 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Login</u>	<u>Intialize browser,login to the application</u>	4	4	0	0	57.360 s
2	<u>Reports feature</u>	<u>Change the reports settings accordingly</u>	4	4	0	0	57.480 s
3		<u>Create the accrual reports in the transactional section</u>	7	7	0	0	2 m 52.289 s
4		<u>Validate the recently created report in the transactional section</u>	1	0	1	0	27.296 s
5		<u>Delete the recently created accrual reports in the transactional section</u>	2	2	0	0	48.719 s
6		<u>Create the accrual reports in the transactional section</u>	6	6	0	0	2 m 17.615 s
7		<u>View the recently created communication report in the communication section</u>	1	1	0	0	17.311 s
8		<u>Delete the recently created accrual reports in the transactional section</u>	2	2	0	0	16.210 s
9		<u>Create the accrual reports in the transactional section</u>	10	10	0	0	2 m 30.419 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
10	<u>Reports feature</u>	<u>Download the recently created accrual reports in the transactional section</u>	1	0	1	0	15.277 s
11		<u>Delete the recently created accrual reports in the transactional section</u>	2	2	0	0	10.808 s
12		<u>View the logs by using search file name and select the require date and check the logs details</u>	3	3	0	0	53.345 s
13	<u>Tiers feature</u>	<u>Create a new tier</u>	5	5	0	0	1 m 33.341 s
14		<u>create second Tier</u>	4	1	1	2	34.862 s
15		<u>Edit Tier</u>	4	0	1	3	3.653 s
16		<u>Delete Tier</u>	2	0	1	1	44.040 s
17		<u>Tier Settings</u>	3	0	1	2	1.569 s
18	<u>Add new program & platform configuration</u>	<u>Test and verify Add new program</u>	4	0	1	3	1.060 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
19		<u>Test and verify Add company deatils</u>	2	0	1	1	0.020 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
20	<u>Add new program & platform configuration</u>	<u>Test and verify Add Program details</u>	3	0	1	2	0.018 s
21		<u>Test and verify Points Configuration details</u>	5	0	1	4	0.024 s
22		<u>Test and Select newly created program & Verify Configurations details</u>	12	0	1	11	0.014 s
23	<u>Member search feature</u>	<u>Navigate to member search module, enter different search string and validate the result</u>	4	0	1	3	0.555 s
24		<u>Navigate to member search module, enter different search string and validate the result</u>	4	0	1	3	0.530 s
25		<u>Navigate to member search module, enter different search string and validate the result</u>	4	0	1	3	0.532 s
26		<u>Navigate to member search module, enter different search string and validate the result</u>	4	0	1	3	0.536 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
27		<u>issue manual credit/debit points</u>	5	0	1	4	0.529 s
28		<u>issue manual credit/debit points</u>	5	0	1	4	0.528 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
29	<u>Member search feature</u>	<u>Suspend member</u>	5	0	1	4	0.548 s
30		<u>Re-Actiavte member</u>	5	0	1	4	0.524 s
31		<u>Check Audit log for a member</u>	4	0	1	3	0.534 s
32		<u>Search transactions for member using date range</u>	4	0	1	3	0.523 s
33		<u>Navigate to member search and click on manage attribute link</u>	2	0	1	1	0.525 s
34		<u>Create different member attributes using manage_member_attribute</u>	2	0	1	1	0.540 s
35		<u>Create different member attributes using manage_member_attribute</u>	2	0	1	1	0.525 s
36		<u>Create different member attributes using manage_member_attribute</u>	2	0	1	1	0.524 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
37		Create different member attributes using <u>manage_member_attribute</u>	2	0	1	1	0.525 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
38	<u>Member search filter feature</u>	<u>Apply any single filter with its respective operator and do a search</u>	6	0	1	5	0.528 s

Login



PASSED	DURATION - 57.370 s	Scenarios		Steps	
/ 1:11:59.652 pm // 1:12:57.022 pm /		Total - 1		Total - 4	
		Pass - 1		Pass - 4	
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

Intialize browser,login to the application



PASSED		DURATION - 57.360 s			Steps	
/ 1:11:59.661 pm // 1:12:57.021 pm /					Total - 4	
Login					Pass - 4	
@AppLoginSmoketest1					Fail - 0	
					Skip - 0	

#	Step / Hook Details	Status	Duration
1	Given Login to the application using username and password	PASSED	14.015 s
2	When validate if the title is "Giift LBMS"	PASSED	0.751 s
3	Then click on the profile section	PASSED	40.419 s
4	Then select the program "A program four"	PASSED	2.129 s

Reports feature



FAILED	DURATION - 11 m 47.201 s	Scenarios		Steps	
/ 1:12:57.146 pm // 1:24:44.347 pm /		Total - 11		Total - 39	
		Pass - 9		Pass - 37	
		Fail - 2		Fail - 2	
		Skip - 0		Skip - 0	

Change the reports settings accordingly

<div>PASSED</div> <div>DURATION - 57.480 s</div>	<div></div>	<div>Steps</div> <div>Total - 4</div> <div>Pass - 4</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 1:12:57.146 pm // 1:13:54.626 pm /</div>			
<div>Reports feature</div>			
<div>@ReportSettingsSmoketest1</div>			

#	Step / Hook Details	Status	Duration
1	Given User navigates to reports module	PASSED	15.660 s
2	When user clicks on the settings	PASSED	15.686 s
3	And user change the Financial Year to "1st July - 30th June" Week Starting on to "Monday" Delay in Generation "1" Days and Historical View as "10" Days	PASSED	23.392 s
4	Then user should get the success message as "Setting saved sucessfully"	PASSED	2.720 s



Create the accrual reports in the transactional section

<div>PASSED</div>	<div>DURATION - 2 m 52.289 s</div>	<div></div>	<div>Steps</div> <div>Total - 7</div> <div>Pass - 7</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 1:13:54.691 pm // 1:16:46.980 pm /</div>				
<div>Reports feature</div>				
<div>@TransactionalSmoketest1</div>				


#	Step / Hook Details	Status	Duration
1	Given User navigates to reports module	PASSED	3.870 s
2	When user selects "transactional" and click on add new view and add the report name as "Spend points report"	PASSED	9.034 s
3	And add the report column as "Transaction Id" "Transaction Amount" "Relation Reference" "Points Issued" "Transaction Date" "Processing Date" "Type" "Product Code" "Sub Product Code" "Narration" "Points Spoiled" "Merchant Name" "Transaction Count" "Impacted Members" "Total Points Issued" "Total Amount" "Total Points Spoiled"	PASSED	1 m 18.076 s
4	And add the filter as "Credit by accrual" "Credit by bonus" "Debit By Bonus" "Debit By Cashback"	PASSED	17.252 s
5	And select the period of generation as "Daily" "Weekly" "Monthly" "Quarterly" "Yearly"	PASSED	15.369 s
6	And clicks on the "Save" button	PASSED	2.896 s

#	Step / Hook Details	Status	Duration
7	Then user should get the success message as "Report saved successfully"	PASSED	45.770 s



Validate the recently created report in the transactional section

FAILED DURATION - 27.296 s / 1:16:47.059 pm // 1:17:14.355 pm / Reports feature @TransactionalSmoketest1		Steps Total - 1 Pass - 0 Fail - 1 Skip - 0	
---	--	--	---

#	Step / Hook Details	Status	Duration
1	When user validate the existing report "Spend points report" and click on "View" <pre>org.openqa.selenium.NoSuchElementException: no such element: No node with given id found (Session info: chrome=120.0.6099.129) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.16.1', revision: '9b4c83354e' System info: os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '14.2.1', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [f5f7e0047cb344a6113c7991c94385a8, getElementText {id=EB7CFA05648FFE391D0134401838F5BF_element_3775}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.129, chrome: {chromedriverVersion: 120.0.6099.109 (3419140ab66..., userDataDir: /var/folders/nj/n_9gw81j7mq...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:63964}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:63964/devtoo..., se:cdpVersion: 120.0.6099.129, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on mac (f5f7e0047cb344a6113c7991c94385a8)] -> xpath: //table[@class='MuiTable-root tss-900muf-MUIDataTable-tableRoot css-1owb465']/td Session ID: f5f7e0047cb344a6113c7991c94385a8 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:523) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:224)</pre>	FAILED	23.065 s



#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebElement.getText(RemoteWebElement.java:192) at stepDefinition.ReportsStepDefinition.user_validate_the_existing_report_and_click_on(ReportsStepDefinition.java:273) at ?.user validate the existing report "Spend points report" and click on "View"(file:///Users/basavaraj/Automation/Pramod/v2/LBMSCloud/src/test/java/features/Reports.feature:28) * Not displayable characters are replaced by '?'.		
	AFTER - stepDefinition.Hooks.takeScreenShotOnFailure(io.cucumber.java.Scenario)	PASSED	4.213 s
	Validate the recently created report in the transactional section		
			

Delete the recently created accrual reports in the transactional section

PASSED	DURATION - 48.719 s		Steps Total - 2 Pass - 2 Fail - 0 Skip - 0	
/ 1:17:14.391 pm // 1:18:03.110 pm /				
Reports feature				
@TransactionalSmoketest1				

#	Step / Hook Details	Status	Duration
1	When user validate the existing report "Spend points report" and click on "Delete"	PASSED	47.654 s
2	Then user should get the success message as "Report deleted successfully"	PASSED	1.056 s

Create the accrual reports in the transactional section

<div>PASSED</div>	<div>DURATION - 2 m 17.615 s</div>	<div></div>	<div>Steps</div> <div>Total - 6</div> <div>Pass - 6</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 1:18:03.150 pm // 1:20:20.765 pm /</div>				
<div>Reports feature</div>				
<div>@CommunicationReportSmoketest1</div>				



#	Step / Hook Details	Status	Duration
1	When user selects "Communication" and click on add new view and add the report name as "Email and SMS communication report"	PASSED	19.995 s
2	And add the report column as "Template Name" "Email Status" "SMS Status" "Date Email/SMS Sent" "Communication Channel" "Member ID" "PhoneNumber" "Member Name" "Email" "Total Communication Sent" "Total Success Delivery" "Total Failed Delivery"	PASSED	50.684 s
3	And add the filter as "SMS Communication Channel" "Email Communication Channel"	PASSED	9.157 s
4	And select the period of generation as "Daily" "Weekly" "Monthly" "Quarterly" "Yearly"	PASSED	17.486 s
5	And clicks on the "Save" button	PASSED	3.023 s
6	Then user should get the success message as "Report saved successfully"	PASSED	37.246 s

View the recently created communication report in the communication section

<div>PASSED</div>	<div>DURATION - 17.311 s</div>	<div></div>	<div>Steps</div> <div>Total - 1</div> <div>Pass - 1</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 1:20:20.815 pm // 1:20:38.126 pm /</div>				
<div>Reports feature</div>				
<div>@CommunicationReportSmoketest1</div>				



#	Step / Hook Details	Status	Duration
1	When user validate the existing report "Email and SMS communication report" and click on "View"	PASSED	17.302 s

Delete the recently created accrual reports in the transactional section

<div>PASSED</div> <div>DURATION - 16.210 s</div>	<div></div>	<div><div>Steps</div><div>Total - 2</div><div>Pass - 2</div><div>Fail - 0</div><div>Skip - 0</div></div> <div></div>
<div>/ 1:20:38.151 pm // 1:20:54.361 pm /</div>		
<div>Reports feature</div>		
<div>@CommunicationReportSmoketest1</div>		

#	Step / Hook Details	Status	Duration
1	When user validate the existing report "Email and SMS communication report" and click on "Delete"	PASSED	16.199 s
2	Then user should get the success message as "Report deleted sucessfully"	PASSED	0.002 s

Create the accrual reports in the transactional section

<div><div>PASSED</div><div>DURATION - 2 m 30.419 s</div></div>	<div><table border="1"><thead><tr><th>Step</th><th>Count</th></tr></thead><tbody><tr><td>1</td><td>7</td></tr><tr><td>2</td><td>12</td></tr><tr><td>3</td><td>75</td></tr><tr><td>4</td><td>19</td></tr><tr><td>5</td><td>5</td></tr><tr><td>6</td><td>2</td></tr><tr><td>7</td><td>10</td></tr><tr><td>8</td><td>3</td></tr><tr><td>9</td><td>3</td></tr><tr><td>10</td><td>13</td></tr></tbody></table></div>	Step	Count	1	7	2	12	3	75	4	19	5	5	6	2	7	10	8	3	9	3	10	13	<div><div>Steps</div><div>Total - 10</div><div>Pass - 10</div><div>Fail - 0</div><div>Skip - 0</div></div> <div></div>
Step		Count																						
1		7																						
2		12																						
3	75																							
4	19																							
5	5																							
6	2																							
7	10																							
8	3																							
9	3																							
10	13																							
<div>/ 1:20:54.401 pm // 1:23:24.820 pm /</div>																								
<div>Reports feature</div>																								
<div>@MembersReportSmoketest1</div>																								


#	Step / Hook Details	Status	Duration
1	Given User navigates to reports module	PASSED	6.606 s
2	When user selects "Members" and click on add new view and add the report name as "Members report"	PASSED	11.985 s
3	And add the report column as "Member ID" "Member Name" "Email" "Phone Number" "Segment Tag" "Enrollment Date" "Tier" "Status" "DOB" "Gender" "Address" "Points Available" "Points Expired" "Points Redeemed" "Last Transaction" "Total Transactions" "Total Members" "Total Points Issued" "Total Points Redeemed" "Total Points Expired"	PASSED	1 m 17.677 s
4	And select the period of generation as "Daily" "Weekly" "Monthly" "Quarterly" "Yearly"	PASSED	18.864 s
5	And user click on the Add Filters link	PASSED	4.745 s
6	And select the "Age" filter	PASSED	1.626 s
7	And select operator "Is less than or equal to" then enter values1 "20" and click Add Filter button	PASSED	10.387 s
8	And click on apply filter button and validate the filters	PASSED	2.849 s
9	And clicks on the "Save" button	PASSED	2.465 s

#	Step / Hook Details	Status	Duration
10	Then user should get the success message as "Report saved successfully"	PASSED	13.159 s



Download the recently created accrual reports in the transactional section

FAILED DURATION - 15.277 s / 1:23:24.883 pm // 1:23:40.160 pm / Reports feature @MembersReportSmoketest1		Steps Total - 1 Pass - 0 Fail - 1 Skip - 0	
---	--	--	---

#	Step / Hook Details	Status	Duration
1	<p>When user validate the existing report "Members report" and click on "View"</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: No node with given id found (Session info: chrome=120.0.6099.129) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.16.1', revision: '9b4c83354e' System info: os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '14.2.1', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [f5f7e0047cb344a6113c7991c94385a8, getElementText {id=EB7CFA05648FFE391D0134401838F5BF_element_9032}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.129, chrome: {chromedriverVersion: 120.0.6099.109 (3419140ab66..., userDataDir: /var/folders/nj/n_9gw81j7mq...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:63964}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:63964/devtoo..., se:cdpVersion: 120.0.6099.129, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on mac (f5f7e0047cb344a6113c7991c94385a8)] -> xpath: //table[@class='MuiTable-root tss-900muf-MUIDataTable-tableRoot css-1owb465']/td Session ID: f5f7e0047cb344a6113c7991c94385a8 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:523) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:224)</pre>	FAILED	12.130 s


#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebElement.getText(RemoteWebElement.java:192) at stepDefinition.ReportsStepDefinition.user_validate_the_existing_report_and_click_on(ReportsStepDefinition.java:273) at ?.user validate the existing report "Members report" and click on "View"(file:///Users/basavaraj/Automation/Pramod/v2/LBMSCloud/src/test/java/features/Reports.feature:78) * Not displayable characters are replaced by '?'.		
	AFTER - stepDefinition.Hooks.takeScreenShotOnFailure(io.cucumber.java.Scenario)	PASSED	3.139 s
	Download the recently created accrual reports in the transactional section		
			

Delete the recently created accrual reports in the transactional section

PASSED	DURATION - 10.808 s		<div>Steps</div> <div>Total - 2</div> <div>Pass - 2</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 1:23:40.172 pm // 1:23:50.980 pm /				
Reports feature				
@MembersReportSmoketest1				


#	Step / Hook Details	Status	Duration
1	When user validate the existing report "Members report" and click on "Delete"	PASSED	10.798 s
2	Then user should get the success message as "Report deleted sucessfully"	PASSED	0.001 s

View the logs by using search file name and select the require date and check the logs details




#	Step / Hook Details	Status	Duration
1	Given User navigates to reports module	PASSED	3.962 s
2	When user click on the logs section and search the file name by entering from date as "11/25/2023" and to date as "01/01/2024"	PASSED	42.642 s
3	And user search the file name as "1812202325p5TXN" and validate the result	PASSED	6.733 s

Tiers feature





Create a new tier



#	Step / Hook Details	Status	Duration
1	Given User navigates to tier module	PASSED	3.669 s
2	When user clicks on the Enable Tiers or Add a New Tier button	PASSED	20.028 s

#	Step / Hook Details	Status	Duration
3	And User navigates to create new tier page and select the "Silver" tier icon	PASSED	13.626 s
4	And enter tier name as "Silver" multiplier as "1.25" milestone as "1000" bonus as "10" and click "Launch"	PASSED	55.974 s
5	Then user gets the success message as "Tiers has been successfully enabled"	PASSED	0.007 s



create second Tier

FAILED		DURATION - 34.862 s			Steps Total - 4 Pass - 1 Fail - 1 Skip - 2			
/ 1:26:17.761 pm // 1:26:52.623 pm /								
Tiers feature								
@TiersSmoketest1								

#	Step / Hook Details	Status	Duration
1	When user clicks on the Enable Tiers or Add a New Tier button	PASSED	21.040 s
2	And User navigates to create new tier page and select the "Platinum" tier icon java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebElement.click()" because the return value of "resources.BrowserUtils.findAndWaitForElement(org.openqa.selenium.WebElement)" is null at resources.BrowserUtils.clickElement(BrowserUtils.java:69) at stepDefinition.TiersStepDefinition.user_navigates_to_create_new_tier_page_and_select_the_tier_icon(TiersStepDefinition.java:83) at ?.User navigates to create new tier page and select the "Platinum" tier icon(file:///Users/basavaraj/Automation/Pramod/v2/LBMSCloud/src/test/java/features/Tiers.feature:17) * Not displayable characters are replaced by '?'.	FAILED	13.713 s
3	And enter tier name as "Platinum" multiplier as "1.5" milestone as "20000" bonus as "20" and click "Launch"	SKIPPED	0.026 s
4	Then user gets the success message as "Tiers has been successfully enabled"	SKIPPED	0.009 s
	AFTER - stepDefinition.Hooks.takeScreenShotOnFailure(io.cucumber.java.Scenario) org.openqa.selenium.WebDriverException: disconnected: not connected to DevTools (failed to check if window was closed: disconnected: not connected to DevTools) (Session info: chrome=120.0.6099.129) Build info: version: '4.16.1', revision: '9b4c83354e' System info: os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '14.2.1', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [f5f7e0047cb344a6113c7991c94385a8, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.129, chrome: {chromedriverVersion: 120.0.6099.109 (3419140ab66..., userDataDir: /var/folders/nj/n_9gw81j7mq...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:63964}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:63964/devtoo..., se:cdpVersion: 120.0.6099.129, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: f5f7e0047cb344a6113c7991c94385a8	FAILED	0.036 s

#	Step / Hook Details	Status	Duration
	<pre> at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:523) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:596) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:600) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:326) at stepDefinition.Hooks.takeScreenShotOnFailure(Hooks.java:40) </pre>		

Edit Tier



FAILED	DURATION - 3.653 s		Steps Total - 4 Pass - 0 Fail - 1 Skip - 3	
/ 1:26:52.663 pm // 1:26:56.316 pm /				
Tiers feature				
@TiersSmoketest1				

#	Step / Hook Details	Status	Duration
1	<p>Then user validates "Platinum" tier and clicks "Edit"</p> <pre> org.openqa.selenium.WebDriverException: disconnected: not connected to DevTools (failed to check if window was closed: disconnected: not connected to DevTools) (Session info: chrome=120.0.6099.129) Build info: version: '4.16.1', revision: '9b4c83354e' System info: os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '14.2.1', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [f5f7e0047cb344a6113c7991c94385a8, findElements {using=xpath, value=//table[@class='MuiTable-root tss-900muf-MUIDataTable-tableRoot css-1owb465']/td}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.129, chrome: {chromedriverVersion: 120.0.6099.109 (3419140ab66..., userDataDir: /var/folders/nj/n_9gw81j7mq...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:63964}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:63964/devtoo..., se:cdpVersion: 120.0.6099.129, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: </pre>	FAILED	3.630 s

#	Step / Hook Details	Status	Duration
	<pre> true} Session ID: f5f7e0047cb344a6113c7991c94385a8 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:523) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElements(ElementLocation.java:182) at org.openqa.selenium.remote.ElementLocation.findElements(ElementLocation.java:103) at org.openqa.selenium.remote.RemoteWebDriver.findElements(RemoteWebDriver.java:373) at org.openqa.selenium.remote.RemoteWebDriver.findElements(RemoteWebDriver.java:367) at org.openqa.selenium.support.pagefactory.ByAll.findElements(ByAll.java:64) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$1.findElements(ElementLocation.java:149) at org.openqa.selenium.remote.ElementLocation.findElements(ElementLocation.java:103) at org.openqa.selenium.remote.RemoteWebDriver.findElements(RemoteWebDriver.java:373) at org.openqa.selenium.remote.RemoteWebDriver.findElements(RemoteWebDriver.java:367) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElements(DefaultElementLocator.java:83) at org.openqa.selenium.support.pagefactory.internal.LocatingElementListHandler.invoke(LocatingElementListHandler.java:36) at jdk.proxy2/jdk.proxy2.\$Proxy29.size(Unknown Source) at stepDefinition.TiersStepDefinition.user_validates_created_tier_clicks_edit(TiersStepDefinition.java:122) at ?.user validates "Platinum" tier and clicks "Edit"(file:///Users/basavaraj/Automation/Pramod/v2/LBMSCloud/src/test/java/features/Tiers. feature:24) * Not displayable characters are replaced by '?'. </pre>		
2	When User navigates to create new tier page and select the "Bronze" tier icon	SKIPPED	0.001 s
3	And enter tier name as "Titanium" multiplier as "2" milestone as "50000" bonus as "200" and click "Update"	SKIPPED	0.001 s
4	Then user gets the success message as "Tier Updated Successfully"	SKIPPED	0.001 s
	<p>AFTER - stepDefinition.Hooks.takeScreenshotOnFailure(io.cucumber.java.Scenario)</p> <pre> org.openqa.selenium.WebDriverException: disconnected: not connected to DevTools (failed to check if window was closed: disconnected: not connected to DevTools) (Session info: chrome=120.0.6099.129) Build info: version: '4.16.1', revision: '9b4c83354e' System info: os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '14.2.1', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [f5f7e0047cb344a6113c7991c94385a8, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.129, chrome: {chromedriverVersion: 120.0.6099.109 (3419140ab66..., userDataDir: /var/folders/nj/n_9gw81j7mq...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:63964}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:63964/devtoo..., se:cdpVersion: 120.0.6099.129, setWindowRect: true, </pre>	FAILED	0.008 s

#	Step / Hook Details	Status	Duration
	<p>strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: f5f7e0047cb344a6113c7991c94385a8</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:523) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:596) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:600) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:326) at stepDefinition.Hooks.takeScreenShotOnFailure(Hooks.java:40)</p>		

Delete Tier



<div>FAILED</div> <div>DURATION - 44.040 s</div>		<div></div>	<div>Steps</div> <div>Total - 2</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 1</div>	<div></div>
<div>/ 1:26:56.341 pm // 1:27:40.381 pm /</div>				
<div>Tiers feature</div>				
<div>@TiersSmoketest1</div>				

#	Step / Hook Details	Status	Duration
1	<p>Then user validates "Titanium" tier and clicks "Delete"</p> <p>org.openqa.selenium.WebDriverException: disconnected: not connected to DevTools (failed to check if window was closed: disconnected: not connected to DevTools) (Session info: chrome=120.0.6099.129) Build info: version: '4.16.1', revision: '9b4c83354e' System info: os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '14.2.1', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [f5f7e0047cb344a6113c7991c94385a8, findElements {using=xpath, value=//table[@class='MuiTable-root tss-900muf-MUIDataTable-tableRoot css-1owb465']/td}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.129, chrome: {chromedriverVersion: 120.0.6099.109 (3419140ab66..., userDataDir: /var/folders/nj/n_9gw81j7mq...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:63964}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac,</p>	FAILED	44.022 s

#	Step / Hook Details	Status	Duration
	<p>proxy: Proxy(), se:cdp: ws://localhost:63964/devtoo..., se:cdpVersion: 120.0.6099.129, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: f5f7e0047cb344a6113c7991c94385a8</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:523) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElements(ElementLocation.java:182) at org.openqa.selenium.remote.ElementLocation.findElements(ElementLocation.java:103) at org.openqa.selenium.remote.RemoteWebDriver.findElements(RemoteWebDriver.java:373) at org.openqa.selenium.remote.RemoteWebDriver.findElements(RemoteWebDriver.java:367) at org.openqa.selenium.support.pagefactory.ByAll.findElements(ByAll.java:64) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$1.findElements(ElementLocation.java:149) at org.openqa.selenium.remote.ElementLocation.findElements(ElementLocation.java:103) at org.openqa.selenium.remote.RemoteWebDriver.findElements(RemoteWebDriver.java:373) at org.openqa.selenium.remote.RemoteWebDriver.findElements(RemoteWebDriver.java:367) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElements(DefaultElementLocator.java:83) at org.openqa.selenium.support.pagefactory.internal.LocatingElementListHandler.invoke(LocatingElementListHandler.java:36) at jdk.proxy2/jdk.proxy2.\$Proxy29.size(Unknown Source) at stepDefinition.TiersStepDefinition.user_validates_created_tier_clicks_edit(TiersStepDefinition.java:122) at ?.user validates "Titanium" tier and clicks "Delete"(file:///Users/basavaraj/Automation/Pramod/v2/LBMSCloud/src/test/java/features/Tiers.feature:32)</p> <p>* Not displayable characters are replaced by '?'. </p>		
2	Then user should navigate to tier lists page along with success message "Titanium" "tier has been successfully deleted"	SKIPPED	0.001 s
	<p>AFTER - stepDefinition.Hooks.takeScreenShotOnFailure(io.cucumber.java.Scenario)</p> <p>org.openqa.selenium.WebDriverException: disconnected: not connected to DevTools (failed to check if window was closed: disconnected: not connected to DevTools) (Session info: chrome=120.0.6099.129) Build info: version: '4.16.1', revision: '9b4c83354e' System info: os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '14.2.1', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [f5f7e0047cb344a6113c7991c94385a8, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.129, chrome: {chromedriverVersion: 120.0.6099.109 (3419140ab66..., userDataDir: /var/folders/nj/n_9gw81j7mq...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:63964}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:63964/devtoo..., se:cdpVersion: 120.0.6099.129, setWindowRect: true,</p>	FAILED	0.010 s

#	Step / Hook Details	Status	Duration
	<p>strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: f5f7e0047cb344a6113c7991c94385a8</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:523) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:596) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:600) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:326) at stepDefinition.Hooks.takeScreenShotOnFailure(Hooks.java:40)</p>		



Tier Settings

<div>FAILED</div> <div>DURATION - 1.569 s</div>		<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 2</div>	<div></div>
/ 1:27:40.409 pm // 1:27:41.978 pm /				
Tiers feature				
@TiersSmoketest1				



#	Step / Hook Details	Status	Duration
1	<p>Given User navigates to tier module</p> <p>java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebElement.click()" because the return value of "resources.BrowserUtils.findAndWaitForElement(org.openqa.selenium.WebElement)" is null</p> <p>at resources.BrowserUtils.clickElement(BrowserUtils.java:69) at stepDefinition.TiersStepDefinition.user_navigates_to_tier_module(TiersStepDefinition.java:23) at ?.User navigates to tier module(file:///Users/basavaraj/Automation/Pramod/v2/LBMScloud/src/test/java/features/Tiers.feature:38)</p> <p>* Not displayable characters are replaced by '?'.</p>	FAILED	1.528 s

#	Step / Hook Details	Status	Duration
2	When user change the tier settings timeframe	SKIPPED	0.001 s
3	Then user gets the success message as "Tier Setting Updated Successfully"	SKIPPED	0.011 s
	<p>AFTER - stepDefinition.Hooks.takeScreenShotOnFailure(io.cucumber.java.Scenario)</p> <p>org.openqa.selenium.WebDriverException: disconnected: not connected to DevTools (failed to check if window was closed: disconnected: not connected to DevTools) (Session info: chrome=120.0.6099.129) Build info: version: '4.16.1', revision: '9b4c83354e' System info: os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '14.2.1', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [f5f7e0047cb344a6113c7991c94385a8, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.129, chrome: {chromedriverVersion: 120.0.6099.109 (3419140ab66..., userDataDir: /var/folders/nj/n_9gw81j7mq...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:63964}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se.cdp: ws://localhost:63964/devtoo..., se.cdpVersion: 120.0.6099.129, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: f5f7e0047cb344a6113c7991c94385a8</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:523) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:596) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:600) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:326) at stepDefinition.Hooks.takeScreenShotOnFailure(Hooks.java:40)</p>	FAILED	0.009 s

Add new program & platform configuration

FAILED	DURATION - 1.236 s	Scenarios		Steps	
/ 1:27:42.045 pm // 1:27:43.281 pm /		Total - 5		Total - 26	
		Pass - 0		Pass - 0	
		Fail - 5		Fail - 5	
		Skip - 0		Skip - 21	



Test and verify Add new program

<div><div>FAILED</div><div>DURATION - 1.060 s</div></div>			<div>Steps</div> <div>Total - 4</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 3</div>	
/ 1:27:42.045 pm // 1:27:43.105 pm /				
Add new program & platform configuration				
@Smoketest1				

#	Step / Hook Details	Status	Duration
1	Then click on the profile section java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebElement.click()" because the return value of "resources.BrowserUtils.findAndWaitForElement(org.openqa.selenium.WebElement)" is null at resources.BrowserUtils.clickElement(BrowserUtils.java:69) at stepDefinition.LoginStepDefinition.click_on_the_profile_section_using_something(LoginStepDefinition.java:57) at ?.click on the profile section(file:///Users/basavaraj/Automation/Pramod/v2/LBMSCloud/src/test/java/features/Zconfiguration.feature:5) * Not displayable characters are replaced by '?'.	FAILED	1.041 s
2	Then click on Add new program	SKIPPED	0.000 s
3	Then Add "Automation" "Program" "automation@gmail.com" "+91" "9860979070"	SKIPPED	0.001 s
4	Then Click on continue button	SKIPPED	0.001 s
	AFTER - stepDefinition.Hooks.takeScreenShotOnFailure(io.cucumber.java.Scenario) org.openqa.selenium.WebDriverException: disconnected: not connected to DevTools (failed to check if window was closed: disconnected: not connected to DevTools) (Session info: chrome=120.0.6099.129) Build info: version: '4.16.1', revision: '9b4c83354e' System info: os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '14.2.1', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [f5f7e0047cb344a6113c7991c94385a8, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.129, chrome: {chromedriverVersion: 120.0.6099.109 (3419140ab66..., userDataDir: /var/folders/nj/n_9gw81j7mq...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:63964}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:63964/devtoo..., se:cdpVersion: 120.0.6099.129, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: f5f7e0047cb344a6113c7991c94385a8 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)	FAILED	0.010 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:523) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:596) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:600) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:326) at stepDefinition.Hooks.takeScreenShotOnFailure(Hooks.java:40) </pre>		



Test and verify Add company deatils

FAILED	DURATION - 0.020 s		Steps Total - 2 Pass - 0 Fail - 1 Skip - 1	
/ 1:27:43.127 pm // 1:27:43.147 pm /				
Add new program & platform configuration				
@Smoketest1				

#	Step / Hook Details	Status	Duration
1	Then Add company deatils "Automation" "Automation.com" "Pune" "South" "India" <pre> java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebElement.isDisplayed()" because the return value of "resources.BrowserUtils.findAndWaitForElement(org.openqa.selenium.WebElement)" is null at resources.BrowserUtils.enterText(BrowserUtils.java:74) at stepDefinition.ConfigurationsStepDefinition.add_company_deatils(ConfigurationsStepDefinition.java:43) at ?.Add company deatils "Automation" "Automation.com" "Pune" "South" "India"(file:///Users/basavaraj/Automation/Pramod/v2/LBMSCloud/src/test/java/features/Zconfiguration.feature:12) * Not displayable characters are replaced by '?'. </pre>	FAILED	0.014 s
2	Then Click on continue button	SKIPPED	0.000 s
	AFTER - stepDefinition.Hooks.takeScreenShotOnFailure(io.cucumber.java.Scenario) <pre> org.openqa.selenium.WebDriverException: disconnected: not connected to DevTools (failed to check if window was closed: disconnected: not connected to DevTools) (Session info: chrome=120.0.6099.129) Build info: version: '4.16.1', revision: '9b4c83354e' System info: os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '14.2.1', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [f5f7e0047cb344a6113c7991c94385a8, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.129, chrome: {chromedriverVersion: 120.0.6099.109 (3419140ab66..., userDataDir: /var/folders/nj/n_9gw81j7mq...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:63964}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:63964/devtoo..., se:cdpVersion: 120.0.6099.129, setWindowRect: true, </pre>	FAILED	0.003 s

#	Step / Hook Details	Status	Duration
	<p>strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: f5f7e0047cb344a6113c7991c94385a8</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:523) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:596) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:600) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:326) at stepDefinition.Hooks.takeScreenShotOnFailure(Hooks.java:40)</p>		

Test and verify Add Program details



<div>FAILED</div> <div>DURATION - 0.018 s</div>			<div>Steps</div> <div>Total - 3</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 2</div>	
/ 1:27:43.160 pm // 1:27:43.178 pm /				
Add new program & platform configuration				
@Smoketest1				

#	Step / Hook Details	Status	Duration
1	<p>Then Add Program name</p> <p>org.openqa.selenium.WebDriverException: disconnected: not connected to DevTools (failed to check if window was closed: disconnected: not connected to DevTools) (Session info: chrome=120.0.6099.129) Build info: version: '4.16.1', revision: '9b4c83354e' System info: os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '14.2.1', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [f5f7e0047cb344a6113c7991c94385a8, findElement {using=xpath, value=//input[@placeholder='Enter Program Name']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.129, chrome: {chromedriverVersion: 120.0.6099.109 (3419140ab66..., userDataDir: /var/folders/nj/n_9gw81j7mq...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:63964}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp:</p>	FAILED	0.010 s

#	Step / Hook Details	Status	Duration
	<p>ws://localhost:63964/devtoo..., se:cdpVersion: 120.0.6099.129, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: f5f7e0047cb344a6113c7991c94385a8</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:523) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:360) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:354) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy27.sendKeys(Unknown Source) at stepDefinition.ConfigurationsStepDefinition.add_program_name(ConfigurationsStepDefinition.java:149) at ?.Add Program name(file:///Users/basavaraj/Automation/Pramod/v2/LBMSCloud/src/test/java/features/Zconfiguration.feature:18)</p> <p>* Not displayable characters are replaced by '?'. </p>		
2	Then Add Program Logo	SKIPPED	0.000 s
3	Then Select Base Currency "? - Indian Rupees"	SKIPPED	0.002 s
	<p>AFTER - stepDefinition.Hooks.takeScreenShotOnFailure(io.cucumber.java.Scenario)</p> <p>org.openqa.selenium.WebDriverException: disconnected: not connected to DevTools (failed to check if window was closed: disconnected: not connected to DevTools) (Session info: chrome=120.0.6099.129) Build info: version: '4.16.1', revision: '9b4c83354e' System info: os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '14.2.1', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [f5f7e0047cb344a6113c7991c94385a8, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.129, chrome: {chromedriverVersion: 120.0.6099.109 (3419140ab66..., userDataDir: /var/folders/nj/n_9gw81j7mq...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:63964}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:63964/devtoo..., se:cdpVersion: 120.0.6099.129, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: f5f7e0047cb344a6113c7991c94385a8</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)</p>	FAILED	0.004 s

#	Step / Hook Details	Status	Duration
	<pre> at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:523) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:596) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:600) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:326) at stepDefinition.Hooks.takeScreenShotOnFailure(Hooks.java:40) </pre>		

Test and verify Points Configuration details

FAILED	DURATION - 0.024 s		Steps Total - 5 Pass - 0 Fail - 1 Skip - 4	
/ 1:27:43.183 pm // 1:27:43.207 pm /				
Add new program & platform configuration				
@Smoketest1				

#	Step / Hook Details	Status	Duration
1	Then Add Points Terminology as "1" "11" "1" <pre> java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebElement.isDisplayed()" because the return value of "resources.BrowserUtils.findAndWaitForElement(org.openqa.selenium.WebElement)" is null at resources.BrowserUtils.enterText(BrowserUtils.java:74) at stepDefinition.ConfigurationsStepDefinition.add_points_terminology_ad(ConfigurationsStepDefinition.java:80) at ?.Add Points Terminology as "1" "11" "1"(file:///Users/basavaraj/Automation/Pramod/v2/LBMSCloud/src/test/java/features/Zconfiguration.feature:25) * Not displayable characters are replaced by '?'. </pre>	FAILED	0.010 s
2	Then Select Point Expiration Period as "Quarterly"	SKIPPED	0.001 s
3	Then Add Cashback Rate "10.7" Customer Purchase Rate "5.5" Redemption Rate "10"	SKIPPED	0.001 s
4	Then Click on Create program	SKIPPED	0.001 s



#	Step / Hook Details	Status	Duration
5	Then Click on Done	SKIPPED	0.000 s
	<p>AFTER - stepDefinition.Hooks.takeScreenShotOnFailure(io.cucumber.java.Scenario)</p> <p>org.openqa.selenium.WebDriverException: disconnected: not connected to DevTools (failed to check if window was closed: disconnected: not connected to DevTools) (Session info: chrome=120.0.6099.129) Build info: version: '4.16.1', revision: '9b4c83354e' System info: os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '14.2.1', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [f5f7e0047cb344a6113c7991c94385a8, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.129, chrome: {chromedriverVersion: 120.0.6099.109 (3419140ab66..., userDataDir: /var/folders/nj/n_9gw81j7mq...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:63964}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:63964/devtoo..., se:cdpVersion: 120.0.6099.129, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: f5f7e0047cb344a6113c7991c94385a8</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:523) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:596) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:600) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:326) at stepDefinition.Hooks.takeScreenShotOnFailure(Hooks.java:40)</p>	FAILED	0.009 s

Test and Select newly created program & Verify Configurations details



FAILED DURATION - 0.014 s / 1:27:43.267 pm // 1:27:43.281 pm / Add new program & platform configuration @Smoketest1		Steps Total - 12 Pass - 0 Fail - 1 Skip - 11	
--	--	--	--

#	Step / Hook Details	Status	Duration
1	Then click on the profile section using Step undefined	FAILED	0.006 s
2	Then Click on recently created program	SKIPPED	0.001 s
3	Then Click on Configurations	SKIPPED	0.000 s
4	Then Click on Organisation	SKIPPED	0.001 s
5	Then Edit basic details As "NewProgram" "Program" "www@xoxoday.com" "9545002222"	SKIPPED	0.000 s
6	Then Edit company details As "NewProgram" "Program" "www@xoxoday.com" "9545002222"	SKIPPED	0.001 s
7	When Click on Program	SKIPPED	0.001 s
8	Then Verify Program Name	SKIPPED	0.000 s
9	Then Click on Program Details try to edit then cancel "XYZ"	SKIPPED	0.000 s
10	Then Click on Point Definition try to edit then cancel "Point" "Points" "1.5" "0.5" "0.10"	SKIPPED	0.000 s
11	Then Click on Marketplace	SKIPPED	0.000 s
12	Then Click on Communication try to edit then cancel "Xoxoday" "xoxoday@xoxoday.com"	SKIPPED	0.001 s

Member search feature



FAILED	DURATION - 8.241 s	Scenarios		Steps	
/ 1:27:43.358 pm // 1:27:51.599 pm /		Total - 15		Total - 54	
		Pass - 0		Pass - 0	
		Fail - 15		Fail - 15	
		Skip - 0		Skip - 39	

Navigate to member search module, enter different search string and validate the result

FAILED		DURATION - 0.555 s			Steps	
/ 1:27:43.363 pm // 1:27:43.918 pm /					Total - 4	
Member search feature					Pass - 0	
@MembersSmoketest1					Fail - 1	
					Skip - 3	

#	Step / Hook Details	Status	Duration
1	Given Naviagte to member search module <pre> java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebElement.click()" because the return value of "resources.BrowserUtils.findAndWaitForElement(org.openqa.selenium.WebElement)" is null at resources.BrowserUtils.clickElement(BrowserUtils.java:69) at stepDefinition.MemberSearchStepDefinition.NavigateToMemberSearch(MemberSearchStepDefinition.java:20) at ?.Naviagte to member search module(file:///Users/basavaraj/Automation/Pramod/v2/LBMScloud/src/test/java/features/membersearch.feature:11) * Not displayable characters are replaced by '?'. </pre>	FAILED	0.534 s
2	When enter different search "name" and "MRF 01"	SKIPPED	0.004 s
3	Then click on the first search result	SKIPPED	0.000 s
4	Then Validate the following details "name" and "MRF 01"	SKIPPED	0.000 s
	AFTER - stepDefinition.Hooks.takeScreenShotOnFailure(io.cucumber.java.Scenario) <pre> org.openqa.selenium.WebDriverException: disconnected: not connected to DevTools (failed to check if window was closed: disconnected: not connected to DevTools) (Session info: chrome=120.0.6099.129) Build info: version: '4.16.1', revision: '9b4c83354e' System info: os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '14.2.1', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [f5f7e0047cb344a6113c7991c94385a8, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.129, chrome: {chromedriverVersion: 120.0.6099.109 (3419140ab66..., userDataDir: /var/folders/nj/n_9gw81j7mq...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:63964}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:63964/devtoo..., se:cdpVersion: 120.0.6099.129, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: f5f7e0047cb344a6113c7991c94385a8 at jdk.internal.reflect.GeneratedConstructorAccessor23.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:523) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:596) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:600) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:326) at stepDefinition.Hooks.takeScreenShotOnFailure(Hooks.java:40) </pre>	FAILED	0.008 s



Navigate to member search module, enter different search string and validate the result

<div>FAILED</div> <div>DURATION - 0.530 s</div>		<div></div>	<div>Steps</div> <div>Total - 4</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 3</div>	<div></div>
<div>/ 1:27:43.941 pm // 1:27:44.471 pm /</div>				
<div>Member search feature</div>				
<div>@MembersSmoketest1</div>				

#	Step / Hook Details	Status	Duration
1	Given Naviagte to member search module <pre>java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebElement.click()" because the return value of "resources.BrowserUtils.findAndWaitForElement(org.openqa.selenium.WebElement)" is null at resources.BrowserUtils.clickElement(BrowserUtils.java:69) at stepDefinition.MemberSearchStepDefinition.NavigateToMemberSearch(MemberSearchStepDefinition.java:20) at ?.Naviagte to member search module(file:///Users/basavaraj/Automation/Pramod/v2/LBMScloud/src/test/java/features/membersearch.feature:11) * Not displayable characters are replaced by '?'. </pre>	FAILED	0.515 s
2	When enter different search "member_ref_no" and "MRF01"	SKIPPED	0.000 s
3	Then click on the first search result	SKIPPED	0.000 s
4	Then Validate the following details "member_ref_no" and "MRF01"	SKIPPED	0.000 s
	AFTER - stepDefinition.Hooks.takeScreenshotOnFailure(io.cucumber.java.Scenario) <pre>org.openqa.selenium.WebDriverException: disconnected: not connected to DevTools (failed to check if window was closed: disconnected: not connected to DevTools) (Session info: chrome=120.0.6099.129) Build info: version: '4.16.1', revision: '9b4c83354e' System info: os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '14.2.1', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [f5f7e0047cb344a6113c7991c94385a8, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.129, chrome: {chromedriverVersion: 120.0.6099.109 (3419140ab66..., userDataDir: /var/folders/nj/n_9gw81j7mq...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:63964}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:63964/devtoo..., se:cdpVersion: 120.0.6099.129, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: f5f7e0047cb344a6113c7991c94385a8 at jdk.internal.reflect.GeneratedConstructorAccessor23.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) </pre>	FAILED	0.007 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:523) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:596) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:600) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:326) at stepDefinition.Hooks.takeScreenShotOnFailure(Hooks.java:40) </pre>		



Navigate to member search module, enter different search string and validate the result

FAILED	DURATION - 0.532 s		Steps Total - 4 Pass - 0 Fail - 1 Skip - 3	
/ 1:27:44.502 pm // 1:27:45.034 pm /				
Member search feature				
@MembersSmoketest1				

#	Step / Hook Details	Status	Duration
1	<p>Given Naviagte to member search module</p> <pre> java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebElement.click()" because the return value of "resources.BrowserUtils.findAndWaitForElement(org.openqa.selenium.WebElement)" is null at resources.BrowserUtils.clickElement(BrowserUtils.java:69) at stepDefinition.MemberSearchStepDefinition.NavigateToMemberSearch(MemberSearchStepDefinition.java:20) at ?.Naviagte to member search module(file:///Users/basavaraj/Automation/Pramod/v2/LBMSCloud/src/test/java/features/membersearch.feature:11) * Not displayable characters are replaced by '?'. </pre>	FAILED	0.519 s
2	When enter different search "mobile" and "9036820287"	SKIPPED	0.001 s
3	Then click on the first search result	SKIPPED	0.001 s
4	Then Validate the following details "mobile" and "9036820287"	SKIPPED	0.000 s
	<p>AFTER - stepDefinition.Hooks.takeScreenShotOnFailure(io.cucumber.java.Scenario)</p> <pre> org.openqa.selenium.WebDriverException: disconnected: not connected to DevTools (failed to check if window was closed: disconnected: not connected to DevTools) (Session info: chrome=120.0.6099.129) Build info: version: '4.16.1', revision: '9b4c83354e' System info: os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '14.2.1', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [f5f7e0047cb344a6113c7991c94385a8, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.129, chrome: {chromedriverVersion: 120.0.6099.109 (3419140ab66..., userDataDir: /var/folders/nj/n_9gw81j7mq...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:63964}, networkConnectionEnabled: false, pageLoadStrategy: </pre>	FAILED	0.006 s

#	Step / Hook Details	Status	Duration
	<p>normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:63964/devtoo..., se:cdpVersion: 120.0.6099.129, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: f5f7e0047cb344a6113c7991c94385a8</p> <p>at jdk.internal.reflect.GeneratedConstructorAccessor23.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:523) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:596) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:600) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:326) at stepDefinition.Hooks.takeScreenShotOnFailure(Hooks.java:40)</p>		



Navigate to member search module, enter different search string and validate the result

<div>FAILED</div> <div>DURATION - 0.536 s</div>		<div></div>	<div>Steps</div> <div>Total - 4</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 3</div>	<div></div>
<div>/ 1:27:45.065 pm // 1:27:45.601 pm /</div>				
<div>Member search feature</div>				
<div>@MembersSmoketest1</div>				

#	Step / Hook Details	Status	Duration
1	<p>Given Naviagte to member search module</p> <p>java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebElement.click()" because the return value of "resources.BrowserUtils.findAndWaitForElement(org.openqa.selenium.WebElement)" is null</p> <p>at resources.BrowserUtils.clickElement(BrowserUtils.java:69) at stepDefinition.MemberSearchStepDefinition.NavigateToMemberSearch(MemberSearchStepDefinition.java:20) at ?.Naviagte to member search module(file:///Users/basavaraj/Automation/Pramod/v2/LBMScloud/src/test/java/features/membersearch.feature:11)</p>	FAILED	0.524 s

#	Step / Hook Details	Status	Duration
	* Not displayable characters are replaced by '?'. When enter different search "email" and "pramod.brs@xoxoday.com"		
2	Then click on the first search result	SKIPPED	0.001 s
3	Then Validate the following details "email" and "pramod.brs@xoxoday.com"	SKIPPED	0.000 s
4	AFTER - stepDefinition.Hooks.takeScreenShotOnFailure(io.cucumber.java.Scenario)	FAILED	0.006 s
	<p>org.openqa.selenium.WebDriverException: disconnected: not connected to DevTools (failed to check if window was closed: disconnected: not connected to DevTools) (Session info: chrome=120.0.6099.129) Build info: version: '4.16.1', revision: '9b4c83354e' System info: os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '14.2.1', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [f5f7e0047cb344a6113c7991c94385a8, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.129, chrome: {chromedriverVersion: 120.0.6099.109 (3419140ab66..., userDataDir: /var/folders/nj/n_9gw81j7mq...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:63964}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:63964/devtoo..., se:cdpVersion: 120.0.6099.129, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: f5f7e0047cb344a6113c7991c94385a8</p> <p>at java.lang.reflect.GeneratedConstructorAccessor23.newInstance(Unknown Source) at java.lang.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:523) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:596) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:600) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:326) at stepDefinition.Hooks.takeScreenShotOnFailure(Hooks.java:40)</p>		



issue manual credit/debit points

<div>FAILED</div> <div>DURATION - 0.529 s</div>		<div></div>	<div>Steps</div> <div>Total - 5</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 4</div>	<div></div>
/ 1:27:45.624 pm // 1:27:46.153 pm /				
Member search feature				
@MembersSmoketest1				

#	Step / Hook Details	Status	Duration
1	Given Naviagte to member search module <pre>java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebElement.click()" because the return value of "resources.BrowserUtils.findAndWaitForElement(org.openqa.selenium.WebElement)" is null at resources.BrowserUtils.clickElement(BrowserUtils.java:69) at stepDefinition.MemberSearchStepDefinition.NavigateToMemberSearch(MemberSearchStepDefinition.java:20) at ?.Naviagte to member search module(file:///Users/basavaraj/Automation/Pramod/v2/LBMScloud/src/test/java/features/membersearch.feature:25) * Not displayable characters are replaced by '?'. </pre>	FAILED	0.516 s
2	When search member "MRF01"	SKIPPED	0.001 s
3	Then click on the first search result	SKIPPED	0.000 s
4	Then click on Actions	SKIPPED	0.001 s
5	Then issue manual "Debit" point of "25" with "TestDebit"	SKIPPED	0.000 s
	AFTER - stepDefinition.Hooks.takeScreenShotOnFailure(io.cucumber.java.Scenario) <pre>org.openqa.selenium.WebDriverException: disconnected: not connected to DevTools (failed to check if window was closed: disconnected: not connected to DevTools) (Session info: chrome=120.0.6099.129) Build info: version: '4.16.1', revision: '9b4c83354e' System info: os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '14.2.1', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [f5f7e0047cb344a6113c7991c94385a8, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.129, chrome: {chromedriverVersion: 120.0.6099.109 (3419140ab66..., userDataDir: /var/folders/nj/n_9gw81j7mq...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:63964}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se.cdp: ws://localhost:63964/devtoo..., se.cdpVersion: 120.0.6099.129, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: f5f7e0047cb344a6113c7991c94385a8 at jdk.internal.reflect.GeneratedConstructorAccessor23.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) </pre>	FAILED	0.008 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:523) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:596) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:600) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:326) at stepDefinition.Hooks.takeScreenShotOnFailure(Hooks.java:40) </pre>		



issue manual credit/debit points

FAILED	DURATION - 0.528 s		Steps Total - 5 Pass - 0 Fail - 1 Skip - 4	
/ 1:27:46.171 pm // 1:27:46.699 pm /				
Member search feature				
@MembersSmoketest1				

#	Step / Hook Details	Status	Duration
1	Given Naviagte to member search module <pre> java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebElement.click()" because the return value of "resources.BrowserUtils.findAndWaitForElement(org.openqa.selenium.WebElement)" is null at resources.BrowserUtils.clickElement(BrowserUtils.java:69) at stepDefinition.MemberSearchStepDefinition.NavigateToMemberSearch(MemberSearchStepDefinition.java:20) at ?.Naviagte to member search module(file:///Users/basavaraj/Automation/Pramod/v2/LBMSCloud/src/test/java/features/membersearch.feature:25) * Not displayable characters are replaced by '?'. </pre>	FAILED	0.520 s
2	When search member "MRF01"	SKIPPED	0.000 s
3	Then click on the first search result	SKIPPED	0.001 s
4	Then click on Actions	SKIPPED	0.000 s
5	Then issue manual "Credit" point of "60" with "TestCredit"	SKIPPED	0.000 s
	AFTER - stepDefinition.Hooks.takeScreenShotOnFailure(io.cucumber.java.Scenario) <pre> org.openqa.selenium.WebDriverException: disconnected: not connected to DevTools (failed to check if window was closed: disconnected: not connected to DevTools) (Session info: chrome=120.0.6099.129) Build info: version: '4.16.1', revision: '9b4c83354e' System info: os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '14.2.1', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: </pre>	FAILED	0.004 s

#	Step / Hook Details	Status	Duration
	<pre>[f5f7e0047cb344a6113c7991c94385a8, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.129, chrome: {chromedriverVersion: 120.0.6099.109 (3419140ab66..., userDataDir: /var/folders/nj/n_9gw81j7mq...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:63964}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:63964/devtoo..., se:cdpVersion: 120.0.6099.129, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: f5f7e0047cb344a6113c7991c94385a8 at jdk.internal.reflect.GeneratedConstructorAccessor23.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:523) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:596) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:600) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:326) at stepDefinition.Hooks.takeScreenShotOnFailure(Hooks.java:40)</pre>		



Suspend member

FAILED	DURATION - 0.548 s		Steps Total - 5 Pass - 0 Fail - 1 Skip - 4	
/ 1:27:46.713 pm // 1:27:47.261 pm /				
Member search feature				
@MembersSmoketest1				

#	Step / Hook Details	Status	Duration
1	Given Naviagte to member search module <pre>java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebElement.click()" because the return value of "resources.BrowserUtils.findAndWaitForElement(org.openqa.selenium.WebElement)" is null at resources.BrowserUtils.clickElement(BrowserUtils.java:69)</pre>	FAILED	0.525 s

#	Step / Hook Details	Status	Duration
	at stepDefinition.MemberSearchStepDefinition.NavigateToMemberSearch(MemberSearchStepDefinition.java:20) at ?.Naviagte to member search module(file:///Users/basavaraj/Automation/Pramod/v2/LBMSCloud/src/test/java/features/membersearch.feature:38) * Not displayable characters are replaced by '?'.		
2	When search member "MRF01"	SKIPPED	0.009 s
3	Then click on the first search result	SKIPPED	0.000 s
4	Then click on Actions	SKIPPED	0.000 s
5	Then click on suspend and confirm	SKIPPED	0.000 s
	AFTER - stepDefinition.Hooks.takeScreenShotOnFailure(io.cucumber.java.Scenario) org.openqa.selenium.WebDriverException: disconnected: not connected to DevTools (failed to check if window was closed: disconnected: not connected to DevTools) (Session info: chrome=120.0.6099.129) Build info: version: '4.16.1', revision: '9b4c83354e' System info: os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '14.2.1', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [f5f7e0047cb344a6113c7991c94385a8, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.129, chrome: {chromedriverVersion: 120.0.6099.109 (3419140ab66..., userDataDir: /var/folders/nj/n_9gw81j7mq...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:63964}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:63964/devtoo..., se:cdpVersion: 120.0.6099.129, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: f5f7e0047cb344a6113c7991c94385a8 at java.lang.reflect.GeneratedConstructorAccessor23.newInstance(Unknown Source) at java.base/java.lang.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:523) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:596) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:600) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:326) at stepDefinition.Hooks.takeScreenShotOnFailure(Hooks.java:40)	FAILED	0.004 s



Re-Actiavte member

<div>FAILED</div> <div>DURATION - 0.524 s</div>			<div>Steps</div> <div>Total - 5</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 4</div>	
/ 1:27:47.274 pm // 1:27:47.798 pm /				
Member search feature				
@MembersSmoketest1				

#	Step / Hook Details	Status	Duration
1	Given Naviagte to member search module <pre>java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebElement.click()" because the return value of "resources.BrowserUtils.findAndWaitForElement(org.openqa.selenium.WebElement)" is null at resources.BrowserUtils.clickElement(BrowserUtils.java:69) at stepDefinition.MemberSearchStepDefinition.NavigateToMemberSearch(MemberSearchStepDefinition.java:20) at ?.Naviagte to member search module(file:///Users/basavaraj/Automation/Pramod/v2/LBMScloud/src/test/java/features/membersearch.feature:46) * Not displayable characters are replaced by '?'. </pre>	FAILED	0.515 s
2	When search member "MRF01"	SKIPPED	0.001 s
3	Then click on the first search result	SKIPPED	0.000 s
4	Then click on Actions	SKIPPED	0.000 s
5	Then click on Re-Activate	SKIPPED	0.001 s
	AFTER - stepDefinition.Hooks.takeScreenShotOnFailure(io.cucumber.java.Scenario) <pre>org.openqa.selenium.WebDriverException: disconnected: not connected to DevTools (failed to check if window was closed: disconnected: not connected to DevTools) (Session info: chrome=120.0.6099.129) Build info: version: '4.16.1', revision: '9b4c83354e' System info: os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '14.2.1', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [f5f7e0047cb344a6113c7991c94385a8, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.129, chrome: {chromedriverVersion: 120.0.6099.109 (3419140ab66..., userDataDir: /var/folders/nj/n_9gw81j7mq...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:63964}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se.cdp: ws://localhost:63964/devtoo..., se.cdpVersion: 120.0.6099.129, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: f5f7e0047cb344a6113c7991c94385a8 at jdk.internal.reflect.GeneratedConstructorAccessor23.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) </pre>	FAILED	0.005 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:523) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:596) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:600) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:326) at stepDefinition.Hooks.takeScreenShotOnFailure(Hooks.java:40) </pre>		



Check Audit log for a member

FAILED		DURATION - 0.534 s			<div>Steps</div> <div>Total - 4</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 3</div>	
/ 1:27:47.807 pm // 1:27:48.341 pm /						
Member search feature						
@MembersSmoketest1						

#	Step / Hook Details	Status	Duration
1	Given Naviagte to member search module <pre> java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebElement.click()" because the return value of "resources.BrowserUtils.findAndWaitForElement(org.openqa.selenium.WebElement)" is null at resources.BrowserUtils.clickElement(BrowserUtils.java:69) at stepDefinition.MemberSearchStepDefinition.NavigateToMemberSearch(MemberSearchStepDefinition.java:20) at ?.Naviagte to member search module(file:///Users/basavaraj/Automation/Pramod/v2/LBMSCloud/src/test/java/features/membersearch.feature:54) * Not displayable characters are replaced by '?'. </pre>	FAILED	0.520 s
2	When search member "MRF01"	SKIPPED	0.000 s
3	Then click on the first search result	SKIPPED	0.000 s
4	And click on Audit_log	SKIPPED	0.000 s
	AFTER - stepDefinition.Hooks.takeScreenShotOnFailure(io.cucumber.java.Scenario) <pre> org.openqa.selenium.WebDriverException: disconnected: not connected to DevTools (failed to check if window was closed: disconnected: not connected to DevTools) (Session info: chrome=120.0.6099.129) Build info: version: '4.16.1', revision: '9b4c83354e' System info: os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '14.2.1', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [f5f7e0047cb344a6113c7991c94385a8, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: </pre>	FAILED	0.006 s

#	Step / Hook Details	Status	Duration
	120.0.6099.129, chrome: {chromedriverVersion: 120.0.6099.109 (3419140ab66..., userDataDir: /var/folders/nj/n_9gw81j7mq...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:63964}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:63964/devtoo..., se:cdpVersion: 120.0.6099.129, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: f5f7e0047cb344a6113c7991c94385a8 atjdk.internal.reflect.GeneratedConstructorAccessor23.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:523) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:596) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:600) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:326) at stepDefinition.Hooks.takeScreenShotOnFailure(Hooks.java:40)		



Search transactions for member using date range

FAILED DURATION - 0.523 s / 1:27:48.360 pm // 1:27:48.883 pm / Member search feature @MembersSmoketest1				Steps Total - 4 Pass - 0 Fail - 1 Skip - 3			
---	--	---	--	--	--	--	--

#	Step / Hook Details	Status	Duration
1	Given Naviagte to member search module java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebElement.click()" because the return value of "resources.BrowserUtils.findAndWaitForElement(org.openqa.selenium.WebElement)" is null at resources.BrowserUtils.clickElement(BrowserUtils.java:69) at stepDefinition.MemberSearchStepDefinition.NavigateToMemberSearch(MemberSearchStepDefinition.java:20)	FAILED	0.516 s

#	Step / Hook Details	Status	Duration
	<p>at ?.Naviagte to member search module(file:///Users/basavaraj/Automation/Pramod/v2/LBMSCloud/src/test/java/features/membersearch.feature:61)</p> <p>* Not displayable characters are replaced by '?'. </p>		
2	When search member "MRF01"	SKIPPED	0.000 s
3	Then click on the first search result	SKIPPED	0.000 s
4	And Enter "11/30/2023" "12/29/2023" and click on Search	SKIPPED	0.001 s
	<p>AFTER - stepDefinition.Hooks.takeScreenShotOnFailure(io.cucumber.java.Scenario)</p> <p>org.openqa.selenium.WebDriverException: disconnected: not connected to DevTools (failed to check if window was closed: disconnected: not connected to DevTools) (Session info: chrome=120.0.6099.129) Build info: version: '4.16.1', revision: '9b4c83354e' System info: os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '14.2.1', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [f5f7e0047cb344a6113c7991c94385a8, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.129, chrome: {chromedriverVersion: 120.0.6099.109 (3419140ab66..., userDataDir: /var/folders/nj/n_9gw81j7mq...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:63964}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:63964/devtoo..., se:cdpVersion: 120.0.6099.129, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: f5f7e0047cb344a6113c7991c94385a8</p> <p>at jdk.internal.reflect.GeneratedConstructorAccessor23.newInstance(Unknown Source)</p> <p>at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)</p> <p>at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)</p> <p>at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)</p> <p>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)</p> <p>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)</p> <p>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)</p> <p>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)</p> <p>at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)</p> <p>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:523)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:596)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:600)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:326)</p> <p>at stepDefinition.Hooks.takeScreenShotOnFailure(Hooks.java:40)</p>	FAILED	0.003 s



Navigate to member search and click on manage attribute link

<div>FAILED</div> <div>DURATION - 0.525 s</div>		<div></div>	<div>Steps</div> <div>Total - 2</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 1</div>	<div></div>
/ 1:27:48.894 pm // 1:27:49.419 pm /				
Member search feature				
@MembersSmoketest1				

#	Step / Hook Details	Status	Duration
1	Given Naviagte to member search module <pre>java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebElement.click()" because the return value of "resources.BrowserUtils.findAndWaitForElement(org.openqa.selenium.WebElement)" is null at resources.BrowserUtils.clickElement(BrowserUtils.java:69) at stepDefinition.MemberSearchStepDefinition.NavigateToMemberSearch(MemberSearchStepDefinition.java:20) at ?.Naviagte to member search module(file:///Users/basavaraj/Automation/Pramod/v2/LBMScloud/src/test/java/features/membersearch.feature:70) * Not displayable characters are replaced by '?'. </pre>	FAILED	0.516 s
2	When click on manage member attributes link AFTER - stepDefinition.Hooks.takeScreenshotOnFailure(io.cucumber.java.Scenario)	SKIPPED	0.000 s
	<pre>org.openqa.selenium.WebDriverException: disconnected: not connected to DevTools (failed to check if window was closed: disconnected: not connected to DevTools) (Session info: chrome=120.0.6099.129) Build info: version: '4.16.1', revision: '9b4c83354e' System info: os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '14.2.1', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [f5f7e0047cb344a6113c7991c94385a8, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.129, chrome: {chromedriverVersion: 120.0.6099.109 (3419140ab66..., userDataDir: /var/folders/nj/n_9gw81j7mq...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:63964}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:63964/devtoo..., se:cdpVersion: 120.0.6099.129, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: f5f7e0047cb344a6113c7991c94385a8 at jdk.internal.reflect.GeneratedConstructorAccessor23.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) </pre>	FAILED	0.005 s

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:523) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:596) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:600) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:326) at stepDefinition.Hooks.takeScreenShotOnFailure(Hooks.java:40)		



Create different member attributes using manage_member_attribute

<div>FAILED</div> <div>DURATION - 0.540 s</div>	<div></div>	<div>Steps</div> <div>Total - 2</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 1</div>	<div></div>
<div>/ 1:27:49.444 pm // 1:27:49.984 pm /</div>			
<div>Member search feature</div>			
<div>@MembersSmoketest1</div>			

#	Step / Hook Details	Status	Duration
1	When click on Add new custom attribute link java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebElement.click()" because the return value of "resources.BrowserUtils.findAndWaitForElement(org.openqa.selenium.WebElement)" is null at resources.BrowserUtils.clickElement(BrowserUtils.java:69) at stepDefinition.MemberSearchStepDefinition.click_on_Add_new_custom_attribute_link(MemberSearchStepDefinition.java:143) at ?.click on Add new custom attribute link(file:///Users/basavaraj/Automation/Pramod/v2/LBMScloud/src/test/java/features/membersearch.feature:75) * Not displayable characters are replaced by '?'.	FAILED	0.530 s
2	Then Enter value "String_FF" "String_FF" "String" "false" "false"	SKIPPED	0.000 s
	AFTER - stepDefinition.Hooks.takeScreenShotOnFailure(io.cucumber.java.Scenario) org.openqa.selenium.WebDriverException: disconnected: not connected to DevTools (failed to check if window was closed: disconnected: not connected to DevTools) (Session info: chrome=120.0.6099.129) Build info: version: '4.16.1', revision: '9b4c83354e' System info: os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '14.2.1', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [f5f7e0047cb344a6113c7991c94385a8, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.129, chrome: {chromedriverVersion: 120.0.6099.109 (3419140ab66..., userDataDir: /var/folders/nj/n_9gw81j7mq...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:63964}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se.cdp: ws://localhost:63964/devtoo..., se.cdpVersion: 120.0.6099.129, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: f5f7e0047cb344a6113c7991c94385a8 atjdk.internal.reflect.GeneratedConstructorAccessor23.newInstance(Unknown Source)	FAILED	0.006 s

#	Step / Hook Details	Status	Duration
	<pre> at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:523) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:596) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:600) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:326) at stepDefinition.Hooks.takeScreenShotOnFailure(Hooks.java:40) </pre>		



Create different member attributes using manage_member_attribute

FAILED	DURATION - 0.525 s		Steps Total - 2 Pass - 0 Fail - 1 Skip - 1	
/ 1:27:49.997 pm // 1:27:50.522 pm /				
Member search feature				
@MembersSmoketest1				

#	Step / Hook Details	Status	Duration
1	When click on Add new custom attribute link <pre> java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebElement.click()" because the return value of "resources.BrowserUtils.findAndWaitForElement(org.openqa.selenium.WebElement)" is null at resources.BrowserUtils.clickElement(BrowserUtils.java:69) at stepDefinition.MemberSearchStepDefinition.click_on_Add_new_custom_attribute_link(MemberSearchStepDefinition.java:143) at ?.click on Add new custom attribute link(file:///Users/basavaraj/Automation/Pramod/v2/LBMScloud/src/test/java/features/membersearch.feature:75) * Not displayable characters are replaced by '?'. </pre>	FAILED	0.518 s
2	Then Enter value "Number_TF" "Number_TF" "Numbers" "false" "true"	SKIPPED	0.001 s
	AFTER - stepDefinition.Hooks.takeScreenShotOnFailure(io.cucumber.java.Scenario) <pre> org.openqa.selenium.WebDriverException: disconnected: not connected to DevTools (failed to check if window was closed: disconnected: not </pre>	FAILED	0.005 s

#	Step / Hook Details	Status	Duration
	<p>connected to DevTools) (Session info: chrome=120.0.6099.129) Build info: version: '4.16.1', revision: '9b4c83354e' System info: os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '14.2.1', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [f5f7e0047cb344a6113c7991c94385a8, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.129, chrome: {chromedriverVersion: 120.0.6099.109 (3419140ab66..., userDataDir: /var/folders/nj/n_9gw81j7mq...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:63964}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se.cdp: ws://localhost:63964/devtoo..., se.cdpVersion: 120.0.6099.129, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: f5f7e0047cb344a6113c7991c94385a8</p> <p>at jdk.internal.reflect.GeneratedConstructorAccessor23.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:523) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:596) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:600) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:326) at stepDefinition.Hooks.takeScreenShotOnFailure(Hooks.java:40)</p>		



Create different member attributes using manage_member_attribute

FAILED		DURATION - 0.524 s			Steps Total - 2 Pass - 0 Fail - 1 Skip - 1		
/ 1:27:50.537 pm // 1:27:51.061 pm /							
Member search feature							
@MembersSmoketest1							

#	Step / Hook Details	Status	Duration
1	<p>When click on Add new custom attribute link</p> <p>java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebElement.click()" because the return value of "resources.BrowserUtils.findAndWaitForElement(org.openqa.selenium.WebElement)" is null</p>	FAILED	0.518 s

#	Step / Hook Details	Status	Duration
	at resources.BrowserUtils.clickElement(BrowserUtils.java:69) at stepDefinition.MemberSearchStepDefinition.click_on_Add_new_custom_attribute_link(MemberSearchStepDefinition.java:143) at ?.click on Add new custom attribute link(file:///Users/basavaraj/Automation/Pramod/v2/LBMScloud/src/test/java/features/membersearch.feature:75) * Not displayable characters are replaced by '?'.		
2	Then Enter value "DATE_FT" "DATE_FT" "Decimals" "true" "false"	SKIPPED	0.000 s
	AFTER - stepDefinition.Hooks.takeScreenShotOnFailure(io.cucumber.java.Scenario) org.openqa.selenium.WebDriverException: disconnected: not connected to DevTools (failed to check if window was closed: disconnected: not connected to DevTools) (Session info: chrome=120.0.6099.129) Build info: version: '4.16.1', revision: '9b4c83354e' System info: os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '14.2.1', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [f5f7e0047cb344a6113c7991c94385a8, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.129, chrome: {chromedriverVersion: 120.0.6099.109 (3419140ab66..., userDataDir: /var/folders/nj/n_9gw81j7mq...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:63964}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se.cdp: ws://localhost:63964/devtoo..., se.cdpVersion: 120.0.6099.129, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: f5f7e0047cb344a6113c7991c94385a8 at jdk.internal.reflect.GeneratedConstructorAccessor23.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:523) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:596) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:600) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:326) at stepDefinition.Hooks.takeScreenShotOnFailure(Hooks.java:40)	FAILED	0.005 s

Create different member attributes using manage_member_attribute

FAILED	DURATION - 0.525 s		Steps Total - 2 Pass - 0 Fail - 1 Skip - 1	
/ 1:27:51.074 pm // 1:27:51.599 pm /				
Member search feature				
@MembersSmoketest1				



#	Step / Hook Details	Status	Duration
1	When click on Add new custom attribute link <pre>java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebElement.click()" because the return value of "resources.BrowserUtils.findAndWaitForElement(org.openqa.selenium.WebElement)" is null at resources.BrowserUtils.clickElement(BrowserUtils.java:69) at stepDefinition.MemberSearchStepDefinition.click_on_Add_new_custom_attribute_link(MemberSearchStepDefinition.java:143) at ?.click on Add new custom attribute link(file:///Users/basavaraj/Automation/Pramod/v2/LBMScloud/src/test/java/features/membersearch.feature:75) * Not displayable characters are replaced by '?'. </pre>	FAILED	0.519 s
2	Then Enter value "decimal_TT" "decimal_TT" "Date" "true" "true" AFTER - stepDefinition.Hooks.takeScreenShotOnFailure(io.cucumber.java.Scenario)	SKIPPED	0.001 s
	<pre>org.openqa.selenium.WebDriverException: disconnected: not connected to DevTools (failed to check if window was closed: disconnected: not connected to DevTools) (Session info: chrome=120.0.6099.129) Build info: version: '4.16.1', revision: '9b4c83354e' System info: os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '14.2.1', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [f5f7e0047cb344a6113c7991c94385a8, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.129, chrome: {chromedriverVersion: 120.0.6099.109 (3419140ab66..., userDataDir: /var/folders/nj/n_9gw81j7mq...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:63964}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:63964/devtoo..., se:cdpVersion: 120.0.6099.129, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: f5f7e0047cb344a6113c7991c94385a8 at jdk.internal.reflect.GeneratedConstructorAccessor23.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) </pre>	FAILED	0.004 s

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:523) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:596) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:600) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:326) at stepDefinition.Hooks.takeScreenShotOnFailure(Hooks.java:40)		

Member search filter feature

<div>FAILED</div> <div>DURATION - 0.528 s</div>		Scenarios	<div><div></div></div>	Steps	<div><div></div></div>
/ 1:27:51.630 pm // 1:27:52.158 pm /		Total - 1	1	Total - 6	6
		Pass - 0		Pass - 0	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 5	

Apply any single filter with its respective operator and do a search

FAILED	DURATION - 0.528 s		Steps	
/ 1:27:51.630 pm // 1:27:52.158 pm /				
Member search filter feature				
@MemberSearchFilterSmoketest1				

#	Step / Hook Details	Status	Duration
1	Given Naviagte to member search module java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebElement.click()" because the return value of "resources.BrowserUtils.findAndWaitForElement(org.openqa.selenium.WebElement)" is null at resources.BrowserUtils.clickElement(BrowserUtils.java:69) at stepDefinition.MemberSearchStepDefinition.NavigateToMemberSearch(MemberSearchStepDefinition.java:20) at ?.Naviagte to member search module(file:///Users/basavaraj/Automation/Pramod/v2/LBMScloud/src/test/java/features/membersearchfilter.feature:5) * Not displayable characters are replaced by '?'.	FAILED	0.518 s
2	When click on filter option	SKIPPED	0.000 s
3	Then select "Age" filter	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
4	Then Select operator "Is less than or equal to"	SKIPPED	0.001 s
5	Then Enter value1 "40" and value2 "2023-09-09" for operator "Is less than or equal to"	SKIPPED	0.000 s
6	Then click on apply filter button and validate the result	SKIPPED	0.001 s
	<p>AFTER - stepDefinition.Hooks.takeScreenShotOnFailure(io.cucumber.java.Scenario)</p> <p>org.openqa.selenium.WebDriverException: disconnected: not connected to DevTools (failed to check if window was closed: disconnected: not connected to DevTools) (Session info: chrome=120.0.6099.129) Build info: version: '4.16.1', revision: '9b4c83354e' System info: os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '14.2.1', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [f5f7e0047cb344a6113c7991c94385a8, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.129, chrome: {chromedriverVersion: 120.0.6099.109 (3419140ab66..., userDataDir: /var/folders/nj/n_9gw81j7mq...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:63964}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:63964/devtoo..., se:cdpVersion: 120.0.6099.129, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: f5f7e0047cb344a6113c7991c94385a8</p> <p>at jdk.internal.reflect.GeneratedConstructorAccessor23.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:523) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:596) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:600) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:326) at stepDefinition.Hooks.takeScreenShotOnFailure(Hooks.java:40)</p>	FAILED	0.005 s