

# Cucumber Report

01-Jan-2024, 3:21:41 pm

Start : Jan 01, 3:19:09.654 pm

End : Jan 01, 3:21:37.599 pm

Duration : 2 m 27.945 s

Features


Scenarios

Steps

PASSED - 1  
FAILED - 1  
SKIPPED - 0

PASSED - 1  
FAILED - 2  
SKIPPED - 0

PASSED - 8  
FAILED - 2  
SKIPPED - 4




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Login</u>	1 m 0.013 s	1	1	0	0	4	4	0	0
<u>Member search feature</u>	1 m 27.814 s	2	0	2	0	10	4	2	4

#	Feature Name	Scenario Name
1	<u>Member search feature</u>	<u>issue manual credit/debit points</u>
2		<u>issue manual credit/debit points</u>

<b>TAG</b>	<b>Scenario</b>				<b>Feature</b>			
<b>Name</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>
@AppLoginSmoketest1	1	1	0	0	1	1	0	0
@MembserSmoketest3	2	0	2	0	1	0	1	0





#	Feature Name	T	P	F	S	Duration
1	Login	1	1	0	0	1 m 0.013 s
2	Member search feature	2	0	2	0	1 m 27.814 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Login</u>	<u>Intialize browser,login to the application</u>	4	4	0	0	59.997 s
2	<u>Member search feature</u>	<u>issue manual credit/debit points</u>	5	4	1	0	1 m 24.859 s
3		<u>issue manual credit/debit points</u>	5	0	1	4	2.907 s

**Login**



<b>PASSED</b>	DURATION - 1 m 0.013 s	Scenarios Total - 1 Pass - 1 Fail - 0 Skip - 0		Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 3:19:09.654 pm // 3:20:09.667 pm /					

**Intialize browser,login to the application**



<b>PASSED</b>		DURATION - 59.997 s			Steps	
/ 3:19:09.670 pm // 3:20:09.667 pm /					Total - 4	
Login					Pass - 4	
@AppLoginSmoketest1					Fail - 0	
					Skip - 0	

#	Step / Hook Details	Status	Duration
1	Given Login to the application using username and password	PASSED	14.781 s
2	When validate if the title is "Giift LBMS"	PASSED	0.528 s
3	Then click on the profile section	PASSED	42.458 s
4	Then select the program "A program four"	PASSED	2.182 s

**Member search feature**

<b>FAILED</b>	DURATION - 1 m 27.814 s	Scenarios Total - 2 Pass - 0 Fail - 2 Skip - 0		Steps Total - 10 Pass - 4 Fail - 2 Skip - 4	
/ 3:20:09.785 pm // 3:21:37.599 pm /					

**issue manual credit/debit points**



<div>FAILED</div> <div>DURATION - 1 m 24.859 s</div>		<div></div>	<div>Steps</div> <div>Total - 5</div> <div>Pass - 4</div> <div>Fail - 1</div> <div>Skip - 0</div>	<div></div>
<div>/ 3:20:09.789 pm // 3:21:34.648 pm /</div>				
<div>Member search feature</div>				
<div>@MembserSmoketest3</div>				

#	Step / Hook Details	Status	Duration
1	Given Naviagte to member search module	PASSED	17.544 s
2	When search member "MRF01"	PASSED	26.626 s
3	Then click on the first search result	PASSED	2.237 s
4	Then click on Actions	PASSED	6.436 s
5	Then issue manual "Debit" point of "25" with "TestDebit"	FAILED	31.659 s
	<p>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//span[text()='Submit']} (Session info: chrome=120.0.6099.129) For documentation on this error, please visit: <a href="https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception">https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception</a> Build info: version: '4.16.1', revision: '9b4c83354e' System info: os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '14.2.1', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [a1f2882d66f3baa4c6ca853eb4083692, findElement {using=xpath, value=//span[text()='Submit']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.129, chrome: {chromedriverVersion: 120.0.6099.109 (3419140ab66..., userDataDir: /var/folders/nj/n_9gw81j7mq...), fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:54894}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:54894/devtoo..., se:cdpVersion: 120.0.6099.129, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: a1f2882d66f3baa4c6ca853eb4083692</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:523)  at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)</p>		



#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:360) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:354) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy27.isDisplayed(Unknown Source) at stepDefinition.MemberSearchStepDefinition.issue_manual_credit_point(MemberSearchStepDefinition.java:101) at ?.issue manual "Debit" point of "25" with "TestDebit"(file:///Users/basavaraj/Automation/Pramod/v2/LBMSCloud/src/test/java/features/membersearch.feature:29) * Not displayable characters are replaced by '?'. </pre>		
	<p>AFTER - stepDefinition.Hooks.takeScreenShotOnFailure(io.cucumber.java.Scenario)</p> <p>issue manual credit/debit points</p> 	PASSED	0.324 s

### issue manual credit/debit points

<div>FAILED</div> <div>DURATION - 2.907 s</div>		<div></div>	<div>Steps</div> <div>Total - 5</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 4</div>	<div></div>
<div>/ 3:21:34.692 pm // 3:21:37.599 pm /</div>				
<div>Member search feature</div>				
<div>@MembserSmoketest3</div>				

#	Step / Hook Details	Status	Duration
1	<p>Given Naviagte to member search module</p> <pre> org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element &lt;span class="menu-text eui-menu- </pre>	FAILED	2.654 s

#	Step / Hook Details	Status	Duration
	<p>name"&gt;...&lt;/span&gt; is not clickable at point (78, 168). Other element would receive the click: &lt;div class="sc-fifgRP kyjGhX"&gt;...&lt;/div&gt; (Session info: chrome=120.0.6099.129) Build info: version: '4.16.1', revision: '9b4c83354e' System info: os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '14.2.1', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [a1f2882d66f3baa4c6ca853eb4083692, clickElement {id=617A4B3A39CE723557660BC041B24723_element_757}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.129, chrome: {chromedriverVersion: 120.0.6099.109 (3419140ab66..., userDataDir: /var/folders/nj/n_9gw81j7mq...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:54894}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:54894/devtoo..., se:cdpVersion: 120.0.6099.129, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on mac (a1f2882d66f3baa4c6ca853eb4083692)] -&gt; xpath: //span[text()='Members']] Session ID: a1f2882d66f3baa4c6ca853eb4083692</p> <pre> at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:523) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:224) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:51) at jdk.proxy2/jdk.proxy2.\$Proxy27.click(Unknown Source) at resources.BrowserUtils.clickElement(BrowserUtils.java:69) at stepDefinition.MemberSearchStepDefinition.NavigateToMemberSearch(MemberSearchStepDefinition.java:20) at ?.Naviagte to member search module(file:///Users/basavaraj/Automation/Pramod/v2/LBMScloud/src/test/java/features/membersearch.feature:25) </pre> <p>* Not displayable characters are replaced by '?'.  </p>		
2	When search member "MRF01"	SKIPPED	0.002 s
3	Then click on the first search result	SKIPPED	0.000 s
4	Then click on Actions	SKIPPED	0.000 s
5	Then issue manual "Credit" point of "60" with "TestCredit"	SKIPPED	0.001 s

#	Step / Hook Details	Status	Duration
	AFTER - stepDefinition.Hooks.takeScreenShotOnFailure(io.cucumber.java.Scenario)	PASSED	0.244 s
	issue manual credit/debit points		
	