Cucumber Report

01-Jan-2024, 12:17:14 pm

Start : Jan 01, 12:04:53.252 pm

End : Jan 01, 12:17:10.022 pm

Duration : 12 m 16.770 s

Features	Scenarios	Steps
PASSED - 1	PASSED - 10	PASSED - 41
FAILED - 1	FAILED - 2	FAILED - 2
SKIPPED - 0	SKIPPED - 0	SKIPPED - 0

2

12

43

Pass %

50 %

Pass %

83 %

Pass %

95 %

Feature		Scenario				Step			
Name	**Duration**	**T**	**P**	**F**	**S**	**T**	**P**	**F**	**S**
Login	*58.587 s*	*1*	*1*	*0*	*0*	*4*	*4*	*0*	*0*
Reports feature	*11 m 18.072 s*	*11*	*9*	*2*	*0*	*39*	*37*	*2*	*0*

#	Feature Name	Scenario Name
1	Reports feature	View the logs by using search file name and select the require date and check the logs details
2		User navigate to the transactional section, Member section and communicationa section and download the reports

TAG	Scenario				Feature			
Name	**T**	**P**	**F**	**S**	**T**	**P**	**F**	**S**
@AppLoginSmoketest1	1	1	0	0	1	1	0	0
@TransactionalSmoketest1	3	3	0	0	1	0	1	0
@CommunicationReportSmoketest1	3	3	0	0	1	0	1	0
@MembersReportSmoketest1	3	3	0	0	1	0	1	0
@LogsSmoketest1	1	0	1	0	1	0	1	0
@DownloadReportSmoketest1	1	0	1	0	1	0	1	0

#	Feature Name	T	P	F	S	Duration
1	Login	1	1	0	0	58.587 s
2	Reports feature	11	9	2	0	11 m 18.072 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Login	Intialize browser,login to the application	4	4	0	0	58.578 s
2	Reports feature	Create the accrual reports in the transactional section	7	7	0	0	2 m 27.720 s
3		Validate the recently created report in the transactional section	1	1	0	0	24.626 s
4		Delete the recently created accrual reports in the transactional section	2	2	0	0	14.222 s
5		Create the accrual reports in the transactional section	6	6	0	0	2 m 17.867 s
6		View the recently created communication report in the communication section	1	1	0	0	57.768 s
7		Delete the recently created accrual reports in the transactional section	2	2	0	0	19.375 s
8		Create the accrual reports in the transactional section	10	10	0	0	2 m 28.348 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
9		Download the recently created accrual reports in the transactional section	1	1	0	0	22.961 s

| #	Feature Name	Scenario Name	T	P	F	S	Duration
10	Reports feature	Delete the recently created accrual reports in the transactional section	2	2	0	0	11.369 s
11		View the logs by using search file name and select the require date and check the logs details	3	2	1	0	44.574 s
12		User navigate to the transactional section, Member section and communicationa section and download the reports	4	3	1	0	48.856 s

Login

PASSED	DURATION - 58.587 s	Scenarios		Steps	
		Total - 1		Total - 4	
/ 12:04:53.252 pm // 12:05:51.839 pm /		Pass - 1	1	Pass - 4	4
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

Intialize browser,login to the application

PASSED	DURATION - 58.578 s		Steps	
			Total - 4	
/ 12:04:53.261 pm // 12:05:51.839 pm /			Pass - 4	4
Login			Fail - 0	
@AppLoginSmoketest1			Skip - 0	

#	Step / Hook Details	Status	Duration
1	Given Login to the application using username and password	PASSED	14.260 s
2	When validate if the title is "Giift LBMS"	PASSED	0.547 s
3	Then click on the profile section	PASSED	41.821 s
4	Then select the program "A program four"	PASSED	1.904 s

Reports feature

FAILED	DURATION - 11 m 18.072 s	Scenarios		Steps	
		Total - 11		Total - 39	
/ 12:05:51.950 pm // 12:17:10.022 pm /		Pass - 9	11	Pass - 37	39
		Fail - 2		Fail - 2	
		Skip - 0		Skip - 0	

Create the accrual reports in the transactional section

PASSED	DURATION - 2 m 27.720 s		Steps
/ 12:05:51.950 pm // 12:08:19.670 pm /			Total - 7
			Pass - 7
Reports feature			Fail - 0
			Skip - 0
@TransactionalSmoketest1			

#	Step / Hook Details	Status	Duration
1	Given User navigates to reports module	PASSED	14.849 s
2	When user selects "transactional" and click on add new view and add the report name as "Spend points report"	PASSED	24.409 s
3	And add the report column as "Transaction Id" "Transaction Amount" "Relation Reference" "Points Issued" "Transaction Date" "Processing Date" "Type" "Product Code" "Sub Product Code" "Narration" "Points Spoiled" "Merchant Name" "Transaction Count" "Impacted Members" "Total Points Issued" "Total Amount" "Total Points Spoiled"	PASSED	1 m 7.551 s
4	And add the filter as "Credit by accrual" "Credit by bonus" "Debit By Bonus" "Debit By Cashback"	PASSED	12.771 s
5	And select the period of generation as "Daily" "Weekly" "Monthly" "Quarterly" "Yearly"	PASSED	18.659 s
6	And clicks on the "Save" button	PASSED	2.954 s
7	Then user should get the success message as "Report saved successfully"	PASSED	6.497 s

Validate the recently created report in the transactional section

PASSED	DURATION - 24.626 s		Steps
/ 12:08:19.715 pm // 12:08:44.341 pm /			Total - 1
			Pass - 1
Reports feature			Fail - 0
			Skip - 0
@TransactionalSmoketest1			

#	Step / Hook Details	Status	Duration
1	When user validate the existing report "Spend points report" and click on "View"	PASSED	24.617 s

Delete the recently created accrual reports in the transactional section

PASSED	DURATION - 14.222 s		Steps
/ 12:08:44.393 pm // 12:08:58.615 pm /			Total - 2
			Pass - 2
Reports feature			Fail - 0
			Skip - 0
@TransactionalSmoketest1			

#	Step / Hook Details	Status	Duration
1	When user validate the existing report "Spend points report" and click on "Delete"	PASSED	13.140 s
2	Then user should get the success message as "Report deleted successfully"	PASSED	1.076 s

Create the accrual reports in the transactional section

PASSED	DURATION - 2 m 17.867 s		Steps
/ 12:08:58.645 pm // 12:11:16.512 pm /			Total - 6
			Pass - 6
Reports feature			Fail - 0
			Skip - 0
@CommunicationReportSmoketest1			

#	Step / Hook Details	Status	Duration
1	When user selects "Communication" and click on add new view and add the report name as "Email and SMS communication report"	PASSED	8.391 s
2	And add the report column as "Template Name" "Email Status" "SMS Status" "Date Email/SMS Sent" "Communication Channel" "Member ID" "PhoneNumber" "Member Name" "Email" "Total Communication Sent" "Total Success Delivery" "Total Failed Delivery"	PASSED	56.243 s
3	And add the filter as "SMS Communication Channel" "Email Communication Channel"	PASSED	8.176 s
4	And select the period of generation as "Daily" "Weekly" "Monthly" "Quarterly" "Yearly"	PASSED	15.010 s
5	And clicks on the "Save" button	PASSED	3.112 s
6	Then user should get the success message as "Report saved successfully"	PASSED	46.914 s

View the recently created communication report in the communication section

PASSED	DURATION - 57.768 s		Steps
/ 12:11:16.550 pm // 12:12:14.318 pm /			Total - 1
			Pass - 1
Reports feature			Fail - 0
			Skip - 0
@CommunicationReportSmoketest1			

#	Step / Hook Details	Status	Duration
1	When user validate the existing report "Email and SMS communication report" and click on "View"	PASSED	57.762 s

Delete the recently created accrual reports in the transactional section

PASSED	DURATION - 19.375 s		Steps
/ 12:12:14.368 pm // 12:12:33.743 pm /			Total - 2
			Pass - 2
Reports feature			Fail - 0
			Skip - 0
@CommunicationReportSmoketest1			

#	Step / Hook Details	Status	Duration
1	When user validate the existing report "Email and SMS communication report" and click on "Delete"	PASSED	19.370 s
2	Then user should get the success message as "Report deleted sucessfully"	PASSED	0.001 s

Create the accrual reports in the transactional section

PASSED	DURATION - 2 m 28.348 s		Steps
/ 12:12:33.776 pm // 12:15:02.124 pm /			Total - 10
			Pass - 10
Reports feature			Fail - 0
			Skip - 0
@MembersReportSmoketest1			

#	Step / Hook Details	Status	Duration
1	Given User navigates to reports module	PASSED	7.183 s
2	When user selects "Members" and click on add new view and add the report name as "Members report"	PASSED	16.246 s
3	And add the report column as "Member ID" "Member Name" "Email" "Phone Number" "Segment Tag" "Enrollment Date" "Tier" "Status" "DOB" "Gender" "Address" "Points Available" "Points Expired" "Points Redeemed" "Last Transaction" "Total Transactions" "Total Members" "Total Points Issued" "Total Points Redeemed" "Total Points Expired"	PASSED	1 m 17.703 s
4	And select the period of generation as "Daily" "Weekly" "Monthly" "Quarterly" "Yearly"	PASSED	15.711 s
5	And user click on the Add Filters link	PASSED	4.960 s
6	And select the "Age" filter	PASSED	3.838 s
7	And select operator "Is less than or equal to" then enter values1 "20" and click Add Filter button	PASSED	9.059 s
8	And click on apply filter button and validate the filters	PASSED	5.064 s
9	And clicks on the "Save" button	PASSED	2.778 s
10	Then user should get the success message as "Report saved successfully"	PASSED	5.773 s

Download the recently created accrual reports in the transactional section

PASSED	DURATION - 22.961 s
/ 12:15:02.191 pm // 12:15:25.152 pm /	
Reports feature	
@MembersReportSmoketest1	

Steps
Total - 1
Pass - 1
Fail - 0
Skip - 0

1

#	Step / Hook Details	Status	Duration
1	When user validate the existing report "Members report" and click on "View"	PASSED	22.955 s

Delete the recently created accrual reports in the transactional section

PASSED	DURATION - 11.369 s
/ 12:15:25.176 pm // 12:15:36.545 pm /	
Reports feature	
@MembersReportSmoketest1	

Steps
Total - 2
Pass - 2
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	When user validate the existing report "Members report" and click on "Delete"	PASSED	11.359 s
2	Then user should get the success message as "Report deleted sucessfully"	PASSED	0.001 s

View the logs by using search file name and select the require date and check the logs details

FAILED	DURATION - 44.574 s
/ 12:15:36.571 pm // 12:16:21.145 pm /	
Reports feature	
@LogsSmoketest1	

Steps
Total - 3
Pass - 2
Fail - 1
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given User navigates to reports module	PASSED	4.652 s
2	When user click on the logs section and search the file name by entering from date as "11/25/2023" and to date as "12/31/2023"	PASSED	25.794 s
3	And user search the file name as "1812202325p5TXN" and validate the result	FAILED	13.676 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//div[text()='1812202325p5TXN']"} (Session info: chrome=120.0.6099.129) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.16.1', revision: '9b4c83354e' System info: os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '14.2.1', java.version: '17.0.7' Driver info: org.openqa. selenium.chrome.ChromeDriver Command: [c7e5823cfd9332d970944ac3e826a146, findElement {using=xpath, value=//div[text()='1812202325p5TXN']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.129, chrome: {chromedriverVersion: 120.0.6099.109 (3419140ab66..., userDataDir: /var/folders/nj/n_9gw81j7mq...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:55585}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:55585/devtoo..., se:cdpVersion: 120.0.6099.129, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators:		

#	Step / Hook Details	Status	Duration

	true} Session ID: c7e5823cfd9332d970944ac3e826a146
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)
	    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:523)
	    at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165)
	    at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)
	    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:360)
	    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:354)
	    at pageObjects.ReportsPage.SearchFilenameValidate(ReportsPage.java:246)
	    at stepDefinition.ReportsStepDefinition.user_search_the_file_name_as_and_validate_the_result(ReportsStepDefinition.java:533)
	    at ?.user search the file name as "1812202325p5TXN" and validate the result(file:///Users/basavaraj/Automation/Pramod/v2/LBMSCloud/src/test/java/features/Reports.feature:91)
	* Not displayable characters are replaced by '?'.		

	AFTER - stepDefinition.Hooks.takeScreenShotOnFailure(io.cucumber.java.Scenario) View the logs by using search file name and select the require date and check the logs details 	PASSED	0.435 s

User navigate to the transactional section, Member section and communationa section and download the reports

FAILED	DURATION - 48.856 s
/ 12:16:21.166 pm // 12:17:10.022 pm /	
Reports feature	
@DownloadReportSmoketest1	

Steps
Total - 4
Pass - 3
Fail - 1
Skip - 0

4

#	Step / Hook Details	Status	Duration
1	Given User navigates to reports module	PASSED	6.650 s
2	When user selects "Transactional" section	PASSED	0.000 s
3	When user validate the existing report "Accrual Report" and click on "View"	PASSED	21.108 s
4	And download the "Daily" report	FAILED	20.721 s

	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebElement.click()" because the return value of "resources.BrowserUtils.findAndWaitForElement(org.openqa.selenium.WebElement)" is null
	    at resources.BrowserUtils.clickElement(BrowserUtils.java:69)
	    at stepDefinition.ReportsStepDefinition.download_the_reportn(ReportsStepDefinition.java:575)
	    at ?.download the "Daily" report(file:///Users/basavaraj/Automation/Pramod/v2/LBMSCloud/src/test/java/features/Reports.feature:100)
	* Not displayable characters are replaced by '?'.		

	AFTER - stepDefinition.Hooks.takeScreenShotOnFailure(io.cucumber.java.Scenario)	PASSED	0.366 s
	User navigate to the transactional section, Member section and communrationa section and download the reports		
	NOT FOUND		