

Cucumber Report

01-Jan-2024, 1:42:24 pm

Start : Jan 01, 1:38:11.991 pm

End : Jan 01, 1:42:20.326 pm

Duration : 4 m 8.335 s

Features


Scenarios

Steps

PASSED - 1
FAILED - 1
SKIPPED - 0

PASSED - 5
FAILED - 1
SKIPPED - 0


PASSED - 21
FAILED - 1
SKIPPED - 0




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Login</u>	58.122 s	1	1	0	0	4	4	0	0
<u>Tiers feature</u>	3 m 10.144 s	5	4	1	0	18	17	1	0

#	Feature Name	Scenario Name
1	<u>Tiers feature</u>	<u>create second Tier</u>

TAG	Scenario				Feature			
Name	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>
@AppLoginSmoketest1	1	1	0	0	1	1	0	0
@TiersSmoketest1	5	4	1	0	1	0	1	0





#	Feature Name	T	P	F	S	Duration
1	<u>Login</u>	1	1	0	0	58.122 s
2	<u>Tiers feature</u>	5	4	1	0	3 m 10.144 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Login</u>	<u>Intialize browser,login to the application</u>	4	4	0	0	58.105 s
2	<u>Tiers feature</u>	<u>Create a new tier</u>	5	5	0	0	1 m 12.224 s
3		<u>create second Tier</u>	4	3	1	0	53.652 s
4		<u>Edit Tier</u>	4	4	0	0	38.101 s
5		<u>Delete Tier</u>	2	2	0	0	14.600 s
6		<u>Tier Settings</u>	3	3	0	0	11.381 s

Login



PASSED	DURATION - 58.122 s	Scenarios		Steps	
/ 1:38:11.991 pm // 1:39:10.113 pm /		Total - 1		Total - 4	
		Pass - 1		Pass - 4	
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

Intialize browser,login to the application



<div>PASSED</div>	<div>DURATION - 58.105 s</div>	<div></div>	<div>Steps</div>	<div></div>
<div>/ 1:38:12.008 pm // 1:39:10.113 pm /</div>			<div>Total - 4</div>	
<div>Login</div>			<div>Pass - 4</div>	
<div>@AppLoginSmoketest1</div>			<div>Fail - 0</div>	
			<div>Skip - 0</div>	

#	Step / Hook Details	Status	Duration
1	Given Login to the application using username and password	PASSED	14.051 s
2	When validate if the title is "Giift LBMS"	PASSED	0.516 s
3	Then click on the profile section	PASSED	41.341 s
4	Then select the program "A program four"	PASSED	2.146 s

Tiers feature



FAILED	DURATION - 3 m 10.144 s	Scenarios		Steps	
/ 1:39:10.182 pm // 1:42:20.326 pm /		Total - 5		Total - 18	
		Pass - 4		Pass - 17	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 0	

Create a new tier


<div>PASSED</div> <div>DURATION - 1 m 12.224 s</div>	<div></div>	<div>Steps</div> <div>Total - 5</div> <div>Pass - 5</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 1:39:10.183 pm // 1:40:22.407 pm /</div>			
<div>Tiers feature</div>			
<div>@TiersSmoketest1</div>			

#	Step / Hook Details	Status	Duration
1	Given User navigates to tier module	PASSED	15.497 s
2	When user clicks on the Enable Tiers or Add a New Tier button	PASSED	20.112 s
3	And User navigates to create new tier page and select the "Silver" tier icon	PASSED	11.148 s
4	And enter tier name as "Silver" multiplier as "1.25" milestone as "1000" bonus as "10" and click "Launch"	PASSED	25.437 s
5	Then user gets the success message as "Tiers has been successfully enabled"	PASSED	0.002 s



create second Tier

<div>FAILED</div> <div>DURATION - 53.652 s</div>		<div></div>	<div>Steps</div> <div>Total - 4</div> <div>Pass - 3</div> <div>Fail - 1</div> <div>Skip - 0</div>	<div></div>
/ 1:40:22.454 pm // 1:41:16.106 pm /				
Tiers feature				
@TiersSmoketest1				

#	Step / Hook Details	Status	Duration
1	When user clicks on the Enable Tiers or Add a New Tier button	PASSED	17.287 s
2	And User navigates to create new tier page and select the "Platinum" tier icon	PASSED	12.842 s
3	And enter tier name as "Platinum" multiplier as "1.5" milestone as "20000" bonus as "20" and click "Launch"	PASSED	13.073 s
4	Then user gets the success message as "Tier Setting Updated Successfully"	FAILED	10.130 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//div[text()='Tier Setting Updated Successfully']"} (Session info: chrome=120.0.6099.129) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.16.1', revision: '9b4c83354e' System info: os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '14.2.1', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [a555e6d4d2afdbc3b33414584a5fb4f9, findElement {using=xpath, value="//div[text()='Tier Setting Updated Successfully']}]		



#	Step / Hook Details	Status	Duration
	<p>Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.129, chrome: {chromedriverVersion: 120.0.6099.109 (3419140ab66..., userDataDir: /var/folders/nj/n_9gw81j7mq...), fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:54525}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:54525/devtoo..., se:cdpVersion: 120.0.6099.129, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: a555e6d4d2afdbc3b33414584a5fb4f9</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:523) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:360) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:354) at stepDefinition.TiersStepDefinition.user_gets_the_success_message_as(TiersStepDefinition.java:227) at ?.user gets the success message as "Tier Setting Updated Successfully"(file:///Users/basavaraj/Automation/Pramod/v2/LBMSCloud/src/test/java/features/Tiers.feature:19)</p> <p>* Not displayable characters are replaced by '?'. </p>		
	<p>AFTER - stepDefinition.Hooks.takeScreenshotOnFailure(io.cucumber.java.Scenario)</p> <p>create second Tier</p> 	PASSED	0.296 s

Edit Tier

<div>PASSED</div>	<div>DURATION - 38.101 s</div>	<div></div>	<div>Steps</div> <div>Total - 4</div> <div>Pass - 4</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 1:41:16.146 pm // 1:41:54.247 pm /</div>				
<div>Tiers feature</div>				
<div>@TiersSmoketest1</div>				

#	Step / Hook Details	Status	Duration
1	Then user validates "Platinum" tier and clicks "Edit"	PASSED	11.928 s
2	When User navigates to create new tier page and select the "Bronze" tier icon	PASSED	5.030 s
3	And enter tier name as "Titanium" multiplier as "2" milestone as "50000" bonus as "200" and click "Update"	PASSED	21.122 s
4	Then user gets the success message as "Tier Updated Successfully"	PASSED	0.003 s

Delete Tier

<div>PASSED</div>	<div>DURATION - 14.600 s</div>	<div></div>	<div>Steps</div> <div>Total - 2</div> <div>Pass - 2</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 1:41:54.304 pm // 1:42:08.904 pm /</div>				
<div>Tiers feature</div>				
<div>@TiersSmoketest1</div>				

#	Step / Hook Details	Status	Duration
1	Then user validates "Titanium" tier and clicks "Delete"	PASSED	14.592 s
2	Then user should navigate to tier lists page along with success message "Titanium" "tier has been successfully deleted"	PASSED	0.001 s

Tier Settings


PASSED

DURATION - 11.381 s

/ 1:42:08.945 pm // 1:42:20.326 pm /

Tiers feature

@TiersSmoketest1



Step	Duration (s)
1	2.603
2	7.305
3	1.464


Steps

Total - 3

Pass - 3

Fail - 0

Skip - 0



#	Step / Hook Details	Status	Duration
1	Given User navigates to tier module	PASSED	2.603 s
2	When user change the tier settings timeframe	PASSED	7.305 s
3	Then user gets the success message as "Tier Setting Updated Successfully"	PASSED	1.464 s