Cucumber Report

| *Start : Jan 01, 1:34:23.693 pm*	*End : Jan 01, 1:37:02.655 pm*	*Duration : 2 m 38.962 s*
Features	Scenarios	Steps
PASSED - 1 FAILED - 1 SKIPPED - 0	PASSED - 2 FAILED - 4 SKIPPED - 0	PASSED - 9 FAILED - 4 SKIPPED - 9

Features: 2 — Pass % 50 %

Scenarios: 6 — Pass % 33 %

Steps: 22 — Pass % 40 %

Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
Login	*55.467 s*	*1*	*1*	*0*	*0*	*4*	*4*	*0*	*0*
Tiers feature	*1 m 43.412 s*	*5*	*1*	*4*	*0*	*18*	*5*	*4*	*9*

#	Feature Name	Scenario Name
1	*Tiers feature*	*create second Tier*
2		*Edit Tier*
3		*Delete Tier*
4		*Tier Settings*

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@AppLoginSmoketest1	1	1	0	0	1	1	0	0
@TiersSmoketest1	5	1	4	0	1	0	1	0

#	Feature Name	T	P	F	S	Duration
1	Login	1	1	0	0	55.467 s
2	Tiers feature	5	1	4	0	1 m 43.412 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Login	Intialize browser,login to the application	4	4	0	0	55.451 s
2	Tiers feature	Create a new tier	5	5	0	0	1 m 11.557 s
3		create second Tier	4	0	1	3	17.194 s
4		Edit Tier	4	0	1	3	5.788 s
5		Delete Tier	2	0	1	1	4.786 s
6		Tier Settings	3	0	1	2	3.956 s

Login

PASSED	DURATION - 55.467 s	Scenarios		Steps	
/ 1:34:23.693 pm // 1:35:19.160 pm /		Total - 1 Pass - 1 Fail - 0 Skip - 0	1	Total - 4 Pass - 4 Fail - 0 Skip - 0	4

Intialize browser,login to the application

PASSED	DURATION - 55.451 s		Steps	
/ 1:34:23.709 pm // 1:35:19.160 pm /			Total - 4 Pass - 4 Fail - 0 Skip - 0	4
Login				
@AppLoginSmoketest1				

#	Step / Hook Details	Status	Duration
1	Given Login to the application using username and password	PASSED	13.049 s
2	When validate if the title is "Giift LBMS"	PASSED	0.674 s
3	Then click on the profile section	PASSED	39.652 s
4	Then select the program "A program four"	PASSED	2.027 s

Tiers feature

FAILED	DURATION - 1 m 43.412 s	Scenarios		Steps	
/ 1:35:19.243 pm // 1:37:02.655 pm /		Total - 5 Pass - 1 Fail - 4 Skip - 0	5	Total - 18 Pass - 5 Fail - 4 Skip - 9	18

Create a new tier

PASSED	DURATION - 1 m 11.557 s

/ 1:35:19.243 pm // 1:36:30.800 pm /

Tiers feature

@TiersSmoketest1

Steps
Total - 5
Pass - 5
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given User navigates to tier module	PASSED	14.978 s
2	When user clicks on the Enable Tiers or Add a New Tier button	PASSED	20.569 s
3	And User navigates to create new tier page and select the "Silver" tier icon	PASSED	11.274 s
4	And enter tier name as "Silver" multiplier as "1.25" milestone as "1000" bonus as "10" and click "Launch"	PASSED	24.665 s
5	Then user gets the success message as "Tiers has been successfully enabled"	PASSED	0.007 s

create second Tier

FAILED	DURATION - 17.194 s

/ 1:36:30.845 pm // 1:36:48.039 pm /

Tiers feature

@TiersSmoketest1

Steps
Total - 4
Pass - 0
Fail - 1
Skip - 3

#	Step / Hook Details	Status	Duration
1	When user clicks on the Enable Tiers or Add a New Tier button	FAILED	16.756 s
	org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element ... is not clickable at point (1329, 248). Other element would receive the click: <div class="no-data">...</div> (Session info: chrome=120.0.6099.129) Build info: version: '4.16.1', revision: '9b4c83354e' System info: os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '14.2.1', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [754b88093390975d4412de61c87d1a90, clickElement {id=9374F8FEAE15FC4048EEF4AED043CF81_element_2339}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.129, chrome: {chromedriverVersion: 120.0.6099.109 (3419140ab66..., userDataDir: /var/folders/nj/n_9gw81j7mq...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:53536}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:53536/devtoo..., se:cdpVersion: 120.0.6099.129, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true,		

| #	Step / Hook Details	Status	Duration

	webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on mac (754b88093390975d4412de61c87d1a90)] -> xpath: //span[text()='Add a New Tier']] Session ID: 754b88093390975d4412de61c87d1a90
	   at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	   at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	   at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	   at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	   at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)
	   at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)
	   at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)
	   at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)
	   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:523)
	   at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:224)
	   at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77)
	   at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
	   at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)
	   at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
	   at java.base/java.lang.reflect.Method.invoke(Method.java:568)
	   at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:51)
	   at jdk.proxy2/jdk.proxy2.$Proxy27.click(Unknown Source)
	   at resources.BrowserUtils.clickElement(BrowserUtils.java:69)
	   at stepDefinition.TiersStepDefinition.user_clicks_on_the_Enable_Tiers_or_Add_a_New_Tiers_button(TiersStepDefinition.java:59)
	   at ?.user clicks on the Enable Tiers or Add a New Tier button(file:///Users/basavaraj/Automation/Pramod/v2/LBMSCloud/src/test/java/features/Tiers.feature:15)
	* Not displayable characters are replaced by '?'.		

2	And User navigates to create new tier page and select the "Platinum" tier icon	SKIPPED	0.003 s
3	And enter tier name as "Platinum" multiplier as "1.5" milestone as "20000" bonus as "20" and click "Launch"	SKIPPED	0.001 s
4	Then user gets the success message as "Tier Setting Updated Successfully"	SKIPPED	0.001 s
	AFTER - stepDefinition.Hooks.takeScreenShotOnFailure(io.cucumber.java.Scenario)	PASSED	0.400 s
	create second Tier		

#	Step / Hook Details	Status	Duration
	NOT FOUND		

Edit Tier

FAILED	DURATION - 5.788 s
/ 1:36:48.078 pm // 1:36:53.866 pm /	
Tiers feature	
@TiersSmoketest1	

Steps
Total - 4
Pass - 0
Fail - 1
Skip - 3

4

#	Step / Hook Details	Status	Duration
1	Then user validates "Platinum" tier and clicks "Edit"	FAILED	5.559 s
	java.lang.AssertionError: Record not found: at org.junit.Assert.fail(Assert.java:88) at org.junit.Assert.assertTrue(Assert.java:41) at stepDefinition.TiersStepDefinition.user_validates_created_tier_clicks_edit(TiersStepDefinition.java:166) at ?.user validates "Platinum" tier and clicks "Edit"(file:///Users/basavaraj/Automation/Pramod/v2/LBMSCloud/src/test/java/features/Tiers.feature:24) * Not displayable characters are replaced by '?'.		
2	When User navigates to create new tier page and select the "Bronze" tier icon	SKIPPED	0.000 s
3	And enter tier name as "Titanium" multiplier as "2" milestone as "50000" bonus as "200" and click "Update"	SKIPPED	0.000 s
4	Then user gets the success message as "Tier Updated Successfully"	SKIPPED	0.001 s
	AFTER - stepDefinition.Hooks.takeScreenShotOnFailure(io.cucumber.java.Scenario)	PASSED	0.223 s
	Edit Tier		

#	Step / Hook Details	Status	Duration
	NOT FOUND		

Delete Tier

FAILED	DURATION - 4.786 s
/ 1:36:53.891 pm // 1:36:58.677 pm /	
Tiers feature	
@TiersSmoketest1	

Steps
Total - 2
Pass - 0
Fail - 1
Skip - 1

#	Step / Hook Details	Status	Duration
1	Then user validates "Titanium" tier and clicks "Delete"	FAILED	4.524 s

	java.lang.AssertionError: Record not found:
	   at org.junit.Assert.fail(Assert.java:88)
	   at org.junit.Assert.assertTrue(Assert.java:41)
	   at stepDefinition.TiersStepDefinition.user_validates_created_tier_clicks_edit(TiersStepDefinition.java:166)
	   at ?.user validates "Titanium" tier and clicks "Delete"(file:///Users/basavaraj/Automation/Pramod/v2/LBMSCloud/src/test/java/features/Tiers.feature:32)
	* Not displayable characters are replaced by '?'.		

2	Then user should navigate to tier lists page along with success message "Titanium" "tier has been successfully deleted"	SKIPPED	0.000 s
	AFTER - stepDefinition.Hooks.takeScreenShotOnFailure(io.cucumber.java.Scenario)	PASSED	0.253 s
	Delete Tier		

#	Step / Hook Details	Status	Duration

Tier Settings

FAILED	DURATION - 3.956 s		Steps
/ 1:36:58.699 pm // 1:37:02.655 pm /			Total - 3
Tiers feature			Pass - 0
			Fail - 1
@TiersSmoketest1			Skip - 2

#	Step / Hook Details	Status	Duration
1	Given User navigates to tier module	FAILED	3.694 s

	org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element ... is not clickable at point (64, 252). Other element would receive the click: <div class="sc-fXSgeo iceehS">...</div> (Session info: chrome=120.0.6099.129) Build info: version: '4.16.1', revision: '9b4c83354e' System info: os.name: 'Mac OS X', os.arch: 'x86_64', os. version: '14.2.1', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [754b88093390975d4412de61c87d1a90, clickElement {id=9374F8FEAE15FC4048EEF4AED043CF81_element_757}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.129, chrome: {chromedriverVersion: 120.0.6099.109 (3419140ab66..., userDataDir: /var/folders/nj/n_9gw81j7mq...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:53536}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:53536/devtoo..., se:cdpVersion: 120.0.6099.129, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on mac (754b88093390975d4412de61c87d1a90)] -> xpath: //span[text()='Tiers']] Session ID: 754b88093390975d4412de61c87d1a90
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)		

#	Step / Hook Details	Status	Duration
	at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:523) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:224) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:51) at jdk.proxy2/jdk.proxy2.$Proxy27.click(Unknown Source) at resources.BrowserUtils.clickElement(BrowserUtils.java:69) at stepDefinition.TiersStepDefinition.user_navigates_to_tier_module(TiersStepDefinition.java:23) at ?.User navigates to tier module(file:///Users/basavaraj/Automation/Pramod/v2/LBMSCloud/src/test/java/features/Tiers.feature:38) * Not displayable characters are replaced by '?'.		
2	When user change the tier settings timeframe	SKIPPED	0.001 s
3	Then user gets the success message as "Tier Setting Updated Successfully"	SKIPPED	0.001 s
	AFTER - stepDefinition.Hooks.takeScreenShotOnFailure(io.cucumber.java.Scenario) Tier Settings 	PASSED	0.251 s