


Feature Scenario		Step							
Name	Duration	T	P	F	S	T	P	F	S
<u>Login</u>	1 m 5.427 s	1	1	0	0	4	4	0	0
Reports feature	1 m 6.940 s	1	0	1	0	4	3	1	0

FAIL & SKIP SCENARIOS -- 3 --

#	Feature Name	Scenario Name
1	Reports feature	User navigate to the transactional section, Member section and
		communicationa section and download the reports


TAG	Scenario			Fea	ture			
Name	T	P	F	S	T	P	F	S
@AppLoginSmoketest1	1	1	0	0	1	1	0	0
@DownloadReportSmoketest1	1	0	1	0	1	0	1	0

FEATURES SUMMARY -- 5 --



#	Feature Name	T	P	F	S	Duration
1	<u>Login</u>	1	1	0	0	1 m 5.427 s
2	Reports feature	1	0	1	0	1 m 6.940 s

SCENARIOS SUMMARY




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Login</u>	Intialize browser,login to the application	4	4	0	0	1 m 5.420 s
2	Reports feature	User navigate to the transactional section, Member section and communicationa section and download the reports	4	3	1	0	1 m 6.940 s

DETAILED SECTION -- 7 --

Login


PASSED	DURATION - 1 m 5.427 s	Scenarios		Steps	
		Total - 1		Total - 4	
/ 12:25:07.046 pm	// 12:26:12.473 pm /	Pass - 1	1	Pass - 4	4
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

Intialize browser, login to the application




#	Step / Hook Details	Status	Duration
1	Given Login to the application using username and password	PASSED	12.640 s
2	When validate if the title is "Giift LBMS"	PASSED	0.529 s
3	Then click on the profile section	PASSED	50.061 s
4	Then select the program "A program four"	PASSED	2.142 s

Reports feature



User navigate to the transactional section, Member section and communicationa section and download the reports

DETAILED SECTION -- 8 --



#	Step / Hook Details	Status	Duration
1	Given User navigates to reports module	PASSED	6.847 s
2	When user selects "Transactional" section	PASSED	12.786 s
3	When user validate the existing report "Accrual Report" and click on "View"	PASSED	14.597 s
4	And download the "Daily" report	FAILED	32.318 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: ("method":"xpath", "selector":"//div[text()="No records found"]" (Session info: chrome=120.0.6099.129) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors/ino-such-element-exception Build info: version: '4.16.1', revision: '9b4c83354e' System info: os. name: 'Mac OS X', os.arch: 'k86, 64', os.version: '14.2.1', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [4ee06f895dadb898984dbc1003cf50c7, findElement [using=xpath, value=//div[text()="No records found"]] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.129, chrome: {chromedriverVersion: 120.0.6099.129, setWindowRect: true, spritterileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true}) Session ID: 4ee06f895dadb898984dbc10d3cf50c7 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.Service.DriverCommandExec		

DETAILED SECTION -- 9 --

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:360) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:354) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy27.getText(Unknown Source) at stepDefinition.ReportsStepDefinition.download_the_reportn(ReportsStepDefinition.java:616) at ?.download the "Daily" report(file:///Users/basavaraj/Automation/Pramod/v2/LBMSCloud/src/test/java/features/Reports.feature:101) * Not displayable characters are replaced by '?'.		
	AFTER - stepDefinition.Hooks.takeScreenShotOnFailure(io.cucumber.java.Scenario) User navigate to the transactional section, Member section and communicationa section and download the reports NOT FOUND	PASSED	0.359 s