# Mayank Kejriwal

University of Southern California


**Open Information Extraction** 

# Application: Information Fusion

- What kills bacteria?
- What west coast, nano-technology companies are hiring?
- Compare Obama's "buzz" versus Hillary's?
- What is a quiet, inexpensive, 4-star hotel in Vancouver?


# Opinion Mining

- Opine (Popescu & Etzioni, EMNLP '05)
- IE(product reviews)
  - Informative
  - Abundant, but varied
  - Textual
- Summarize reviews without any prior knowledge of product category



#### OPINE

Ana-Maria Popescu, Bao Nguyen, Oren Etzioni



New York City hotels > Renaissance New York Hotel Times Square

#### **Review Summary**

Staff: excellent (7), great (3), very helpful (2), poor, fantastic, helpful, love, good, view all (17)

Location: great (4), best (3), good (2), fabulous, fantastic, ideal, superb, not great, love, view all (15)

Room: nice (5), great (2), not great (2), good (2), very nice (2), excellent, superb, lovely, average, view

all (17)

Quality: best, fantastic, lovely, recommend, love, nice, fine, view all (7)

Food: very good (2), fantastic, lovely, not great, great, view all (6)

Bathroom beauty: beautiful

Bar: fabulous, great, view all (2)

Staff friendliness: friendly (4), very friendly (2), incredibly friendly, unfriendly, view all (8)

Room bed comfort: comfy (2), comfortable (2), extremely comfortable, view all (5)

Bathroom: great (2), elegant, very nice, nice, view all (5)


Room cleanness: clean (2)

User comments:

the rooms were clean and smelled great. Read more

The rooms were clean, spacious, soundproof and well-appointed . Read more





## Open IE = Self-supervised IE

(Banko, Cafarella, Soderland, et. al, IJCAI '07)

#### Traditional IE

Input: Corpus + Hand-labeled Data

Relations: Specified in Advance

Complexity: O(D \* R)R relations

Text analysis:

Parser + Namedentity tagger

Open IE

Corpus

Discovered Automatically

O(D)D documents

NP Chunker

## Extractor Overview (Banko & Etzioni, '08)

- 1. Use a simple model of relationships in English to label extractions
- Bootstrap a general model of relationships in English sentences, encoded as a CRF
- Decompose each sentence into one or more (NP1, VP, NP2) "chunks"
- 4. Use CRF model to retain relevant parts of each NP and VP.

The extractor is relation-independent!

### TextRunner Extraction

 Extract Triple representing binary relation (Arg1, Relation, Arg2) from sentence.

Internet powerhouse, EBay, was originally founded by Pierre Omidyar.

Internet powerhouse, EBay, was originally founded by Pierre Omidyar.

(Ebay, Founded by, Pierre Omidyar)

# Numerous Extraction Challenges

- Drop non-essential info:
- "was originally founded by" → founded by
- Retain key distinctions

**Ebay** founded **by Pierre** ≠ **Ebay** founded **Pierre** 

Non-verb relationships

"George Bush, president of the U.S..."

Synonymy & aliasing

Albert Einstein = Einstein ≠ Einstein Bros.

## TextRunner (Web's 1st Open IE system)

1. Self-Supervised Learner: automatically labels example extractions & learns an extractor

2. Single-Pass Extractor: single pass over corpus, identifying extractions in each sentence

3. Query Processor: indexes extractions → enables queries at interactive speeds

### 4. Conclusions

Imagine search systems that operate over a (more) semantic space

- Key words, documents → extractions
- TF-IDF, pagerank → relational models
- Web pages, hyper links → entities, relns

Reading the Web > new Search Paradigm

# Open IE on Web Text

#### **Advantages**

"Semantically tractable" sentences

Redundancy

**Search engines** 

### **Challenges**

Difficult, ungrammatical sentences

**Unreliable information** 

**Heterogeneous corpus**