

Patient's Name : _____

MRN : _____

DoB: _____

Cranial Surgery

الجراحة في الجمجمة

A. Interpreter / cultural needs

An Interpreter Service is required? ☐ Yes ☐ No
If Yes, is a qualified Interpreter present? ☐ Yes ☐ No

B. Condition and treatment

The doctor has explained that you have the following condition: (Doctor to document in patient's own words)

This condition requires the following procedure. (Doctor to document - include site and/or side where relevant to the procedure)

C. Risks of cranial surgery

Risks and complications might occur from cranial surgery (more than 5%) include:

- Infection which might require IV antibiotics treatment and further treatments
- Bleeding which might require return back to the operating room. Risks of bleeding might increase if you are taking blood thinner medications such as Aspirin, Warfarin, or Plavix.
- Pain, bruising from the IV site or infection at the IV line.

Risks and complications might occur from cranial surgery (less than 5%) include:

- Heart attack from high strain on the heart.
- Stroke like complications causing neurological deficits such as weakness in the face, arm, and legs. This may be temporary or permanent.
- Fluid leakage from around the brain through the wound after surgery.
- Abnormal sensation like pins, needles, numbness or pain around the wound. This may be temporary or permanent.
- Memory disturbance or confusion. This could be temporary or permanent.
- Disturbances in normal body salt concentration. This may require intensive care unit admissions and further treatment.
- Skull deformity and/or poor cosmetic results which might require further surgical intervention in late stage.
- Lung collapse with increasing the risk of chest infection this may need antibiotics and physiotherapy.
- Increase risk in obese patients of wound infection, heart and lung complications and thrombosis.
- Blood clots in the legs (deep venous thrombosis), part of the clot might migrate to the lungs (pulmonary embolism)
- Epilepsy which might require medications. This condition may be temporary or permanent.
- Cerebral abscess which may require prolonged antibiotic

أ. المترجم / الاحتياج الثقافي

هل توجد حاجة لخدمات الترجمة ؟ ☐ نعم ☐ لا
إذا كانت الإجابة بنعم ، فهل يتوفر مترجم مؤهل ؟ ☐ نعم ☐ لا

ب . الحالة المرضية والعلاج

لقد قام الطبيب بشرح حالتك المرضية لك وأنت تعاني من : (يقوم الطبيب بالتوثيق بما يلائم لغة ومفردات المريض)

تتطلب هذه الحالة المرضية الإجراء الطبي التالي:
(يقوم الطبيب بالتوثيق – يشمل ذلك موضع و/ أو الجهة المتعلقة بالإجراء)

ج. مخاطر الجراحة في الجمجمة

مخاطر ومضاعفات يمكن حدوثها بسبب الجراحة في الجمجمة (أكثر من 5% وتشمل:

- قد تحدث عدوى ، مما يتطلب العلاج بالمضادات الحيوية وعلاجات أخرى .
- حدوث نزيف مما قد يتطلب العودة مرة أخرى لغرفة العمليات لإيقافه. حدوث النزيف أكثر شيوعاً لدى من يتناولون العقاقير التي تؤدي لزيادة سيولة الدم مثل الأسبرين ، الوارفارين ، أو بلافيكس .
- ألم ، كدمة أو عدوى في منطقة إدخال الخط الوريدي .

مخاطر ومضاعفات يمكن حدوثها بسبب الجراحة في الجمجمة (أقل من 5% وتشمل:

- قد ينتج عن إجهاد القلب حدوث أزمة قلبية .
- مضاعفات مشابهة لتلك الناتجة عن السكتة الدماغية مسببة عجز في بعض الأعصاب و ضعف في الوجه ، الذراعين والساقين . قد يكون ذلك بشكل مؤقت أو دائم.
- قد يحدث بعد الجراحة تسرب لسوائل من حول المخ عبر الجرح.
- أحاسيس غير طبيعية مثل الدبابيس والإبر ، قد يحدث في الجرح تخدر أو ألم بعد العملية . قد يكون ذلك بشكل مؤقت أو دائم.
- اضطراب في الذاكرة و تنوش (ارتباك) . قد يكون ذلك بشكل مؤقت أو دائم.
- اضطراب في التركيز الطبيعي للأملاح في الجسم . قد يتطلب ذلك التنويم في وحدة العناية المركزة ومعالجات أخرى.

• قد يحدث تشوه في الجمجمة وأو نتائج تجميلية غير مرضية مما يتطلب تدخل جراحي آخر في مرحلة لاحقة.

- قد يحدث انغلاق لمناطق صغيرة في الرئة، مما يزيد من مخاطر الإصابة بالتهاب في الصدر، وقد يتطلب علاج ذلك استخدام المضادات الحيوية والعلاج الطبيعي (الفيزيائي) للصدر.
- عند المرضى ذو الوزن الزائد ، تزداد مخاطر الإصابة بعدوى والتهاب الجرح والصدر ، مضاعفات في القلب والرئة ، وجلطات الأوعية الدموية.
- تجلط في أحد أوردة الساق (تجلط الوريد العميق للساق). قد ينفصل جزء من التجلط ليصل إلى الرئة (الانسداد الرئوي).
- الصرع الذي قد يتطلب علاجه أدوية . قد يكون ذلك بشكل مؤقت أو دائم.
- خراج في المخ مما قد يتطلب معالجة طويلة الأمد بالمضادات الحيوية وأو جراحة لتفريغ محتويات الخراج.

Patient's Name : _____

MRN : _____

DoB: _____

therapy and/or surgery to drain the abscess.

- Death as a possible result of the procedure itself.

D. Other risks

(Doctor to document in space provided. Continue in Medical Record if necessary.)

E. Risks of not having this procedure

(Doctor to document in space provided. Continue in Medical Record if necessary.)

F. Anesthetic

This procedure may require an anaesthetic. (Doctor to document type of anaesthetic discussed)

G. Patient Consent

I acknowledge that the doctor has explained;

- My medical condition and the proposed procedure, including additional treatment if the doctor finds something unexpected. I understand the risks, including the risks that are specific to me.
- The anaesthetic required for this procedure. I understand the risks, including the risks that are specific to me.
- Other relevant procedure/treatment options and their associated risks.
- My prognosis and the risks of not having the procedure.
- That no guarantee has been made that the procedure will improve my condition even though it has been carried out with due professional care.
- The procedure may include a blood transfusion.
- Tissues and blood may be removed and could be used for diagnosis or management of my condition, stored and disposed of sensitively by the hospital.
- If immediate life-threatening events happen during the procedure, they will be treated based on my discussions with the doctor or my Acute Resuscitation Plan.
- A doctor other than the Consultant may conduct the procedure. I understand this could be a doctor undergoing further training.

I have been given the following Patient Information Sheet/s:

- ☐ About Your Anesthetic
- ☐ About the blood transfusion
- ☐ Cranial Surgery

- الوفاة محتملة بسبب هذا الإجراء.

د . مخاطر أخرى

(يقوم الطبيب بالتوثيق في المكان المحدد ، ويكمل في سجل المريض الطبي إذا اقتضى الأمر)

هـ . مخاطر عدم الخضوع للإجراء

(يقوم الطبيب بالتوثيق في المكان المحدد ، ويكمل في سجل المريض الطبي إذا اقتضى الأمر)

و . التخدير

قد يتطلب القيام بهذا الإجراء الخضوع للتخدير. (يقوم الطبيب المعالج بتدوين نوع التخدير الذي تمت مناقشته مع المريض)

ز . إقرار المريض

أقر بأن الطبيب قد شرح لي :

- حالتي المرضية والإجراء المقترح ، بما في ذلك الإجراءات العلاجية الإضافية في حالة اكتشاف الطبيب لأمر لم يكن متوقعاً . أقر بأنني أفهم المخاطر بما في ذلك المخاطر الخاصة بحالتي الصحية.
- التخدير المطلوب لهذا الإجراء. أقر بأنني أفهم المخاطر بما في ذلك المخاطر الخاصة بحالتي الصحية.
- الخيارات الإجراءية الطبية \العلاجية\ الأخرى ذات الصلة والمخاطر المترتبة عليها.
- المسار الطبيعي لحالتي المرضية ومخاطر عدم القيام بالإجراء.
- عدم تقديم أي ضمانات لي بأن الإجراء سيؤدي إلى تحسن حالتي المرضية بالرغم من أن الإجراء سيتم بمهنية عالية.
- قد يشمل الإجراء نقل دم لي .
- احتمالية إزالة أنسجة أو دم ، وقد يستخدمان في تشخيص أو علاج حالتي المرضية ويتم حفظها والتخلص منها عن طريق المستشفى بطريقة مهنية تراعي الأنظمة والأعراف.
- إذا حدث (لا سمح الله) ما يهدد حياتي أثناء الإجراء ، فسيتم التعامل معه حسب ما تم شرحه لي من قبل الطبيب أو حسب خطة الإنعاش المحددة لي .
- قد يقوم بالإجراء طبيب آخر غير الاستشاري ، وأنا مدرك تماماً أن هذا الطبيب منخرط في برنامج تدريبي متقدم.

لقد تم إعطائي مستندات وأوراق التعليمات التالية:

- ☐ نوعية التخدير المقدم لي
- ☐ ما يتعلق بنقل الدم لي
- ☐ الجراحة في الجمجمة

Patient's Name : _____

MRN : _____

DoB: _____

- I was able to ask questions and raise concerns with the doctor about my condition, the proposed procedure and its risks, and my treatment options. My questions and concerns have been discussed and answered to my satisfaction.
- I understand I have the right to change my mind at any time, including after I have signed this form but, preferably following a discussion with my doctor.
- I understand that image/s or video footage may be recorded as part of and during my procedure and that these image/s or video/s will assist the doctor to provide appropriate treatment.

On the basis of the above statements,

I request to have the procedure

Name of Patient:

Signature:

Date: Time:

Patients who lack capacity to provide consent

Consent must be obtained from a substitute decision

Maker/s in the order below.

Name of Substitute

Decision Maker/s:

Signature:

Relationship to patient:

Date: Time:

Contact No:

H. Doctor/delegate statement

I have explained to the patient all the above points under the Patient Consent section (G) and I am of the opinion that the patient/substitute decision-Maker has understood the information.

Doctor/delegate:

Designation:

Signature:

Date: Time:

Witnesses (for the above signature)

1) Name: _____ Signature: _____

Date: _____ Time: _____

2) Name: _____ Signature: _____

Date: _____ Time: _____

• منحت لي الفرصة من قبل طبيبي لطرح أسئلتي والتعبير عن مخاوفي فيما يخص حالتي المرضية والإجراء المقترح ومخاطره , والخيارات المتوفرة لعلاجي. وقد تم الرد على استفساراتي ومخاوفي بما حقق لي الرضا.

• أتفهم أن من حقّي تغيير رأيي في أي لحظة حتى ولو حدث ذلك بعد توقيعني لهذا النموذج ، ولكن من الأفضل أن يتم ذلك بعد مناقشته مع طبيبي.

• أتفهم أنه قد يتم خلال الإجراء أخذ صور طبية أو تسجيل مقاطع فيديو تخص المريض وذلك كجزء من الإجراء وأن ذلك سيتم خلاله، وأن هذه الصور والمقاطع المصورة ستساعد الطبيب على اختيار أنسب طرق العلاج.

وبناء على ما تقدم، فإنني أطلب الخضوع للإجراء الطبي

اسم المريض :

التوقيع :

التاريخ : الوقت:

المرضى فاقد القدرة على إعطاء الإقرار
يتم الحصول على الإقرار من قبل شخص/ أشخاص بديل مناسب ينوب عنه ويملك القدرة على اتخاذ القرار على النحو الموضح أدناه.

اسم الشخص البديل :

التوقيع :

علاقته بالمريض :

التاريخ : الوقت:

رقم الإتصال:

ح . بيان الطبيب / مندوب الطبيب

لقد شرحت للمريض كل النقاط المذكورة سابقاً في قسم إقرار المريض (ز) ، وأنا على ثقة بأن المريض / من ينوب عنه قد فهم جميع المعلومات المقدمة له .

اسم الطبيب :

الوظيفة / الدور :

التوقيع :

التاريخ : الوقت:

توقيع الشهود :

1) الاسم: _____ التاريخ: _____

التوقيع: _____ الوقت: _____

2) الاسم: _____ التاريخ: _____

التوقيع: _____ الوقت: _____