

Generic Medical Imaging Consent

إقرار الموافقة العام للتصوير الطبي

Patient's Name : _____

MRN : _____

DoB: _____

A. Interpreter / Cultural Needs

An Interpreter Service is required?

☐ Yes ☐ No

If Yes, is an interpreter present?

☐ Yes ☐ No

B. Procedure

The following will be performed (Doctor/doctor delegate to document – include site and/or side where relevant to the procedure)

This procedure will require a (please tick the required & cross the not required)

- ☐ Local anesthetic
☐ Sedation anesthetic
☐ General anesthesia

C. Risks of this procedure

Doctor to cross out and initial any statements on the 'Generic Medical Imaging Consent', not relevant to this patient's procedure.

In recommending this procedure, the doctor believes the benefits to you from having this procedure exceed the risks involved.

The risks and complications with this procedure can include but are not limited to the following.

Common risks and complications include:

- Minor pain, bruising and/or infection from the IV cannula. This may require treatment with antibiotics.
- Pain or discomfort at the puncture site. This may require medication.
- Bleeding or bruising may occur. This is more common if you take Aspirin, Warfarin, Clopidogrel (Plavix and Iscover) or Dipyridamole (Persantin and Asasantin).
- Failure of local anesthetic which may require a further injection of anesthetic or a different method of anesthesia may be used.
- Nerve damage, is usually temporary, and should get better over a period of time. Permanent nerve damage is rare.

Less common risks and complications include:

- Infection, requiring antibiotics and further treatment.
- Damage to surrounding structures such as blood vessels, organs and muscles, requiring further treatment.
- An allergy to injected drugs, requiring further treatment.
- The procedure may not be possible due to medical and/or technical reasons.

Rare risks and complications include:

- Seizures and/or cardiac arrest due to local anesthetic

أ. المترجم / الاحتياج الثقافي

هل هناك حاجة لخدمة الترجمة؟

☐ نعم ☐ لا

☐ نعم ☐ لا

إذا كانت الإجابة بنعم ، فهل يتوفر مترجم مؤهل ؟

ب. الإجراء

تتطلب هذه الحالة المرضية الإجراء الطبي التالي:

(يقوم الطبيب\ من ينوب عن الطبيب بالتوثيق – يشمل ذلك موضع و/ أو الجهة المتعلقة بالإجراء)

هذا الإجراء يتطلب (قم بالتأشير في المكان المناسب)

- ☐ تخدير موضعي
☐ تخدير بإعطاء دواء مسكن
☐ تخدير كلي (تخدير عام)

ج. مخاطر الإجراء

يقوم الطبيب بشطب ووضع أحرف اسمه الأولى على أي إفادة في "الإقرار العام للتصوير الطبي" ليس لها علاقة بهذا الإجراء للمريض .

لقد أوصى طبيبك بهذا الإجراء ويرى أن فوائده بالنسبة لك تفوق مخاطره . هناك مخاطر ومضاعفات مرتبطة بهذا الإجراء ، وهي تشمل ، ولكنها غير محصورة في :

مخاطر ومضاعفات شائعة وتشمل :

- ألم بسيط ، كدمة و \ أو عدوى بسبب إدخال إبرة الخط الوريدي. قد تتطلب معالجة بالمضادات الحيوية.
- ألم وشعور بعدم الراحة في موضع دخول إبرة الإجراء. قد يتطلب ذلك أدوية.
- حدوث نزيف أو كدمة . وهو أكثر شيوعاً لدى من يتناولون العقاقير التي تؤدي لزيادة سيولة الدم مثل الوارفارين، الأسبرين، كلوبيدوجريل(بلافكس أو اسكوفير) أو عقار دايابيردامول(بيرسانتن أو اساسانتن).
- فشل في عمل المخدر الموضعي مما قد يتطلب إعطاء حقنة أخرى أو استخدام طريقة تخدير أخرى.
- ضرر لعصب . غالباً ما يكون مؤقتاً ومن المفترض تحسنه مع الوقت. من النادر حدوث ضرر دائم للعصب.

مخاطر ومضاعفات أقل شيوعاً وتشمل :

- عدوى يتطلب علاجها المضادات الحيوية وعلاجات أخرى.
- ضرر الأنسجة المجاورة كالأوعية الدموية ، الأعضاء الأخرى والعضلات. يتطلب معالجات أخرى.
- تفاعل تحسسي للأدوية التي أعطيت أثناء القيام بالإجراء تتطلب علاجات أخرى.
- قد لا يمكن القيام بالإجراء لأسباب طبية وأو فنية(تقنية).

مخاطر ومضاعفات نادرة الحدوث وتشمل:

- تشنجات و \ أو سكتة قلبية بسبب سمية المخدر الموضعي.
- الوفاة بسبب هذا الإجراء نادرة جداً.

Patient's Name : _____

MRN : _____

DoB: _____

toxicity.

- Death as a result of this procedure is very rare.

Risks of radiation include:

- An increased lifetime cancer risk due to the exposure to x-rays is rare.
- Skin burns or damage from exposure to x-rays is rare.

Sedation risks include:

- Faintness or dizziness, especially when you start to move around.
- Fall in blood pressure nausea and vomiting
- Weakness.
- An existing medical condition getting worse.
- Heart and lung problems such as heart attack or vomit in the lungs causing pneumonia. This may require emergency treatment.
- Stroke resulting in brain damage.

Doctor to document specific risks in space provided.
(Continue in Medical Record if necessary)

D. Risks of Iodinated Contrast for patients with renal impairment

Specific Risks of Iodinated Contrast to patient's identified as having Renal Impairment.

- Giving the Contrast to people with weakened kidneys (renal impairment), can cause further kidney damage, which may in turn cause the kidneys to stop working properly (acute renal failure).

E. Patient Consent

I acknowledge that the doctor/ doctor delegate has explained the proposed procedure. I understand:

- The risks and complications, including the risks that are specific to me.
- That anesthetic required for this procedure. I understand the risks, including the risks that are specific to me.
- That no guarantee has been made that the procedure will improve my condition even though it has been carried out with due professional care.
- If immediate life-threatening events happen during the procedure, they will be treated based on my discussions with the doctor or my Acute Resuscitation Plan.
- A doctor/doctor delegate undergoing further training may conduct this procedure.

I have been given the following Patient Information Sheet:

☐ Iodinated Contrast (if required)

مخاطر بسبب استخدام الأشعة وتشمل:

- زيادة مخاطر الإصابة بالسرطان خلال الحياة بسبب التعرض للأشعة السينية.
- حروق أو ضرر للجلد بسبب التعرض للأشعة السينية.

مخاطر استخدام الدواء المسكن وتشمل :

- إغماء أو دوخة ، خاصة عند بدء الحركة بعد الانتهاء من الإجراء.
- انخفاض في ضغط الدم. غثيان وقئ.
- ضعف عام.
- تفاقم أي مشكلة صحية أخرى.
- مشاكل في القلب والرئتين كالأزمة القلبية أو دخول المادة المتبقية إلى الرئة
- مسببة التهاب رئوي مما قد يتطلب تدخل طبي طارئ.
- سكتة دماغية تتسبب في ضرر للمخ.

يقوم الطبيب بتوثيق المخاطر المحددة في الفراغ المعطى.
(ويكمل في ملف المريض عند الضرورة)

د . مخاطر مادة الوسط المتباين المعالجة باليود عند المرضى الصابين باعتلال عمل الكلى.

المخاطر المحددة لمادة الوسط المتباين المعالجة باليود عند المرضى المصابين باعتلال عمل الكلى.

- إعطاء مادة الوسط المتباين لمرضى يعانون من ضعف عمل الكلى (اعتلال وظائف الكلى) قد يسبب أضراراً إضافية للكلى ، مما قد يسبب توقف الكلى عند العمل بشكل صحيح (فشل كلوى حاد).

هـ . قرار المريض

أقر بأن الطبيب\ من ينوب عن الطبيب قد شرح لي الإجراء المقترح :
إنني على علم بما يلي :

- المخاطر والمضاعفات بما في ذلك المخاطر الخاصة بحالتي الصحية.
- التخدير \ الدواء المسكن المطلوب لهذا الإجراء. أقر بأنني أفهم المخاطر بما في ذلك المخاطر الخاصة بحالتي الصحية.
- عدم تقديم أي ضمانات لي بأن الإجراء سيؤدي إلى تحسن حالتي المرضية بالرغم من أن الإجراء سيتم بمهنية عالية.
- إذا حدث (لا سمح الله) ما يهدد حياتي أثناء الإجراء ، فسيتم التعامل معه حسب ما تم شرحه لي من قبل الطبيب أو حسب خطة الإنعاش المحددة لي.
- قد يقوم بالإجراء طبيب آخر غير الاستشاري ، وأنا مدرك تماماً أن هذا الطبيب منخرط في برنامج تدريبي متقدم.

لقد تم إعطائي مستندات وأوراق التعليمات التالية:

☐ مادة الوسط المتباين المعالجة باليود (عند الحاجة)

Patient's Name : _____

MRN : _____

DoB: _____

- I was able to ask questions and raise concerns with the doctor about my condition, the proposed procedure and its risks, and my treatment options. My questions and concerns have been discussed and answered to my satisfaction.
- I understand I have the right to change my mind at any time, including after I have signed this form but, preferably following a discussion with my doctor.
- I understand that image/s or video footage may be recorded as part of and during my procedure and that these image/s or video/s will assist the doctor to provide appropriate treatment.
- I understand that International Medical Center may release my relevant de-identified information obtained from this and related procedures for education and training of health professionals.

On the basis of the above statements,

I request to have the procedure

Name of Patient:

Signature:

Date: Time:

F. Doctor/delegate statement

I have explained to the patient all the above points Under:

- ☐ The Patient Consent section (E)
- ☐ Iodinated Contrast – (D)

And I am of the opinion that the patient/substitute decision-maker has understood the information.

Name of

Doctor/delegate:

Designation:

Signature:

Date: Time:

Witnesses (for the above signature)

1) Name: _____ Signature: _____

Date: _____ Time: _____

2) Name: _____ Signature: _____

Date: _____ Time: _____

- منحت لي الفرصة من قبل طبيبي لطرح أسئلتي والتعبير عن مخاوفي فيما يخص حالتي المرضية والإجراء المقترح ومخاطره , والخيارات المتوفرة لعلاجي. وقد تم الرد على استفساراتي ومخاوفي بما حقق لي الرضا.
- أتفهم أن من حقي تغيير رأيي في أي لحظة حتى ولو حدث ذلك بعد توقيعني لهذا النموذج ، ولكن من الأفضل أن يتم ذلك بعد مناقشته مع طبيبي.
- أتفهم أنه قد يتم خلال الإجراء أخذ صور طبية أو تسجيل مقاطع فيديو تخص المرض وذلك كجزء من الإجراء وأن ذلك سيتم خلاله، وأن هذه الصور والمقاطع المصورة ستساعد الطبيب على اختيار أنسب طرق العلاج.
- أنا المركز الطبي الدولي قد يستخدم المعلومات الطبية المتحصلة من حالتي المرضية وفحوصاتي الطبية لأغراض التعليم والتدريب الطبي للممارسين الصحيين ، وذلك دون الكشف عن هويتي.

وبناء على ما تقدم، فإنني أوافق على الخضوع للإجراء الطبي

اسم المريض :

التوقيع :

التاريخ : الوقت:

و . بيان الطبيب / مندوب الطبيب

لقد شرحت للمريض كل النقاط المذكورة سابقاً والمتعلقة بما يلي :

- ☐ إقرار المريض (هـ)
- ☐ إقرار مادة الوسط المتباين المعالجة باليود في وجود اختلال وظائف الكلى (د) فقط للمرضى المصابين باختلال وظائف الكلى

وأنا على ثقة بأن المريض / من ينوب عنه قد فهم جميع المعلومات المقدمة له .

اسم الطبيب/ مندوب الطبيب:

طبيعة الإنابة :

التوقيع :

التاريخ : الوقت:

توقيع الشهود :

1) الاسم: _____ التاريخ: _____

التوقيع: _____ الوقت: _____

2) الاسم: _____ التاريخ: _____

التوقيع: _____ الوقت: _____