

Patient's Name : _____

MRN : _____

DoB: _____

D & C (Dilation and Curettage)

توسعة عنق الرحم & الكحت

A. Interpreter / Cultural Needs

An Interpreter Service is required? ☐ Yes ☐ No
If Yes, is a qualified Interpreter present? ☐ Yes ☐ No

B. Condition and treatment

The doctor has explained that you have the following condition: (Doctor to document in patient's own words)

This condition requires the following procedure. (Doctor to document - include site and/or side where relevant to the procedure)

The following will be performed:

After widening the cervix (the neck of the womb), an instrument attached to suction is passed into the uterus (womb). The lining of the uterus and any other tissue that looks abnormal inside the uterus is then removed and may be sent to pathology for tests.

C. Risks of a D & C

There are risks and complications with this procedure. They include but are not limited to the following:

General risks:

- Bleeding could occur and may require a return to the operating room. Bleeding is more common if you have been taking blood thinning drugs such as Warfarin, Aspirin, Clopidogrel (Plavix or Iscover) or Dipyridamole (Persantin or Asasantin).
- Small areas of the lung can collapse, increasing the risk of chest infection. This may need antibiotics and physiotherapy.
- Increased risk in obese people of wound infection, chest infection, heart and lung complications, and thrombosis.
- Heart attack or stroke could occur due to the strain on the heart.
- Blood clot in the leg (DVT) causing pain and swelling. In rare cases part of the clot may break off and go to the lungs.
- Death as a result of this procedure is possible.

Specific risks:

- Damage or tearing of the cervix. This may need repair. It can also possibly lead to early pregnancy loss in future pregnancies.
- Damage to the uterus due to a perforation (puncture) and possible bowel damage. This may need more surgery and a longer hospital stay than expected.
- Severe bleeding (haemorrhage) from the uterus. This may

أ. المترجم / الاحتياج الثقافي

هل توجد حاجة لخدمات الترجمة؟ ☐ نعم ☐ لا
إذا كانت الإجابة بنعم، فهل يتوفر مترجم مؤهل؟ ☐ نعم ☐ لا

ب. الحالة المرضية والعلاج

لقد قام الطبيب بشرح حالتك المرضية لك وأنت تعاني من: (يقوم الطبيب بالتوثيق بما يلائم لغة ومفردات المريض)

تتطلب هذه الحالة المرضية الإجراء الطبي التالي:
(يقوم الطبيب بالتوثيق - يشمل ذلك موضع و/أو الجهة المتعلقة بالإجراء)

سيتم القيام بالتالي:

بعد توسعة عنق الرحم، يتم إدخال معدة متصلة بالآلة للشفط إلى داخل الرحم. تتم إزالة بطانة الرحم وأي نسيج غير طبيعي في مظهره من داخل الرحم، وقد يتم إرسالها لمختبر علم الأمراض لفحصه.

ج. مخاطر توسعة عنق الرحم & الكحت

لهذا الإجراء مخاطر ومضاعفات وتشمل، ولكنها غير مقتصرة على:

مخاطر عامة:

- حدوث نزيف مما قد يتطلب العودة مرة أخرى لغرفة العمليات لإيقافه. حدوث النزيف أكثر شيوعاً لدى من يتناولون العقاقير التي تؤدي لزيادة سيولة الدم مثل الوارفارين، الأسبرين، كلوبيدوجريل (بلافكس أو اسكوفير) أو عقار دايابير دامول (بيرسانتن أو اساسانتن).
- قد يحدث انغلاق لمناطق صغيرة في الرئة، مما يزيد من مخاطر الإصابة بالتهاب في الصدر، وقد يتطلب علاج ذلك استخدام المضادات الحيوية والعلاج الطبيعي (الفيزيائي) للصدر.
- عند أصحاب الأوزان الزائدة، تزداد مخاطر الإصابة بعدوى الجرح والصدر، مضاعفات في القلب والرئة، وجلطات الأوعية الدموية.
- قد ينتج عن إجهاد القلب حدوث أزمة قلبية أو سكتة دماغية.
- تجلط في أحد أوردة الساق (تجلط الوريد العميق للساق) مما يسبب ألم وتورم في الساق، وفي حالات نادرة قد ينفصل جزء من التجلط ليصل إلى الرئة.
- الوفاة محتملة كنتيجة لهذا الإجراء.

مخاطر محددة:

- ضرر أو تمزق لعنق الرحم. قد يتطلب ذلك إصلاح. قد يؤدي كذلك إلى فقدان مبكر للحمل عند حدوث الحمل مستقبلاً.
- قد يحدث ضرر للرحم بسبب حدوث ثقب فيه، مع احتمال تضرر الأمعاء. قد يستدعي ذلك جراحة أخرى والبقاء في المستشفى لفترة زمنية أطول مما كان متوقعاً.

Patient's Name : _____

MRN : _____

DoB: _____

need a blood transfusion.

- Infection in the uterus and tubes. This may need antibiotics.
- The tissue inside the uterus may not all be removed. This may need further surgery.
- Rarely air may get into the blood stream. This can cause the heart to stop. This can be fatal.
- After the procedure is performed, there may be bleeding for up to 10 to 14 days.
- Your first period after the procedure may be late. It may be longer or shorter than usual. There may be more or less than the usual amount of blood loss.
- Higher risk in smokers of chest infection, heart and lung problems and blood clots in the veins.

D. Significant Risks and Procedure Options

(Doctor to document in space provided. Continue in Medical Record if necessary.)

E. Risks of not having this procedure

(Doctor to document in space provided. Continue in Medical Record if necessary.)

F. Anesthetic

This procedure may require an anaesthetic. (Doctor to document type of anaesthetic discussed)

G. Patient Consent

I acknowledge that the doctor has explained:

- My medical condition and the proposed procedure, including additional treatment if the doctor finds something unexpected. I understand the risks, including the risks that are specific to me.
- The anaesthetic required for this procedure. I understand the risks, including the risks that are specific to me.
- Other relevant procedure/treatment options and their associated risks.
- My prognosis and the risks of not having the procedure.
- That no guarantee has been made that the procedure will improve my condition even though it has been carried out with due professional care.
- The procedure may include a blood transfusion.
- Tissues and blood may be removed and could be used for

- نزيل مفرد من الرحم . قد يتطلب ذلك نقل دم .
- عدوى في الرحم و أنابيب الرحم . يتطلب ذلك المعالجة بالمضادات الحيوية.
- قد لا تتم إزالة كل النسيج من داخل الرحم مما قد يتطلب جراحة أخرى.
- من النادر أن يدخل الهواء إلى مجرى الدم . قد يؤدي ذلك إلى توقف القلب.
- قد يكون ذلك مميتاً.
- بعد الإجراء قد يكون هناك نزيف لـ 10-14 يوم.

- قد يتأخر قدوم أول دورة شهرية بعد هذا الإجراء ، وقد تكون أطول أو أقصر من المعتاد، كما أن كمية الدم المصاحبة لها قد تكون أكثر أو أقل مما هو معتاد.
- عند المدخات تزداد عدوى الجرح والصدر ومضاعفات القلب والرئة والتخثرات الدموية.
- د . مخاطر كبيرة وهامة وخيارات الإجراء
(يقوم الطبيب بالتوثيق في المكان المحدد ، ويكمل في سجل المريض الطبي إذا اقتضى الأمر)

- هـ . مخاطر عدم الخضوع للإجراء
(يقوم الطبيب بالتوثيق في المكان المحدد ، ويكمل في سجل المريض الطبي إذا اقتضى الأمر)

- و . التخدير
قد يتطلب القيام بهذا الإجراء الخضوع للتخدير . (يقوم الطبيب المعالج بتدوين نوع التخدير الذي تمت مناقشته مع المريض)

ز . إقرار المريض

- أقر بأن الطبيب قد شرح لي :
- حالتي المرضية والإجراء المقترح ، بما في ذلك الإجراءات العلاجية الإضافية في حالة اكتشاف الطبيب لأمر لم يكن متوقعاً . أقر بأنني أفهم المخاطر بما في ذلك المخاطر الخاصة بحالتي الصحية.
- التخدير المطلوب لهذا الإجراء . أقر بأنني أفهم المخاطر بما في ذلك المخاطر الخاصة بحالتي الصحية.
- الخيارات الإجرائية الطبية \العلاجية الأخرى ذات الصلة والمخاطر المترتبة عليها.
- المسار الطبيعي لحالتي المرضية ومخاطر عدم القيام بالإجراء.
- عدم تقديم أي ضمانات لي بأن الإجراء سيؤدي إلى تحسن حالتي المرضية بالرغم من أن الإجراء سيتم بمهنية عالية.
- قد يشمل الإجراء نقل دم لي .
- احتمالية إزالة أنسجة أو دم ، وقد يستخدمان في تشخيص أو علاج حالتي المرضية ويتم حفظها والتخلص منها عن طريق المستشفى بطريقة مهنية

Patient's Name : _____

MRN : _____

DoB: _____

diagnosis or management of my condition, stored and disposed of sensitively by the hospital.

- If immediate life-threatening events happen during the procedure, they will be treated based on my discussions with the doctor or my Acute Resuscitation Plan.
- A doctor other than the Consultant may conduct the procedure. I understand this could be a doctor undergoing further training.

I have been given the following Patient Information Sheet/s:

☐ **About Your Anaesthetic**

☐ **D & C (Dilation & Curettage)**

- I was able to ask questions and raise concerns with the doctor about my condition, the proposed procedure and its risks, and my treatment options. My questions and concerns have been discussed and answered to my satisfaction.
- I understand I have the right to change my mind at any time, including after I have signed this form but, preferably following a discussion with my doctor.
- I understand that image/s or video footage may be recorded as part of and during my procedure and that these image/s or video/s will assist the doctor to provide appropriate treatment.

On the basis of the above statements,

I request to have the procedure

Name of Patient:

Signature:

Date:

Patients who lack capacity to provide consent

Consent must be obtained from a substitute decision maker/s in the order below.

Name of Substitute

Decision Maker/s:

.....

Signature:.....

Relationship to patient:

Date:.....

H. Doctor/delegate statement

I have explained to the patient all the above points under the Patient Consent section (G) and I am of the opinion that the patient/substitute decision-maker has understood the information.

Name of

Doctor/delegate:.....

Designation:.....

Signature:.....

Date:

تراعي الأنظمة والأعراف.

- إذا حدث (لا سمح الله) ما يهدد حياتي أثناء الإجراء ، فسيتم التعامل معه حسب ما تم شرحه لي من قبل الطبيب أو حسب خطة الإنعاش المحددة لي.
- قد يقوم بالإجراء طبيب آخر غير الاستشاري ، وأنا مدرك تماماً أن هذا الطبيب منخرط في برنامج تدريبي متقدم.

لقد تم إعطائي مستندات وأوراق التعليمات التالية:

☐ **نوعية التخدير المقدم لي**

☐ **توسعة عنق الرحم والكحت**

- منحت لي الفرصة من قبل طبيبي لطرح أسئلتي والتعبير عن مخاوفي فيما يخص حالتي المرضية والإجراء المقترح ومخاطره , والخيارات المتوفرة لعلاجي. وقد تم الرد على استفساراتي ومخاوفي بما حقق لي الرضا.

- أتفهم أن من حقي تغيير رأيي في أي لحظة حتى ولو حدث ذلك بعد توقيعي لهذا النموذج ، ولكن من الأفضل أن يتم ذلك بعد مناقشته مع طبيبي.

- أتفهم أنه قد يتم خلال الإجراء أخذ صور طبية أو تسجيل مقاطع فيديو تخص المرض وذلك كجزء من الإجراء وأن ذلك سيتم خلاله، وأن هذه الصور والمقاطع المصورة ستساعد الطبيب على اختيار أنسب طرق العلاج.

وبناء على ما تقدم، فإنني

أوافق على الخضوع للإجراء الطبي

اسم المريض :

التوقيع :

التاريخ :

المرضى فاقد القدرة على إعطاء الإقرار

يتم الحصول على الإقرار من قبل شخص/ أشخاص بديل مناسب ينوب عنه ويملك القدرة على اتخاذ القرار على النحو الموضح أدناه.

اسم من ينوب/ينوبون عن المريض في اتخاذ القرار

.....

التوقيع :

صلته بالمريض :

التاريخ:.....

ح . بيان الطبيب / مندوب الطبيب

لقد شرحت للمريض كل النقاط المذكورة سابقاً في قسم إقرار المريض (ز) ، وأنا على ثقة بأن المريض / من ينوب عنه قد فهم جميع المعلومات المقدمة له .

اسم الطبيب/ مندوب الطبيب:.....

طبيعة الإنابة :

التوقيع :

التاريخ:.....

Patient's Name : _____

MRN : _____

DoB: _____

Witnesses (for the above signature)

1) Name:
Signature:
Date: Time:
2) Name:
Signature:
Date: Time:

الشهود (على التوقيع أعلاه)

(1) اسم :
التوقيع :
التاريخ : الوقت :
(2) اسم :
التوقيع :
التاريخ : الوقت :