

Patient Information
CT (Computed Tomography)

Patient's Name : _____

MRN : _____

DoB: _____

معلومات المريض
 التصوير المقطعي المحوسب

1. What is CT?

Computed Tomography (CT) or 'CAT' scans are special x-ray scans that produce cross-sectional images of the body using x-rays and a computer.

CT is used when your doctor needs more information than what an ordinary x-ray can provide. The CT machine looks like a large doughnut with a narrow table in the middle. The table moves through the circular hole in the centre of the scanner.

2. Will there be any discomfort, is any anesthetic needed?
 A CT Scan is a painless procedure, no anesthetic is required. The CT machine is open at both ends so patients who are claustrophobic have little difficulty with this test.



Picture of a CT machine

3. Preparation for the procedure

The medical imaging department will give you instructions on how to prepare for your scan. Please tell the staff if you are or suspect you might be pregnant or are breastfeeding.

4. During the procedure

You will be positioned on the CT table by a Radiographer. The Radiographer will not be in the room during the scan, but they will be able to see you and communicate with you through an intercom.

During the scan, you will hear a whirring or humming noise and you will feel the table move slowly through the CT scanner. You should remain as still as possible, as the slightest movement can blur the images.

For some scans, you will be asked to hold your breath for up to 20 seconds.

Procedure takes approximately 10 to 20 minutes depending on

1. ماهو التصوير المقطعي المحوسب ؟

التصوير المقطعي المحوسب هو نوع متخصص من الأشعة السينية التي تعطي صور مستعرضة للجسم باستخدام الأشعة السينية والحاسوب.

يستخدم التصوير المقطعي المحوسب عندما يرغب طبيبك في معرفة المزيد من المعلومات عن حالتك والتي لا يمكن للأشعة السينية المعتادة توفيرها. يشبه جهاز التصوير المقطعي قطعة كبيرة من الكعكة المحلاة (الدونات) ، وبها طاولة ضيقة في المنتصف . تتحرك الطاولة داخل فتحة دائرية في منتصف جهاز التصوير.

2. هل سيكون هناك شعور بعدم الراحة ؟ هل هناك حاجة لأي دواء تخدير؟
 التصوير المقطعي المحوسب إجراء لا يسبب أي ألم ، وليست هناك حاجة لأي تخدير.

جهاز التصوير المقطعي مفتوح من الجانبين ، لذا فإن المرضى المصابين برهاب الأماكن الضيقة لا يواجهون الكثير من المشاكل عند استخدامه.



صورة لجهاز التصوير المقطعي المحوسب

3. التحضير للإجراء

يقوم قسم التصوير الطبي بإعطائك التعليمات المتعلقة بكيفية التحضير لهذا الإجراء. نرجو إبلاغ الموظفين إن كنت حاملاً أو تشكين في كونك حاملاً ، أو إن كنت تمارسين ضاعة طبيعية.

4. خلال الإجراء

يقوم فني الأشعة بمساعدتك على الاستلقاء على طاولة الفحص في الوضعية المطلوبة. فني الأشعة لن يكون متواجداً معك في غرفة الفحص أثناء التصوير ، إلا أنه سيكون قادراً على رؤيتك والتواصل معك عبر جهاز الاتصال الداخلي (الإنتر كوم).

خلال الإجراء ستسمع صوت طنين أو أزيز ، وستشعر بحركة الطاولة ببطء داخل جهاز التصوير المقطعي. يجب عليك أن لا تتحرك وأن تحافظ على ثبات وسكون جسدك قدر الإمكان ، لأن أقل حركة تقوم بها قد تجعل الصور ضبابية.

في بعض أنواع التصوير ، سيطلب منك حبس أنفاسك لحوالي 20 ثانية.

يستغرق وقت الإجراء ما بين 10-20 دقيقة ، ويتوقف ذلك على موضع الجسم المراد التقاط الصور له.

Patient's Name : _____

MRN : _____

DoB: _____

what part of the body is being.

5. Contrast

You will sometimes be given contrast as part of your CT scan. Contrast allows your organs to be seen more clearly on x-rays. The contrast can be given as a drink (oral contrast) and / or as an injection (Iodinated Contrast).

Oral Contrast is used to show the stomach and intestines more clearly.

Iodinated Contrast is used to show the organs and blood vessels of your body more clearly. A fine needle (IV cannula) will be put into a vein in your arm, making it possible to inject the contrast.

6. After the procedure

The IV cannula will be removed (if inserted).

7. What are the risks of this specific procedure?

The risks and complications with this procedure can include but are not limited to the following:

Common risks and complications include:

- Minor pain, bruising and/or infection from the IV cannula. This may require treatment with antibiotics.

Less common risks and complications include:

- No known less common risks.

Rare risks and complications include:

- An increased lifetime cancer risk due to the exposure to x-rays.
- Death as a result of this procedure is very rare.

Risks of Iodinated Contrast for patients with renal impairment:

There is a specific risk of giving Iodinated Contrast Media to patient's identified as having *Renal Impairment*.

Giving the contrast to people with weakened kidneys (renal impairment) can cause further kidney damage, which may in turn cause the kidneys to stop working properly (acute renal failure).

Notes to talk to my doctor/ health practitioner about:

5. مادة الوسط المتباين

يتم أحياناً إعطائك مادة وسط متباين كجزء من الإجراء. هذه المادة تساعد على إظهار أعضاء جسدك بشكل أكثر وضوحاً عند استخدام الأشعة السينية. مادة الوسط المتباين قد تعطى كشراب (عن طريق الفم) و ١ أو عن طريق الحقن (مادة الوسط المتباين المعالجة باليود).

مادة الوسط المتباين (عن طريق الفم) تستخدم لإظهار المعدة والأمعاء بشكل أكثر وضوحاً.

مادة الوسط المتباين المعالجة باليود تستخدم لإظهار الأعضاء والأوعية الدموية في جسدك بصورة أوضح. يتم وضع إبرة صغيرة في أحد أوردة ذراعك (خط وريدي) ليتم من خلالها حقن مادة الوسط المتباين المعالجة باليود. للمزيد من المعلومات عن مادة الوسط المتباين المعالجة باليود والمخاطر المرتبطة بها ، نرجو قراءة ورقة معلومات المريض المتعلقة بمادة الوسط المتباين المعالجة باليود (إذا لم تقدم لك ورقة التعليمات ، نرجو عدم التردد في طلبها).

6. بعد الإجراء

تتم إزالة الخط الوريدي (إن كان قد تم وضعه لك).

7. ما هي المخاطر المتعلقة بهذا الإجراء بالتحديد ؟

هذا الإجراء له مخاطر ومضاعفات ، وهي تشمل ، ولكنها غير مقتصرة على:

مخاطر ومضاعفات شائعة وتشمل :

- ألم بسيط ، كدمة و/أو عدوى عند منطقة دخول الإبرة . قد يتطلب ذلك العلاج بالمضادات الحيوية.

مخاطر ومضاعفات غير شائعة وتشمل :

- لا توجد مخاطر غير شائعة معروفة.

مخاطر ومضاعفات نادرة الحدوث وتشمل:

- زيادة معدل خطر الإصابة بالسرطان خلال الحياة بسبب التعرض للأشعة السينية.
- الوفاة بسبب هذا الإجراء نادرة جداً .

د . مخاطر مادة الوسط المتباين المعالجة باليود عند المرضى المصابين

باعتلال عمل الكلى.

المخاطر المحددة لمادة الوسط المتباين المعالجة باليود عند المرضى المصابين باعتلال عمل الكلى.

إعطاء مادة الوسط المتباين لمرضى يعانون من ضعف عمل الكلى قد يسبب أضراراً إضافية للكلى ، مما قد يسبب توقف الكلى عند العمل بشكل صحيح (فشل كلوي حاد).

أمر أقوم بمناقشتها مع طبيبي المعالج
