

Patient's Name : _____

MRN : _____

DoB: _____

Termination of Pregnancy – First Trimester

إجهاض الحمل – خلال الثلث الأول (الثلث شهور الأولى)

A. Interpreter / Cultural Needs

An Interpreter Service is required? ☐ Yes ☐ No
If Yes, is a qualified Interpreter present? ☐ Yes ☐ No

B. Condition and treatment

The doctor has explained that you have the following condition: (Doctor to document in patient's own words)

This condition requires the following procedure. (Doctor to document - include site and/or side where relevant to the procedure)

The following will be performed:

Dilatation (stretching) of the cervix and removal of the foetus and placenta by curettage using an instrument with suction attached inserted into the uterine cavity.

C. Risks of a termination of pregnancy – 1st trimester

There are risks and complications with this procedure. They include but are not limited to the following.

General risks:

- Bleeding could occur and may require a return to the operating room. Bleeding is more common if you have been taking blood thinning drugs such as Warfarin, Aspirin, Clopidogrel (Plavix or Iscover) or Dipyridamole (Persantin or Asasantin).
- Small areas of the lung can collapse, increasing the risk of chest infection. This may need antibiotics and physiotherapy.
- Increased risk in obese people of wound infection, chest infection, heart and lung complications, and thrombosis.
- Heart attack or stroke could occur due to the strain on the heart.
- Blood clot in the leg (DVT) causing pain and swelling. In rare cases part of the clot may break off and go to the lungs.
- Death as a result of this procedure is possible.

Specific risks:

- Haemorrhage could occur from the uterus, which may require treatment with blood transfusion.
- Infection may occur in the uterus and tubes, which will require treatment with antibiotics.
- Removal of the lining of the womb (endometrium) can lead to scarring inside the uterus and may cause difficulty with future fertility.
- Incomplete removal of tissue within the uterus is possible which might lead to the necessity of further surgery.
- Damage or tearing of the cervix which may require repair and possibly lead to early pregnancy loss in future pregnancies.

أ. المترجم / الاحتياج الثقافي

هل توجد حاجة لخدمات الترجمة ؟ ☐ نعم ☐ لا
إذا كانت الإجابة بنعم ، فهل يتوفر مترجم مؤهل ؟ ☐ نعم ☐ لا

ب. الحالة المرضية والعلاج

لقد قام الطبيب بشرح حالتك المرضية لك وأنت تعاني من : (يقوم الطبيب بالتوثيق بما يلائم لغة ومفردات المريض)

تتطلب هذه الحالة المرضية الإجراء الطبي التالي:
(يقوم الطبيب بالتوثيق – يشمل ذلك موضع و/ أو الجهة المتعلقة بالإجراء)

سيتم القيام بالتالي :

يتم توسيع عنق الرحم و إزالة الجنين والمشيمة بالكحت .
المعدات الجراحية المستخدمة متصلة بألة للشفط ويتم إدخالها إلى تجويف الرحم .

ج. مخاطر إجهاض الحمل – خلال الثلث الأول (الثلث شهور الأولى)

لهذا الإجراء مخاطر ومضاعفات وهي تشمل ، ولكنها غير مقتصرة على :
مخاطر عامة:

- حدوث نزيف مما قد يتطلب العودة مرة أخرى لغرفة العمليات لإيقافه. حدوث النزيف أكثر شيوعاً لدى من يتناولون العقاقير التي تؤدي لزيادة سيولة الدم مثل الوارفارين، الأسبرين، كلوبيدوجريل (بلافكس أو اسكوفير) أو عقار دايبيرو دامول (بيرسانتين أو اساسانتين)
- قد يحدث انغلاق لمناطق صغيرة في الرئة، مما يزيد من مخاطر الإصابة بالتهاب في الصدر، وقد يتطلب علاج ذلك استخدام المضادات الحيوية والعلاج الطبيعي (الفيزيائي) للصدر.
- عند زوات الأوزان الزائدة ، تزداد مخاطر الإصابة بعدوى الجرح والصدر ، مضاعفات في القلب والرئة ، وجلطات الأوعية الدموية.
- قد ينتج عن إجهاد القلب حدوث أزمة قلبية أو سكتة دماغية.
- تجلط في أحد أوردة الساق (تجلط الوريد العميق للساق) مما يسبب ألم وتورم في الساق ، وفي حالات نادرة قد ينفصل جزء من التجلط ليصل إلى الرئة.
- الوفاة محتملة كنتيجة لهذا الإجراء.

مخاطر محددة:

- نزيف مفرط من الرحم . قد يتطلب ذلك نقل دم .
- عدوى في الرحم و أنابيب الرحم . يتطلب ذلك المعالجة بالمضادات الحيوية.
- إزالة بطانة الرحم قد تؤدي إلى ندوب داخل الرحم وقد تؤثر مستقبلاً على الخصوبة.
- قد لا تتم إزالة كل النسيج من داخل الرحم مما قد يتطلب جراحة أخرى.
- ضرر أو تمزق لعنق الرحم. قد يتطلب ذلك إصلاح. قد يؤدي كذلك إلى فقدان مبكر للحمل عند حدوث الحمل مستقبلاً.
- قد يحدث ضرر للرحم بسبب حدوث ثقب فيه ، مع احتمال تضرر الأمعاء . قد يستدعي ذلك جراحة أخرى قد تشمل استئصال أمعاء و إحداث فتحة في

Patient's Name : _____

MRN : _____

DoB: _____

- Damage to the uterus due to a perforation and possible bowel damage. This may require further surgery including the possibility of resection of bowel which may include a colostomy.
- Damage to fallopian tubes is possible, which will affect fertility and there is a small possibility of damage to bladder and blood vessels which could require further surgery. This may include laparoscopy, laparotomy or hysterectomy, and a longer hospital stay than expected.
- Rarely, air may be introduced into the circulation leading to cardiac arrest.

D. Significant Risks and Procedure Options

(Doctor to document in space provided. Continue in Medical Record if necessary.)

The doctor has also explained relevant treatment options as well as the risks of not having the procedure. Relevant treatment options include:

- Continue with the pregnancy and keep the baby.
- Continue with the pregnancy and have the baby adopted after the delivery.

E. Risks of not having this procedure

(Doctor to document in space provided. Continue in Medical Record if necessary.)

F. Anesthetic

This procedure may require an anaesthetic. (Doctor to document type of anaesthetic discussed).

G. Patient Consent

I acknowledge that the doctor has explained:

- My medical condition and the proposed procedure, including additional treatment if the doctor finds something unexpected. I understand the risks, including the risks that are specific to me.
- The anaesthetic required for this procedure. I understand the risks, including the risks that are specific to me.
- Other relevant procedure/treatment options and their associated risks.
- My prognosis and the risks of not having the procedure.
- That no guarantee has been made that the procedure will improve my condition even though it has been

القولون (فقر القولون).

- هناك احتمال بحدوث ضرر لقنوات الرحم (قنوات فالوب) مما يؤثر على الخصوبة ، مع وجود احتمال بسيط بتضرر المثانة البولية والأوعية الدموية مما قد يتطلب جراحة أخرى. قد يشمل ذلك منظار للبطن ، فتح البطن أو استئصال الرحم ، وفترة بقاء في المستشفى أطول مما كان متوقعاً.
- من النادر أن يدخل الهواء إلى مجرى الدم . قد يؤدي ذلك إلى توقف القلب.

د . مخاطر كبيرة وهامة وخيارات الإجراء

(يقوم الطبيب بالتوثيق في المكان المحدد ، ويكمل في سجل المريض الطبي إذا اقتضى الأمر)

قام الطبيب أيضاً بتوضيح الخيارات العلاجية ذات العلاقة بحالتي المرضية وكذلك مخاطر عدم خضوعي للإجراء.

الخيارات العلاجية ذات العلاقة بحالتي المرضية:

- إكمال الحمل وإبقاء الجنين.
- إكمال الحمل وعرض الطفل للتبني بعد الولادة.

هـ . مخاطر عدم الخضوع للإجراء

(يقوم الطبيب بالتوثيق في المكان المحدد ، ويكمل في سجل المريض الطبي إذا اقتضى الأمر)

و . التخدير

قد يتطلب القيام بهذا الإجراء الخضوع للتخدير. (يقوم الطبيب المعالج بتدوين نوع التخدير الذي تمت مناقشته مع المريض)

ز . إقرار المريض

أقر بأن الطبيب قد شرح لي :

- حالتي المرضية والإجراء المقترح ، بما في ذلك الإجراءات العلاجية الإضافية في حالة اكتشاف الطبيب لأمر لم يكن متوقعاً . أقر بأنني أفهم المخاطر بما في ذلك المخاطر الخاصة بحالتي الصحية.
- التخدير المطلوب لهذا الإجراء. أقر بأنني أفهم المخاطر بما في ذلك المخاطر الخاصة بحالتي الصحية.
- الخيارات الإجرائية الطبية \العلاجية\ الأخرى ذات الصلة والمخاطر المترتبة عليها.
- المسار الطبيعي لحالتي المرضية ومخاطر عدم القيام بالإجراء.
- عدم تقديم أي ضمانات لي بأن الإجراء سيؤدي إلى تحسن حالتي المرضية

Patient's Name : _____

MRN : _____

DoB: _____

carried out with due professional care.

- The procedure may include a blood transfusion.
- Tissues and blood may be removed and could be used for diagnosis or management of my condition, stored and disposed of sensitively by the hospital.
- If immediate life-threatening events happen during the procedure, they will be treated based on my discussions with the doctor or my Acute Resuscitation Plan.
- A doctor other than the Consultant may conduct the procedure. I understand this could be a doctor undergoing further training.

I have been given the following Patient Information Sheet/s:

- ☐ About Your Anaesthetic
- ☐ Termination Of Pregnancy – 1st Trimester

- I was able to ask questions and raise concerns with the doctor about my condition, the proposed procedure and its risks, and my treatment options. My questions and concerns have been discussed and answered to my satisfaction.
- I understand I have the right to change my mind at any time, including after I have signed this form but, preferably following a discussion with my doctor.
- I understand that image/s or video footage may be recorded as part of and during my procedure and that these image/s or video/s will assist the doctor to provide appropriate treatment.

On the basis of the above statements,

I request to have the procedure

Name of Patient:

Signature:

Date:

Patients who lack capacity to provide consent

Consent must be obtained from a substitute decision maker/s in the order below.

Name of Substitute

Decision Maker/s:

Signature:

Relationship to patient:

Date:

H. Doctor/delegate statement

I have explained to the patient all the above points under the Patient Consent section (G) and I am of the opinion that the patient/substitute decision-maker has understood the information.

Name of Doctor/delegate:

.....

Designation:

Signature:

Date:

بالرغم من أن الإجراء سيتم بمهنية عالية.

- قد يشتمل الإجراء نقل دم لي .
- احتمالية إزالة أنسجة أو دم ، وقد يستخدمان في تشخيص أو علاج حالتي المرضية ويتم حفظها والتخلص منها عن طريق المستشفى بطريقة مهنية تراعي الأنظمة والأعراف.
- إذا حدث (لا سمح الله) ما يهدد حياتي أثناء الإجراء ، فسيتم التعامل معه حسب ما تم شرحه لي من قبل الطبيب أو حسب خطة الإنعاش المحددة لي.
- قد يقوم بالإجراء طبيب آخر غير الاستشاري ، وأنا أدرك تماماً أن هذا الطبيب منخرط في برنامج تدريبي متقدم.

لقد تم إعطائي مستندات وأوراق التعليمات التالية:

☐ نوعية التخدير المقدم لي

☐ إجهاض الحمل – خلال الثلث الأول (الثلث شهور الأولى)

- منحت لي الفرصة من قبل طبيبي لطرح أسئلتي والتعبير عن مخاوفي فيما يخص حالتي المرضية والإجراء المقترح ومخاطره ، والخيارات المتوفرة لعلاجي. وقد تم الرد على استفساراتي ومخاوفي بما حقق لي الرضا.
- أتفهم أن من حقي تغيير رأيي في أي لحظة حتى ولو حدث ذلك بعد توقيع لي لهذا النموذج ، ولكن من الأفضل أن يتم ذلك بعد مناقشته مع طبيبي.
- أتفهم أنه قد يتم خلال الإجراء أخذ صور طبية أو تسجيل مقاطع فيديو تخص المرض وذلك كجزء من الإجراء وأن ذلك سيتم خلاله، وأن هذه الصور والمقاطع المصورة ستساعد الطبيب على اختيار أنسب طرق العلاج.

وبناء على ما تقدم، فإنني

أطلب الخضوع للإجراء الطبي

اسم المريض:

التوقيع:

التاريخ:

المرضى فاقد القدرة على إعطاء الإقرار

يتم الحصول على الإقرار من قبل شخص/ أشخاص بديل مناسب ينوب عنه ويملك القدرة على اتخاذ القرار على النحو الموضح أدناه.

اسم من ينوب/ينوبون عن المريض في اتخاذ القرار

.....

التوقيع:

صلته بالمريض:

التاريخ:

ح . بيان الطبيب / مندوب الطبيب

لقد شرحت للمريض كل النقاط المذكورة سابقاً في قسم إقرار المريض (ز) ، وأنا على ثقة بأن المريض / من ينوب عنه قد فهم جميع المعلومات المقدمة له .

اسم الطبيب/ مندوب الطبيب:

طبيعة الإنابة:

التوقيع:

Patient's Name : _____

MRN : _____

DoB: _____

Witnesses (for the above signature)

1) Name:
Signature:
Date: Time:
2) Name:
Signature:
Date: Time:

التاريخ:
الشهود (على التوقيع أعلاه)
(1) اسم :
التوقيع :
التاريخ : الوقت:
(2) اسم :
التوقيع :
التاريخ : الوقت: