

Patient's Name : _____

MRN : _____

DoB: _____

Consent Information – Patient Copy Cosmetic Surgery

معلومات الإقرار – نسخة المريض جراحة التجميل

1. What do I need to know about this procedure?

The surgeon will record the procedure on your consent form. Please make sure you fully understand what you are having done.

Important Information:

NO SURGERY IS GUARANTEED.

Cosmetic surgery is different to other types of surgery. This is because you have asked for the surgery to be done to improve your looks, not because you have to have the surgery done. Your doctor will tell you what is and what is not possible with cosmetic surgery. You must tell the surgeon exactly what you want to have done. It is also important that you know that the surgery may not be successful. Before the operation, you must tell the surgeon performing the operation and the anaesthetist of:

- any medical problems
- any allergies
- prescribed drugs (particularly blood thinning drugs such as Aspirin or Warfarin)
- your use of recreational drugs your alcohol consumption
- your use of herbal remedies

The operation will result in a scar or scars. Make sure you know before the surgery as to the type of scar or scars, the size and where your scar/s will be.

The surgeon may ask you to do certain things before you can have surgery, such as exercise, weight loss and stopping smoking.

If you do not do as the surgeon tells you, the surgery may not be successful. For this reason, the surgeon may refuse to do your surgery.

1- ما الذي ينبغي علي معرفته عن هذا الإجراء؟

سيقوم الطبيب بتدوين الإجراء على نموذج الإقرار الخاص بك. نرجو التأكد من فهمك التام للإجراء الذي ستخضع له. معلومات مهمة :

لا توجد جراحة مضمونة

تختلف الجراحة التجميلية عن سائر الجراحات. سبب ذلك أنك طلبت إخضاعك للجراحة لتحسين مظهرك ، وليس لأنك مضطراً للخضوع للجراحة.

سيبلغك الطبيب بما هو ممكن وما هو غير ممكن فيما يتعلق بالجراحة التجميلية. يجب عليك إبلاغ طبيبك بما تريده فعلاً من هذه الجراحة. من المهم أيضاً أن تعرف أن الجراحة قد لا تنجح. قبل العملية ، أبلغ الجراح و طبيب التخدير المعنيين بحالتك الأمور التالية:

- أي مشاكل صحية تعاني منها
- أي نوع من أنواع الحساسية
- الأدوية الموصوفة التي تتناولها (بالأخص الأدوية المسببة لزيادة سيولة الدم كالأسبرين والوارفرين)
- استخدامك لأي نوع من أنواع المخدرات أو العقاقير الترفيهية أو الكحوليات
- استخدامك للعلاجات العشبية.

ينتج عن العملية ندب أو ندوب جراحية. تأكد قبل خضوعك للإجراء من معرفتك بنوع الندب أو الندوب ، حجم هذه الندوب والأماكن التي ستكون فيها هذه الندوب.

قبل الجراحة ، قد يطلب منك الجراح القيام ببعض الأمور مثل ممارسة الرياضة ، إنقاص الوزن والتوقف عن التدخين. إن لم تتبع تعليمات الطبيب ، فقد يفشل الإجراء ، ولهذا السبب ، قد يرفض الجراح إخضاعك للإجراء.

Patient's Name : _____

MRN : _____

DoB: _____

2. My anaesthetic

This procedure will require an anaesthetic. See **About Your Anaesthesia OR Local Anaesthesia & Sedation for Your Procedure information sheet** for information about the anaesthetic and the risks involved. If you have any concerns, discuss these with your doctor. If you have not been given an information sheet, please ask for one.

3. What are the risks of this specific procedure?

There are risks and complications with this procedure. They include but are not limited to the following.

General risks:

- Infection can occur, requiring antibiotics and further treatment.
- Bleeding could occur and may require a return to the room. Bleeding is more common if you have been taking blood thinning drugs such as Warfarin, Aspirin, Clopidogrel (Plavix or Iscover) or Dipyridamole (Persantin or Asasantin).
- Small areas of the lung can collapse, increasing the risk of chest infection. This may need antibiotics and physiotherapy.
- Impaired circulation may occur to a limb or to an organ which may require further treatment.
- Death or brain damage as a result of this procedure are possible.

Specific risks:

- The operation will result in a scar. Make sure you are fully aware before the surgery as to the nature, extent and position of the scar. Occasionally scars can become very thickened, red and painful. These can be disfiguring.
- Bleeding, this can cause a collection of blood

التخدير الذي أتلقاه

هذا الإجراء يتطلب الخضوع للتخدير. اقرأ ورقة معلومات التخدير المقدم لك أو التخدير الموضعي والدواء المسكن المتعلقة بالإجراء الطبي المقرر لك للمزيد من المعلومات عن نوع التخدير والمخاطر المترتبة عليه. إن كان لديك أي مخاوف أو تساؤلات قم بمناقشتها مع طبيبك المعالج. إذا لم تقدم لك ورقة التعليمات ، نرجو عدم التردد في طلبها.

ما هي مخاطر هذا الإجراء بالتحديد ؟

هذا الإجراء له مخاطر ومضاعفات ، وهي تشمل ، ولكنها غير مقتصرة على:

مخاطر عامة:

- قد تحدث عدوى ، مما يتطلب العلاج بالمضادات الحيوية وعلاجات أخرى .
- حدوث نزيف مما قد يتطلب العودة مرة أخرى لغرفة العمليات لإيقافه. حدوث النزيف أكثر شيوعاً لدى من يتناولون العقاقير التي تؤدي لزيادة سيولة الدم مثل الوارفارين، الأسبرين، كلوبيدوجريل (بلافكس أو اسكوفير) أو عقار دايبييردامول (بيرسانتن أو اساسانتن).
- قد يحدث انغلاق لمناطق صغيرة في الرئة، مما يزيد من مخاطر الإصابة بالتهاب في الصدر، وقد يتطلب علاج ذلك استخدام المضادات الحيوية والعلاج الطبيعي (الفيزيائي) للصدر.
- قد يحدث ضعف في الدورة الدموية في أحد الأطراف أو أعضاء الجسم مما قد يتطلب معالجة أخرى.
- الوفاة أو حدوث ضرر للمخ محتمل كنتيجة لهذا الإجراء.

مخاطر محددة:

- ينتج عن العملية ندب جراحي .تأكد قبل خضوعك للإجراء من معرفتك التامة بطبيعة الندب وحجمه وامتداده ومكانه . أحياناً ، قد يكون الندب شديد السماكة واحمر اللون ومؤلماً ، وقد يسبب تشوه.
- النزيف : قد يسبب ذلك تجمع للدم تحت الجلد وهو ما

Patient's Name : _____

MRN : _____

DoB: _____

under the skin, known as a haematoma. It increases the appearance of bruising. There will be swelling and the healing of the wound may be slow. It may spoil the intended result of the surgery.

- Increased risk in smokers of increased bruising, major wound breakdown, failure of flap surgery, wound and chest infections, heart and lung complications and thrombosis. Your surgeon is entitled to refuse to proceed with surgery if you do not stop smoking as requested.
- The surgery may not give you the look you want and have asked for.

Notes to talk to my doctor about:

يعرف بالورم الدموي. يزيد ذلك من مظهر الكدمة . سيكون هناك انتفاخ وتورم ، وقد يكون التئام الجرح بطيئاً. قد يفسد ذلك النتيجة المنتظرة من الجراحة.

- عند المدخنين ، تزداد مخاطر الكدمات ، تهتك الجروح الكبيرة ، فشل الجراحة التي تشمل طيات ترقيعية ، عدوى الجروح والصدر ، مضاعفات القلب والرئتين و التخثرات الدموية. من حق الطبيب رفض إجراء العملية في حالة عدم امتناع المريض عن التدخين كما طلب منه.
- قد لا تعطيك الجراحة المظهر الذي كنت تأمله وطلبته من طبيبك.

أمور أتأقش حولها مع طبيبي:
