

Patient's Name : _____

MRN : _____

DoB: _____

Consent Information – Patient Copy

Excision of a Skin Lesion or Subcutaneous Lump

معلومات الإقرار – نسخة المريض

استئصال ضرر من الجلد أو كتلة من تحت الجلد

1. What do I need to know about this procedure?

This procedure is a surgical removal of a skin lesion or a subcutaneous lump from under the skin. Once the lesion or lump is removed the area is stitched back together.

Important information.

Before the operation, you must tell the surgeon performing the operation and the anaesthetist of:

- any medical problems
- any allergies
- prescribed drugs (particularly blood thinning drugs such as Aspirin or Warfarin)
- your use of recreational drugs
- your alcohol consumption
- your use of herbal remedies

Depending on the results of the findings when the tissue is examined under the microscope further surgery or other forms of treatment (radiotherapy, and occasionally chemotherapy) may be necessary. The operation will result in a scar or scars. Make sure you know before the surgery as to the type of scar or scars, the size and where your scar/s will be.

The surgeon may ask you to do certain things before you can have surgery, such as exercise, weight loss and stopping smoking.

If you do not do as the surgeon tells you, the surgery may not be successful. For this reason, the surgeon may refuse to do your surgery.

2. My anaesthetic

This procedure will require an anaesthetic. See **About Your Anaesthesia OR Local**

1- ما الذي ينبغي عليّ معرفته عن هذا الإجراء؟

في هذا الإجراء يتم استئصال ضرر من الجلد أو كتلة من تحت الجلد . ما أن يتم استئصال الضرر أو الكتلة حتى تتم خياطة المنطقة مرة أخرى بالغرز.

معلومات هامة

قبل العملية يجب إبلاغ الجراح وطبيب التخدير المسؤولين عن حالتك بالتالي:

- أي مشاكل صحية يعاني منها المريض
- أي نوع من أنواع الحساسية
- الأدوية الموصوفة التي يتناولها المريض (بالأخص الأدوية المسببة لزيادة سيولة الدم كالأسبرين والوارفرين)
- استخدام المريض لأي نوع من أنواع المخدرات أو العقاقير الترفيهية
- احتساء المريض للكحوليات
- استخدام المريض للعلاجات العشبية.

بناءً على نتائج فحص النسيج تحت المجهر ، قد يتم إقرار إجراءات علاج أخرى اللاحقة كالجراحة ، العلاج الإشعاعي وأحياناً العلاج الكيميائي حسب الضرورة وما تتطلبه الحالة المرضية.

ينتج عن الجراحة ندب أو ندوب جراحية .تأكد قبل خضوعك للإجراء من معرفتك بنوع الندب أو الندوب ، حجم هذه الندوب والأماكن التي ستكون فيها هذه الندوب.

قبل الجراحة ، قد يطلب منك الجراح القيام ببعض الأمور مثل ممارسة الرياضة ، إنقاص الوزن والتوقف عن التدخين.

إن لم تتبع تعليمات الطبيب ، فقد يفشل الإجراء ، ولهذا السبب ، قد يرفض الجراح إخضاعك للإجراء.

2-التخدير الذي أتلقيه

هذا الإجراء يتطلب الخضوع للتخدير.

Patient's Name : _____

MRN : _____

DoB: _____

Anaesthesia & Sedation for Your Procedure information sheet for information about the anaesthetic and the risks involved. If you have any concerns, discuss these with your doctor. If you have not been given an information sheet, please ask for one.

3. What are the risks of this specific procedure?

There are risks and complications with this procedure. They include but are not limited to the following.

General risks:

- Infection can occur, requiring antibiotics and further treatment.
- Bleeding could occur and may require a return to the room. Bleeding is more common if you have been taking blood thinning drugs such as Warfarin, Aspirin, Clopidogrel (Plavix or Iscover) or Dipyridamole (Persantin or Asasantin).
- Small areas of the lung can collapse, increasing the risk of chest infection. This may need antibiotics and physiotherapy.
- Impaired circulation may occur to a limb or to an organ which may require further treatment.
- Death or brain damage as a result of this procedure are possible.

Specific risks:

- Bleeding which may cause a haematoma (a collection of blood) in the tissues. It increases the appearance of bruising. Swelling can slow down healing and it may spoil the final result.
- The wound may fail to heal satisfactorily. Blood and fluid may build up under the skin and may need removal.
- The skin and resulting scar may not look like normal tissue for some time.
- The colour and nature of the scar may be

اقرأ ورقة معلومات التخدير المقدم لك أو التخدير الموضعي والدواء المسكن المتعلقة بالإجراء الطبي المقرر لك للمزيد من المعلومات عن نوع التخدير والمخاطر المترتبة عليه. إن كان لديك أي مخاوف أو تساؤلات قم بمناقشتها مع طبيبك المعالج. إذا لم تقدم لك ورقة التعليمات ، نرجو عدم التردد في طلبها.

3- ما هي مخاطر هذا الإجراء بالتحديد ؟

هذا الإجراء له مخاطر ومضاعفات ، وهي تشمل ، ولكنها غير مقتصرة على:

مخاطر عامة:

- قد تحدث عدوى ، مما يتطلب العلاج بالمضادات الحيوية وعلاجات أخرى .
- حدوث نزيف مما قد يتطلب العودة مرة أخرى لغرفة العمليات لإيقافه. حدوث النزيف أكثر شيوعاً لدى من يتناولون العقاقير التي تؤدي لزيادة سيولة الدم مثل الوارفارين، الأسبرين، كلوبيدوجريل (بلافيكس أو اسكوفير) أو عقار دايابيردامول (بيرسانتن أو اساسانتين).
- قد يحدث انغلاق لمناطق صغيرة في الرئة، مما يزيد من مخاطر الإصابة بعدوى في الصدر، وقد يتطلب علاج ذلك استخدام المضادات الحيوية والعلاج الطبيعي (الفيزيائي) للصدر.
- قد يحدث ضعف في الدورة الدموية في أحد الأطراف أو أعضاء الجسم مما قد يتطلب معالجة أخرى.
- الوفاة أو حدوث ضرر للمخ محتمل كنتيجة لهذا الإجراء.

مخاطر محددة:

- النزيف : قد يسبب ذلك تجمع للدم في الأنسجة (تورم دموي) . يزيد ذلك من مظهر الكدمة . التورم قد يجعل التئام الجرح بطيئاً وقد يفسد النتيجة النهائية للجراحة.
- قد لا يلتئم الجرح بطريقة مرضية . قد يتراكم الدم والسوائل تحت الجلد وقد يتطلب ذلك إزالتها.
- لبعض الوقت ، قد لا يكون مظهر الجلد والندب الناتج مماثلاً للنسيج الطبيعي.
- لون وطبيعة الندب قد يكونان مختلفين عن الأجزاء

Patient's Name : _____

MRN : _____

DoB: _____

different from other parts of the skin.

- Occasionally a red lumpy, thickened and itchy scar may result. This can be disfiguring.
- Infection. This may need treatment with antibiotics and can cause wound breakdown.
- Scars always result from surgical cuts and all surgery leaves scars.
- The lab test may show that the diseased area or lump has not been completely removed. If there is any disease left behind, further surgery will be needed to cut the rest out.

Notes to talk to my doctor about:

الأخرى من الجلد.

- أحياناً ، قد ينتج ندب متكتل ، أحمر اللون ، سميك ومسبباً للحكة. قد يسبب ذلك تشوهاً.
- عدوى قد تتطلب المعالجة بالمضادات الحيوية وقد تسبب تهتك الجرح.
- تنتج الندوب عادةً بسبب الشقوق الجراحية. وكل جراحة تتسبب في وجود ندوب.
- قد تظهر النتائج المختبرية أن المرض أو الكتلة الجلدية لم تتم إزالتها بشكل كامل . إذا كانت بقية من المرض لا تزال موجودة ، ستكون هناك حاجة لجراحة أخرى لإزالة ما تبقى من المرض.

أمور أتناقش حولها مع طبيبي:
