

Patient's Name : _____

MRN : _____

DoB: _____

Haemorrhoid – Stapled

تدبيس البواسير

A. Interpreter / Cultural Needs

An Interpreter Service is required? ☐ Yes ☐ No
If Yes, is an Interpreter present? ☐ Yes ☐ No

B. Condition and treatment

The doctor has explained that you have the following condition: (Doctor to document in patient's own words)

This condition requires the following procedure. (Doctor to document - include site and/or side where relevant to the procedure)

The following will be performed:
Haemorrhoids are distended blood vessels that form either externally (around the anus) or internally (in the lower rectum). They look like a cluster of veins. Stapling is used to return the haemorrhoids to a normal position inside the bowel. The staples are left permanently in the body.

C. Risks of haemorrhoid stapling

There are risks and complications with this procedure. They include but are not limited to the following.

General risks:

- Infection can occur, requiring antibiotics and further treatment.
- Bleeding could occur and may require a return to the operating room. Bleeding is more common if you have been taking blood thinning drugs such as Warfarin, Aspirin, Clopidogrel (Plavix or Iscover) or Dipyridamole (Persantin)

أ. المترجم / الاحتياج الثقافي

الحاجة لخدمات الترجمة
إذا كانت الإجابة بنعم ، فهل يتوفر مترجم حاضر نعم ☐ لا ☐

ب . الحالة المرضية والعلاج

لقد قام الطبيب بشرح حالتك المرضية لك وأنت تعاني من :
يقوم الطبيب بالتوثيق بما يلائم لغة ومفردات المريض

تتطلب هذه الحالة المرضية الإجراء الطبي التالي:
(يقوم الطبيب بالتوثيق – يشمل ذلك موضع و / أو الجهة المتعلقة بالإجراء)

سيتم القيام بالتالي :
البواسير هي أوعية دموية منتفخة تتكون إما خارجياً (حول فتحة الشرج) أو داخلياً (في الجزء السفلي من المستقيم). تظهر البواسير كعنقود من الأوردة. يستخدم التدبيس لإعادة البواسير إلى موقعها الطبيعي داخل الأمعاء. ويتم ترك الدبابيس إلى الأبد داخل الجسم.

ج . مخاطر تدبيس البواسير

لهذا الإجراء مخاطر ومضاعفات وتشمل ، ولكنها غير مقتصرة على :

مخاطر عامة:

- قد تحدث عدوى ، مما يتطلب العلاج بالمضادات الحيوية وعلاجات أخرى
- حدوث نزيف مما قد يتطلب إعادتك مرة أخرى لغرفة العمليات لإيقافه. حدوث النزيف أكثر شيوعاً إذا كنت ممن يتناولون العقاقير التي تؤدي لزيادة سيولة الدم مثل الوارفارين، الأسبرين، كلوبيدوجريل (بلافيكس أو اسكوفير) أو عقار دايبيبريدامول (بيرسانتن أو اساسانتن)

Patient's Name : _____

MRN : _____

DoB: _____

or Asasantin).

- Small areas of the lung can collapse, increasing the risk of chest infection. This may need antibiotics and physiotherapy.
- Increased risk in obese people of wound infection, chest infection, heart and lung complications, and thrombosis.
- Heart attack or stroke could occur due to the strain on the heart.
- Blood clot in the leg (DVT) causing pain and swelling. In rare cases part of the clot may break off and go to the lungs.
- Death as a result of this procedure is possible.

Specific risks:

- There may be difficulty passing your urine and a catheter may have to be inserted into the bladder.
- The tissues about the anus may swell up considerably.
- Infection in the stapled area 1 in 8 cases. This may be treated with antibiotics.
- Heavy bleeding from the haemorrhoid wound can occur one to two weeks after the surgery needing further surgery.
- The anus may scar up in the years to come and cause a stricture, i.e. narrowing of the back passage.
- More haemorrhoids can occur in the future.
- Increased risk in smokers of wound and chest infections, heart and lung complications and thrombosis.

D. Significant Risks and Procedure Options

(Doctor to document in space provided. Continue in Medical Record if necessary.)

- قد يحدث انهيار (انطباق) لمناطق صغيرة في الرئة، مما يزيد من مخاطر الإصابة بالتهاب في الصدر، وقد يتطلب علاج ذلك استخدام المضادات الحيوية والعلاج الطبيعي (الفيزيائي) للصدر.
- عند أصحاب الأوزان الزائدة، تزداد مخاطر الإصابة بعدوى والتهاب الجرح والصدر، مضاعفات في القلب والرئة، وجلطات الأوعية الدموية.
- قد ينتج عن إجهاد القلب حدوث أزمة قلبية أو سكتة دماغية.
- تجلط في أحد أوردة الساق (تجلط الوريد العميق للساق) مما يسبب ألم وتورم في الساق، وفي حالات نادرة قد يفصل جزء من التجلط ليصل إلى الرئة.
- الوفاة محتملة كنتيجة لهذا الإجراء.

مخاطر خاصة بهذا الإجراء:

- قد تكون هناك صعوبة في إدرار البول مما قد يتطلب وضع أنبوب (قسطرة بولية) في المثانة.
- قد يحدث تورم كبير في الأنسجة القريبة من الشرج.
- في 1 من كل 8 مرضى، قد تحدث عدوى في الدبابيس. يمكن علاجها بالمضادات الحيوية.
- قد يحدث نزيف حاد من جرح البواسير بعد أسبوع أو أسبوعين من العملية مما يتطلب جراحة أخرى.
- قد تحدث ندوب في الشرج خلال الأعوام اللاحقة مسببة ضيقاً في الدبر.
- قد تظهر المزيد من البواسير في المستقبل.
- عند المدخنين تزداد عدوى الجرح والصدر ومضاعفات القلب والرئة والتخثرات الدموية.

د . مخاطر كبيرة وهامة وخيارات الفحص

(يقوم الطبيب بالتوثيق في المكان المحدد، ويكمل في سجل المريض الطبي إذا اقتضى الأمر)

Patient's Name : _____

MRN : _____

DoB: _____

E. Risks of not having this procedure

(Doctor to document in space provided. Continue in Medical Record if necessary.)

F. Anesthetic

This procedure may require an anaesthetic. (Doctor to document type of anaesthetic discussed)

G. Patient Consent

I acknowledge that the doctor has explained;

- My medical condition and the proposed procedure, including additional treatment if the doctor finds something unexpected. I understand the risks, including the risks that are specific to me.
- The anaesthetic required for this procedure. I understand the risks, including the risks that are specific to me.
- Other relevant procedure/treatment options and their associated risks.
- My prognosis and the risks of not having the procedure.
- That no guarantee has been made that the

هـ . مخاطر عدم إجراء الفحص

(يقوم الطبيب بالتوثيق في المكان المحدد ، ويكمل في سجل المريض الطبي إذا اقتضى الأمر)

و . التخدير

قد يتطلب القيام بهذا الإجراء الخضوع للتخدير. (يقوم الطبيب المعالج بتدوين نوع التخدير الذي تمت مناقشته مع المريض)

ز . إقرار المريض

أقر بأن الطبيب قد شرح لي :

- حالتي المرضية والإجراء المقترح ، بما في ذلك الإجراءات العلاجية الإضافية في حالة اكتشاف الطبيب لأمر لم يكن متوقفاً . أقر بأنني أفهم المخاطر بما في ذلك المخاطر الخاصة بحالتي الصحية.
- التخدير المطلوب لهذا الإجراء. أقر بأنني أفهم المخاطر بما في ذلك المخاطر الخاصة بحالتي الصحية.
- الخيارات الإجرائية الطبية والعلاجية الأخرى ذات الصلة والمخاطر المترتبة عليها.
- المسار الطبيعي لحالتي المرضية ومخاطر عدم القيام بالإجراء.
- عدم تقديم أي ضمانات لي بأن الإجراء سيؤدي إلى تحسن

Patient's Name : _____

MRN : _____

DoB: _____

procedure will improve my condition even though it has been carried out with due professional care.

- The procedure may include a blood transfusion.
- Tissues and blood may be removed and could be used for diagnosis or management of my condition, stored and disposed of sensitively by the hospital.
- If immediate life-threatening events happen during the procedure, they will be treated based on my discussions with the doctor or my Acute Resuscitation Plan.
- A doctor other than the Consultant may conduct the procedure. I understand this could be a doctor undergoing further training.

I have been given the following Patient Information Sheet/s:

- ☐ **Anaesthetic: Nerve Block**
- ☐ **Epidural & Spinal Anaesthetic**
- ☐ **Hemorrhoid – Stapled**

- I was able to ask questions and raise concerns with the doctor about my condition, the proposed procedure and its risks, and my treatment options. My questions and concerns have been discussed and answered to my satisfaction.
- I understand I have the right to change my mind at any time, including after I have signed this form but, preferably following a discussion with my doctor.
- I understand that image/s or video footage may be recorded as part of and during my procedure and that these image/s or video/s will assist the doctor to provide appropriate treatment.

حالي المرضية بالرغم من أن الإجراء سيتم بمهنية عالية.

- قد يشتمل الإجراء نقل دم لي .
- احتمالية إزالة أنسجة أو دم ، وقد يستخدمان في تشخيص أو علاج حالي المرضية ويتم حفظها والتخلص منها عن طريق المستشفى بطريقة مهنية تراعي الأنظمة والأعراف .
- إذا حدث (لاسمح الله) ما يهدد حياتي أثناء الإجراء ، فسيتم التعامل معه حسب ما تم شرحه لي من قبل الطبيب أو حسب خطة الإنعاش المحددة لي.
- قد يقوم بالإجراء طبيب آخر غير الاستشاري ، وأنا مدرك تماماً أن هذا الطبيب منخرط في برنامج تدريبي متقدم.

لقد تم إعطائي مستندات وأوراق التعليمات التالية:

☐ تخدير لعصب معين

☐ التخدير النصفي: التخدير النخاعي (الشوكي) & تخدير فوق لجافية

☐ تدبيس البواسير

- منحت لي الفرصة من قبل طبيبي لطرح أسئلتى والتعبير عن مخاوفي فيما يخص حالي المرضية والإجراء المقترح ومخاطره , والخيارات المتوفرة لعلاجي. وقد تم الرد على استفساراتي ومخاوفي بما حقق لي الرضا.
- أتفهم أن من حقي تغيير رأيي في أي لحظة حتى ولو حدث ذلك بعد توقيعى لهذا النموذج ، ولكن من الأفضل أن يتم ذلك بعد مناقشته مع طبيبي.
- أتفهم أنه قد يتم خلال الإجراء أخذ صور طبية أو تسجيل مقاطع فيديو تخص المرض وذلك كجزء من الإجراء وان ذلك سيتم خلاله، وأن هذه الصور والمقاطع المصورة ستساعد الطبيب على اختيار أنسب طرق العلاج.

Patient's Name : _____

MRN : _____

DoB: _____

On the basis of the above statements,

I request to have the procedure

Name of Patient:

Signature:

Date: Time:

Patients who lack capacity to provide consent

Consent must be obtained from a substitute decision maker/s in the order below.

Name of Substitute

Decision Maker/s:

Signature:

Relationship to patient:

Date: Time:

Contact No:

H. Doctor/delegate statement

I have explained to the patient all the above points under the Patient Consent section (G) and I am of the opinion that the patient/substitute decision-maker has understood the information.

Name of

Doctor/delegate:

Designation:

Signature:

Date: Time:

Witnesses (for the above signature)

1) Name: _____ Signature: _____

Date: _____ Time: _____

2) Name: _____ Signature: _____

Date: _____ Time: _____

وبناء على ما تقدم، فإنني
أوافق على الخضوع للإجراء الطبي

اسم المريض :

التوقيع :

التاريخ : الوقت:

المرضى فاقد القدرة على إعطاء الإقرار
يتم الحصول على الإقرار من قبل شخص / أشخاص بديل مناسب
ينوب عنه ويملك المقدرة على اتخاذ القرار على النحو الموضح
أدناه.

اسم من ينوب/ينوبون عن المريض في اتخاذ القرار :

التوقيع :

صلته بالمريض :

التاريخ : الوقت:

رقم الإتصال:

ح . بيان الطبيب / مندوب الطبيب

لقد شرحت للمريض كل النقاط المذكورة سابقاً في قسم إقرار
المريض (ز) ، وأنا على ثقة بأن المريض / من ينوب عنه قد فهم
جميع المعلومات المقدمة له .

اسم الطبيب/ مندوب الطبيب:

طبيعة الإنابة :

التوقيع :

التاريخ : الوقت:

توقيع الشهود :

1) الاسم: _____ التاريخ: _____

التوقيع: _____ الوقت : _____

2) الاسم: _____ التاريخ: _____

التوقيع: _____ الوقت : _____



المركز الطبي الدولي
International Medical Center

Patient's Name : _____

MRN : _____

DoB: _____