

Patient's Name : _____

MRN : _____

DoB: _____

Consent Information - Patient Copy Laparoscopy

معلومات الإقرار – نسخة المريض
تنظير البطن

1. What do I need to know about this procedure?

A laparoscopy procedure is where a tube is put into the abdomen and instruments passed down the tube to examine the inside of the abdomen and pelvis using a camera and video monitor. Sometimes, bands of fibrous tissue grow around the bowel or other organs. If so, the doctor may need to cut these. The doctor may also need to operate on the pelvic organs.

2. My Anaesthetic.

This procedure will require an anaesthetic.

See **About Your Anaesthetic information sheet** for

information about the anaesthetic and the risks involved. If you have any concerns, discuss these with your doctor.

If you have not been given an information sheet, please ask for one.

3. What are the risks of this specific procedure?

There are risks and complications with this procedure. They include but are not limited to the following.

General risks:

- Bleeding could occur and may require a return to the operating room. Bleeding is more common if you have been taking blood thinning drugs such as Warfarin, Aspirin, Clopidogrel (Plavix or Iscover) or Dipyridamole (Persantin or Asasantin).
- Small areas of the lung can collapse, increasing the risk of chest infection. This may need antibiotics and physiotherapy.
- Increased risk in obese people of wound infection, chest infection, heart and lung complications, and thrombosis.
- Heart attack or stroke could occur due to the strain on the heart.
- Blood clot in the leg (DVT) causing pain and swelling. In rare cases part of the clot may break off and go to the lungs.
- Death as a result of this procedure is possible.

Specific risks:

- Deep bleeding inside the abdomen. This may need fluid replacement, blood transfusion or further surgery. This may mean a longer than expected stay in hospital and longer recovery time.
- Damage to other organs, such as bladder or bowel, which may need further surgery. This may mean a longer than expected stay in hospital and longer recovery time.
- Rarely the gas, which is passed into the abdomen, can cause heart and chest complications.
- Infections such as pus collections in the abdominal cavity. This may need surgical drainage and antibiotics.
- Adhesions (bands of scar tissue) may form and cause a bowel obstruction. This can be a short term or a long term complication and may need further surgery.

1. ما الذي ينبغي عي معرفته عن هذا الإجراء ؟

تنظير البطن هو إجراء يتم فيه وضع أنبوب داخل البطن تمر من خلاله أدوات تستخدم لفحص البطن والحوض من الداخل باستخدام كاميرا وشاشة فيديو . أحياناً ، تنمو أحزمة من الأنسجة اللصيقة حول الأمعاء أو الأعضاء الداخلية مما قد يستدعي قيام الطبيب بتقطيعها في حالة وجودها . قد يرى الطبيب أيضاً ضرورة التعامل مع الأعضاء الموجودة في الحوض.

2. التخدير الذي ألتقاه

قد يتطلب هذا الإجراء الخضوع للتخدير . اقرأ تعليمات التخدير الموضعي والأدوية المسكنة المتعلقة بالإجراء الطبي المقرر لك . للمزيد من المعلومات عن نوع التخدير والمخاطر المترتبة . إن كان لديك أي مخاوف أو تساؤلات قم بمناقشتها مع طبيبك المعالج . إذا لم تقدم لك ورقة التعليمات ، نرجو عدم التردد في طلبها .

3. ما هي المخاطر المتعلقة بهذا الإجراء بالتحديد ؟

لهذا الإجراء مخاطر ومضاعفات وتشمل ، ولكنها غير مقتصرة على :

مخاطر عامة:

- حدوث نزيف مما قد يتطلب العودة مرة أخرى لغرفة العمليات لإيقافه. حدوث النزيف أكثر شيوعاً لدى من يتناولون العقاقير التي تؤدي لزيادة سيولة الدم مثل الوارفارين، الأسبرين، كلوبيدوجريل (بلافيكس أو اسكوفير) أو عقار دايابير دامول (بيرسانتن أو اساسانتين).
- قد يحدث إنغلاق لمناطق صغيرة في الرئة، مما يزيد من مخاطر الإصابة بالتهاب في الصدر، وقد يتطلب علاج ذلك استخدام المضادات الحيوية والعلاج الطبيعي (الفيزيائي) للصدر.
- عند المرضى ذو الوزن الزائد أو السمنة المفرطة ، تزداد مخاطر الإصابة بعدوى والتهاب الجرح والصدر ، مضاعفات في القلب والرئة ، وجلطات الأوعية الدموية
- قد ينتج عن إجهاد القلب حدوث أزمة قلبية أو سكتة دماغية.
- تجلط في أحد أوردة الساق (تجلط الوريد العميق للساق) مم يسبب ألم وتورم في الساق ، وفي حالات نادرة قد ينفصل جزء من التجلط ليصل إلى الرئة.
- الوفاة محتملة كنتيجة لهذا الإجراء.

مخاطر محددة متعلقة بهذا الإجراء:

- نزيف عميق داخل البطن قد يستدعي إعطاء سوائل لتعويض الدم الفاقد ، نقل دم أو جراحة أخرى . قد يعني ذلك أن تطول فترة إقامة المريض في المستشفى عما كان متوقفاً ، وأن تطول فترة التعافي.
- ضرر يصيب أعضاء أخرى كالمثانة البولية أو الأمعاء أو المثانة البولية . قد يتطلب الأمر جراحة أخرى لإصلاح الضرر ، وقد يعني ذلك أن تطول فترة إقامة المريض عما كان متوقفاً ، وأن تطول فترة التعافي . من النادر أن يتسبب الغاز الذي يتم ضخه داخل البطن في حدوث مضاعفات للقلب أو الرئتين.
- الإصابة بعدوى كتجمعات للصدية في التجويف البطني مما قد يتطلب تفريغ الصديد جراحياً ومضادات حيوية.
- قد تحدث التصاقات وتسبب انسداداً للأمعاء . قد يحدث ذلك على المدى

Patient's Name : _____

MRN : _____

DoB: _____

- In some people, healing of the wound may be abnormal and the wound can be thickened and red and the scar may be painful.
- A weakness in the wound with the development of a hernia (rupture). This may need further surgery.
- Increased risk in smokers of wound and chest infections, heart and lung complications and thrombosis.
- Very low possibility of a fistula (a connecting passage between one area and another) developing.
- There is a possibility that the symptom(s)/pain you have been experiencing and the reason for this operation, may not resolve or worsen as a complication of the procedure.
- The cause of pain/other symptoms sometimes cannot be found, if you are having an exploratory operation.

Notes to talk to my doctor about:

- القريب أو البعيد وقد يحتاج حلاً جراحياً.
- عند بعض المرضى ، يحدث التئام الجرح بشكل غير طبيعي. قد تزداد سماكة الندب الجراحي ويصبح لونه أحمر وقد يكون مؤلماً.
 - ضعف في موقع الجرح مما يؤدي إلى نشوء فتق (تمزق). قد يتطلب ذلك عملية جراحية.
 - عند المدخنين تزداد عدوى الجرح والصدر ومضاعفات القلب والرئة والتخثرات الدموية.
 - احتمال ضئيل بنشوء ناسور (ممر يظهر بين منطقة وأخرى).
 - كأحد المضاعفات ، فإنه من المحتمل أن ما تعانيه من عرض أو أعراض/ألم وسبب قيامك بهذا الإجراء لن يحدث فيه أي تغيير ، لا إلى الأسوأ ولا إلى الأحسن.
 - إذا كان الإجراء الذي تخضع له استكشافياً ، فإنه من المحتمل ألا يتم التوصل لسبب ما تشعر به من أعراض وألم.

أمور أتناقش حولها مع طبيبي:
