

=> springmvc


↳ send Data from Controller UP => {
(Data Rendering)

=> DataBinding → view - control

↳ run
→ form
=

Data Rendering ==> The process of giving the Controller generated/gathered data/result after executing Business methods or logic to the view components can be called as Data Rendering (Sending the data from Controller to view)


Data Binding ==> The process of writing the input values (Form data / request parameter data) to java class can be called as Data Binding (View to Controller) ==> Binding the data from view component to controller in the form of java class.




```
// @PostMapping("/springerReg")
// public String registerData(Map<String, Object> model, HttpServletRequest request)
// {
// Integer id=request.getParameter("sid");
// Integer id=request.getParameter("sid");
// Integer id=request.getParameter("sid");
// Integer id=request.getParameter("sid");
// //System.out.println(springer);
// Springers spg=new Springers();
// spg.setScity(scity);
// spg.setSname(sname);
// model.put("springer", spg);
// return "result";
// }
```

Boilerplate code
X we
ModelAttribute

```
@PostMapping("/springerReg")
public String registerData(Map<String, Object>
model, @ModelAttribute("spg")Springers springer)
{
System.out.println(springer);
model.put("springer", springer);
return "result";
}
```



uni-directional springmvc DB H1M L (One way Binding)



uni-directional Binding

Bi-directional Binding

Spring Taglib