

=> Spring core

↳ with & without Spring Boot

↳ Spring JDBC

↳ Spring Data JPA

↳ Spring MVC

↳ REST API

↳ HATEOAS

=>

↳ Spring Batch

↳ Mail Integration

→ { JUNIT & Mockito }

↳

=> Response Entity

new ResponseEntity<X> ( Body , HTTP status )

- OK  
- invalid request  
- client bad request

=> client sends request to server,

↳ server process the request & response to client  
of status code

=> 100 - 199 (1xx) -> information

=> 2xx - 299 -> success OK

=> 3xx - 399 -> Redirection

=> 4xx - 499 => client error

=> 5xx - 599 -> server error

=> Bad request / Invalid request

Request

|              |
|--------------|
| Request URL  |
| Header       |
| Request Body |

→ GET => www.kellogg.com/10000 (110) -> status  
→ metadata -> content type -> json

→ Post -> xml / json & payload

Spring Boot modules

log4j slf4j

=

weekDay

→ stored procedure  
→ multiDB configuration  
→ Association  
→ Apache Kafka -> Spring boot

Rest Integration

Response → body/body + status code

## => configuration

↳ application.properties      vs      application.yml file

~~==>~~

==> In Spring boot applications we usually use .properties or .yml file to configure application properties

example : DataSource , server Port, Apache kafka, Redis.....

application.properties

-----

=> Properties file will represent data in form of key-value pair

=> .properties file is only for Java based application

application.yml ( YET ANOTHER MARKUP LANGUAGE)

-----

=> YML file will represent data in hierarchical format

=> YML file universal and not specific to Java ( java, python, docker, k8s, ansible.....)

=> Indent spacing is very important in yml file

## => Spring Batch

→ Designed to enable the development of robust Batch Applications

→ Batch Application → which will process bulk records

eg:- monthly salary of all employee in company  
Festivals greeting to all customers  
Credit card statements to card holders  
Generating pay slips for employees

≡

.csv file      1000 records



CSV file → moles Database → CSV ↯

⇒ → Spring Boot project with following dependencies

- ↳ web-starter
- ↳ data-jpa
- ↳ mysql driver
- lombok ↯
- batch ↯ ⇒

→ configure properties in .yml file → DataSource (configuration)

→ keep CSV file "src/main/resources"

→ Entity class & Repository interface

⇒ Batch configuration class ↯

⇒ create Controller & Launch Job

Spring Batch terminologies :-

① Job Launcher

② Job ↯

③ Step

↳ ItemReader ↯ ↯

↳ ItemProcessor

↳ ItemWriter

④ JobRepository

