
Evaluating a possible corridor extension

Exploration assessment | Case D



Site overview. The cross identifies the review centre.

Paired elevated results define a local follow-up focus

The paired elevated results and continuing host-rock corridor support a local extension hypothesis. The strongest follow-up area lies west of the access centre, where the two samples are close to one another.

Gold exploration | Public portfolio edition | October 2026

01 | Executive assessment

Case D contains four soil results at or above 0.055 ppm among 112 locations within 2 km. The two strongest values, 0.195 and 0.155 ppm, occur about 600-640 m west of the review centre. The neighbourhood median is 0.008 ppm.

Indicator	Recorded finding
Soil sample locations within 2 km	112
Highest recorded soil gold	0.195 ppm
Median soil gold	0.008 ppm
At or above 0.055 ppm	4 of 112
Review priority within this set	4 / follow-up


What matters for the decision

The review neighbourhood partly overlaps Case A. These areas are not independent discoveries. Roads and mining-related infrastructure also occur in the wider surroundings, so disturbed or transported material must not be confused with undisturbed ground.

Retain as a fourth-priority extension case. The evidence supports focused follow-up of the paired results, with careful separation of natural ground from road fill and other moved material.

> Soil concentrations describe the sampled material. They are not a bedrock resource grade or a statement of recoverable metal.

02 | Distribution of recorded gold



Recorded soil locations within a 2 km review radius. Labels are gold values in ppm. The circle is the reporting boundary, not an ore boundary.

- < 0.01 ppm
- 0.01 to < 0.055 ppm
- 0.055 to < 0.10 ppm
- >= 0.10 ppm

The highest two values form a local pair west of the centre. A third result of 0.065 ppm occurs farther north, while a fourth lies at the 0.055 ppm reference level. This pattern supports focused continuity checks rather than treating the entire area as uniformly elevated.

03 | Sample evidence and local context

The five highest recorded soil values are shown below with anonymous labels. Distances refer to the review centre, not to a proposed drilling location.

Public label	Soil gold (ppm)	Distance from centre
S1	0.195	Approx. 610 m
S2	0.155	Approx. 640 m
S3	0.065	Approx. 1,850 m
S4	0.055	Approx. 380 m
S5	0.05	Approx. 700 m

The balance of the surrounding results

Of the 112 soil locations, 70 record less than 0.01 ppm and 2 record at least 0.10 ppm. Keeping the full range visible prevents the strongest result from being treated as representative of the whole neighbourhood.

Soil gold range (ppm)	Locations
< 0.01	70
0.01 to < 0.055	38
0.055 to < 0.10	2
>= 0.10	2

The 0.055 ppm reference level distinguishes results for this study. It is not an economic cut-off. The displayed values are rounded for readability.

04 | Geological and structural setting




Local geological context over a 7 km wide window. The cross marks the review centre; mapped traces have regional positional limits.

- Schist and metamorphic host rocks
- Other mapped units
- Faults (dashed)
- Folds (dotted)
- Intrusive rocks and gneiss
- Shear zones
- Dykes
- Other structural traces

The mapped host rocks comprise schist, amphibolite, quartzite and metamorphosed volcanic units. Three shear features, four dykes, one fault and one syncline intersect the 3 km neighbourhood. The nearest mapped shear lies about 440 m from the centre.

05 | Geophysical context




Magnetic contrast across the same 7 km window. Scale in nT; white traces indicate mapped shear zones where present. Colours express magnetic response, not gold concentration.

The surrounding magnetic response varies substantially across the local rock corridor. Its role is to place the paired soil results within their broader geological setting. The two measured soil values are more directly relevant to the first field visit than the colour of the magnetic map.

Local magnetic summary	Value (nT)
Median of the archived local window	40.7
Local variability (standard deviation)	73.9

06 | Surface expression through time



The same 4 km wide area in 1985, 1988 and 2026. Colour differences between views are not a direct measure of gold or of a change in gold content.

Persistence of the exposed setting


A strong surface association is retained in the archived comparisons, including the 2002 record. The persistent exposed corridor is consistent with an extension interpretation, subject to checking its continuity on the ground.

Condition of the reviewed ground

The access centre is close to a road. Larger mining-related facilities occur farther south and east in the wider window. No production pit was identified at the centre, but the setting is already influenced by existing infrastructure.

Evidence	Implication
Historical surface association	Geological context for the review
Recorded gold in soil	Direct local evidence at sample positions
Visible tracks or disturbance	Previous access or activity requires clarification

07 | Focus area for follow-up



Detail view dated 2025-05-12. Soil symbols follow the previous legend. The cross is a review centre. Background: Esri and imagery contributors.

Prioritise the paired elevated soil locations and exposed rock west of the centre. Interpret this case alongside Case A so that overlapping evidence is not counted twice.

> The absence of a visible production pit does not establish that the area is unexplored or available for access.

08 | Conclusions and recommended priorities

Retain as a fourth-priority extension case. The evidence supports focused follow-up of the paired results, with careful separation of natural ground from road fill and other moved material.

Priority	Recommended next outcome
1	Confirm the paired elevated results west of the centre.
2	Assess continuity with the adjacent review corridor.
3	Keep the interpretation separate from disturbance by roads and infrastructure.

Decision boundary

This assessment supports a staged exploration decision. Continuity, thickness, depth and recoverable quantity remain unestablished. The next commitment should be determined by new local evidence rather than by the appearance of a map alone.

Access and existing rights

The archived review places this area within a published exploration or mining licence footprint. The available licence information refers to the end of 2024; current status was not established by this report. Access and any field activity require confirmation of the applicable rights and arrangements.

Evidence basis: original project sample records, geological context, geophysical records and archived site review, assessed 20 October 2026. This public edition withholds site names, coordinates and identifying record codes.