
Balancing conflicting exploration evidence

Exploration assessment | Case E



Site overview. The cross identifies the review centre.

A reserve target requiring new supporting evidence

The target remains worth a limited confirmation visit because a positive local gold result exists in a suitable rock setting. Its supporting evidence is weaker than the other four cases, so it should not receive the same immediate commitment.

Gold exploration | Public portfolio edition | October 2026

01 | Executive assessment

Case E contains a single soil-gold result of 0.062 ppm among 57 sampled locations within 2 km. This is only slightly above the study reference level of 0.055 ppm. The neighbourhood median is 0.0025 ppm, and the surface association is weaker in the later historical comparison.

Indicator	Recorded finding
Soil sample locations within 2 km	57
Highest recorded soil gold	0.062 ppm
Median soil gold	0.0025 ppm
At or above 0.055 ppm	1 of 57
Review priority within this set	5 / reserve


What matters for the decision

No second soil result within 2 km reaches the reference level. The closest mapped shear is more than 11 km away and the nearest mapped fault is almost 7 km away. This does not rule out unmapped local structures, but the available map provides little direct structural support at the centre.

Retain as a lower-priority reserve case. Do not advance to drilling on the present evidence. Reconsider only if the soil result repeats and additional local geological support emerges.

> Soil concentrations describe the sampled material. They are not a bedrock resource grade or a statement of recoverable metal.

02 | Distribution of recorded gold



Recorded soil locations within a 2 km review radius. Labels are gold values in ppm. The circle is the reporting boundary, not an ore boundary.

- < 0.01 ppm
- 0.01 to < 0.055 ppm
- 0.055 to < 0.10 ppm
- >= 0.10 ppm

Fifty of the 57 soil results are below 0.01 ppm. The second highest result is 0.044 ppm, about 1.1 km away. The pattern is dominated by low surrounding values rather than a repeated high-value cluster.

03 | Sample evidence and local context

The five highest recorded soil values are shown below with anonymous labels. Distances refer to the review centre, not to a proposed drilling location.

Public label	Soil gold (ppm)	Distance from centre
S1	0.062	At centre
S2	0.044	Approx. 1,080 m
S3	0.032	Approx. 1,600 m
S4	0.03	Approx. 1,000 m
S5	0.029	Approx. 500 m


The balance of the surrounding results

Of the 57 soil locations, 50 record less than 0.01 ppm and 0 record at least 0.10 ppm. Keeping the full range visible prevents the strongest result from being treated as representative of the whole neighbourhood.

Soil gold range (ppm)	Locations
< 0.01	50
0.01 to < 0.055	6
0.055 to < 0.10	1
>= 0.10	0

The 0.055 ppm reference level distinguishes results for this study. It is not an economic cut-off. The displayed values are rounded for readability.

04 | Geological and structural setting




Local geological context over a 7 km wide window. The cross marks the review centre; mapped traces have regional positional limits.

- Schist and metamorphic host rocks
- Other mapped units
- Faults (dashed)
- Folds (dotted)
- Intrusive rocks and gneiss
- Shear zones
- Dykes
- Other structural traces

The centre remains within the mapped schist-amphibolite-quartzite and metavolcanic assemblage. Two dykes intersect the 3 km neighbourhood; no mapped shear or fault intersects that neighbourhood. Nearby ferruginous cover and sand need to be distinguished from the underlying rock.

05 | Geophysical context




Magnetic contrast across the same 7 km window. Scale in nT; white traces indicate mapped shear zones where present. Colours express magnetic response, not gold concentration.

This case has marked magnetic variability, but the soil and structural evidence remain limited. A pronounced geophysical contrast does not compensate for the lack of repeated elevated gold results in the sampled neighbourhood.

Local magnetic summary	Value (nT)
Median of the archived local window	-10.3
Local variability (standard deviation)	103.8

06 | Surface expression through time



The same 4 km wide area in 1985, 1988 and 2026. Colour differences between views are not a direct measure of gold or of a change in gold content.

Persistence of the exposed setting


The 1985 and 1988 comparisons were favourable, but the 2002 comparison was substantially weaker. This inconsistency reduces confidence in transferring a common surface association to this location and is a central reason for its reserve status.

Condition of the reviewed ground

The reviewed ground shows contrasting exposures, sand and tracks. No large pit was identified at the centre. Small workings cannot be resolved confidently from the available views, so the present operating condition remains open to field confirmation.

Evidence	Implication
Historical surface association	Geological context for the review
Recorded gold in soil	Direct local evidence at sample positions
Visible tracks or disturbance	Previous access or activity requires clarification

07 | Focus area for follow-up



Detail view dated 2025-05-26. Soil symbols follow the previous legend. The cross is a review centre. Background: Esri and imagery contributors.

Confirm the central 0.062 ppm result and establish whether the sampled soil is locally derived or transported. Further commitment should depend on new repeated evidence rather than on the strength of the geophysical contrast alone.

> The absence of a visible production pit does not establish that the area is unexplored or available for access.

08 | Conclusions and recommended priorities

Retain as a lower-priority reserve case. Do not advance to drilling on the present evidence. Reconsider only if the soil result repeats and additional local geological support emerges.

Priority	Recommended next outcome
1	Confirm the central soil result and its ground origin.
2	Look for independent local support before enlarging the programme.
3	Keep in reserve unless repeated evidence materially improves the case.

Decision boundary

This assessment supports a staged exploration decision. Continuity, thickness, depth and recoverable quantity remain unestablished. The next commitment should be determined by new local evidence rather than by the appearance of a map alone.

Access and existing rights

The archived review places this area within a published exploration or mining licence footprint. The available licence information refers to the end of 2024; current status was not established by this report. Access and any field activity require confirmation of the applicable rights and arrangements.

Evidence basis: original project sample records, geological context, geophysical records and archived site review, assessed 20 October 2026. This public edition withholds site names, coordinates and identifying record codes.