Project: Car Rental System

Master of Computer ApplicationsFrom

National Institute of Technology, Tiruchchirappalli,

SUBMITTED TO:

Dr.U.Vignesh

SUBMITTED BY:

BASHARAT NAWAZ

ROLL NO:205119025

MCA 2ND SEMESTER

CERTIFICATE

Certified that **Mr. Basharat Nawaz**, of Master of Computer Applications, National institute of Technology, Tiruchchirappalli, Tamil Nadu has carried out the project work on **Car Rental System**. The student has tried to understand the involved concepts.

INDEX

<u>Sr.No</u>	<u>Description</u>	Page No
1	Introduction	5
2	Problem statement	5
3	Objective	5
4	How car rental service works	5
5	Scope	6
6	Software and hardware requirements	7
7	software configuration	7
8	hardware configuration	7
9	Tools used in development	8
10	Editor	8
11	Front end tool(s)	8
12	Back end tool(s)	8
13	Database	8
14	Users of car rental system	9
15	Admin features	9
16	Registered user features	9
17	Guest user features	10
18	Database tables	11
19	Admin	11
20	Tblbooking	11
21	Tblbrands	12
22	Tlbcontactinfo	12
23	Tblcontactusquery	12
24	Tblpages	13
25	Tblsubscribers	13

26	Tbltestimonial	13
27	Tbluser	14
28	Tblvehicle	14
29	Data flow diagram	15
30	Er diagram	16
31	Application architecture	17
32	Screenshots of the project	18
	Car rental system	
33	Screenshots of the project	31
	Car rental system	

INTRODUCTION

Problem Statement

As people mostly use the manual process to do their rental services, it was not the perfect as the wanted.

The venders face these problems:

- In order to offer cars for rent, a car owner normally have to go to the nearest branch office to register car to be rent out.
- Cars that provide difficulties to rent out are normally advertised in local or national newspaper. It involves a lot of paper work and consumes time.

Objective

The main objective of the application car Rental System require a temporary vehicle, for example those who do not own their own car, or owners of damaged or destroyed vehicles who are awaiting repair or insurance compensation or travelers who are out of town.

How car rental service works

A car rental is a vehicle that can be used temporarily for a period of time with a fee. Renting a car assists people to get around even when they do not have access to their own personal vehicle or don't own a vehicle at all. The individual who want to rent a car must first contact the car rental company for the desire vehicle. This can be done online. At this point, this person has to supply some information such as; dates of rental, and type of car. After these details are worked

out, the individual renting the car must present a valid Identification Card.

Most companies throughout the industry make a profit based of the type of cars that are rented. The rental cars are categorized into economy, compact, compact premium, premium and luxury. And customers are free to choose any car of their choice based on their purse and availability of such car at the time of reservation.

Scope

This project traverses a lot of areas ranging to business concept, and required to perform several researches to be able to achieve the project objectives.

The area covers include:

- Car rental industry: This includes study on how the car rental business is being done, process involved and opportunity that exist for improvement.
- PHP Technology used for the development of the application.
- General customers as well as the company's staff will be able to use the system effectively.
- Web-platform means that the system will be available for access 24/7 except when there is a temporary server issue which is expected to be minimal.

SOFTWARE AND HARDWARE REQUIREMENTS

SOFTWARE CONFIGURATION:-

• OS: Windows/Unix/Linux

• Browser: Mozilla, Google Chrome, IE8, OPERA

• Server: XAMPP / Wamp / Mamp/ Lamp (anyone)

HARDWARE CONFIGURATION:-

RAM: 2GB

Processor: dual core

Hard Disk – 50 GB or above

TOOLS USED IN DEVELOPMENT

EDITOR:

• Visual Studio Code

FRONT END TOOL(S):

- HTML 5
- CSS 3
- AJAX
- JQUERY
- JAVASCRIPT
- BOOTSTRAP

BACK END TOOL(S):

• PHP 5.5

DATABASE:

• MySQL

USERS OF CAR RENTAL SYSTEM

System Actors (Users)

- Admin
- Registered Users
- Guest Users

Admin Features

- Admin login
- Admin can add new vehicle brand details
- Admin can manage vehicle brand details(edit ,delete)
- Admin can add new vehicle details
- Admin can manage vehicle details(edit,delete)
- Admin can manage booking details(admin can confirm and cancel booking)
- Admin can manage testimonial details (active and inactive)
- Admin can manage contact us query
- Admin can check all registered users details
- Admin can update other page content like about us details, term and condition page etc
- Admin can update the contact details dynamically
- Admin can manage subscribers
- Admin can change password
- Admin dashboard has(count all users, count total booking, count total subscribers, count total queries etc)

Registered User Features

- New user can register through registration page
- Registered user can login with valid email and password
- User can recover forget password after providing some correct information
- User can find car details and booked car
- User can view car booking history
- User can check booking status(admin can approve or disapprove)
- User can update their profile
- User can update their password
- User can add new testimonials
- Logout

Guest user features

- Guest user can view the website and surf/find car details
- Guest user can also enquire through contact us page.

DATABASE TABLES

ADMIN

Field name	Data Type	Constraint
Id	Int(11)	Primary Key
UserName	Varchar(100)	
Password	Varchar(100)	
UpdationDate	timestamp	

Tblbooking

Field name	Data Type	Constraint
id	Int(11)	Primary Key
UserEmail	Varchar(100)	
VehicleId	Int(11)	
FromDate	Varchar(20)	
ToDate	Varchar(20)	
Message	Varchar(255)	
Status	Int(11)	
PostingDate	timestamp	

tblBrands

Field name	Data Type	Constraint
id	Int(11)	Primary key
BranchName	Varchar(120)	
CreationDate	timestamp	
UpdationDate	timestamp	

Tlbcontactinfo

Field name	Data Type	Constraint
id	Int(11)	Primary key
address	tinytext	
EmailId	Varchar(255)	
ContactNo	Char(11)	

Tblcontactusquery

Field name	Data Type	Constraint
Id	Int(11)	Primary key
Name	Varchar(100)	
EmailId	Varchar(120)	
Contactnumber	Char(11)	
Message	Longtext	
postingDate	Timestamp	
status	Int(11)	

Tblpages

Field name	Data Type	Constraint
Id	Int(11)	Primary key
pageName	Varchar(255)	
Туре	Varchar(255)	
Detail	Longtext	

tblSubscribers

Field name	Data Type	Constraint
Id	Int(11)	Primary key
SubscriberName	Varchar(120)	
PostingDate	Timestamp	

tblTestimonial

Field name	Data Type	Constraint
Id	Int(11)	Primary key
userEmail	Varchar(100)	
Testimonial	Mediumtext	
PostingDate	Timestamp	
Status	Int(11)	


<u>tblUser</u>


Field name	Data Type	Constraint
Id	Int(11)	Primary key
fullName	Varchar(120)	
EmailId	Varchar(120)	
Password	Varchar(120)	
contactNumber	Char(11)	
Dob	Varchar(100)	
Address	Varchar(255)	
City	Varchar(100)	
Country	Varchar(120)	
RegDate	Timestamp	
UpdationDate	Timestamp	

tblVehicle


Id	Int(11)	Primary key
vehicleTitle	Varchar(50)	
VehicleBrand	Int(11)	
VehicleOverview	Longtext	
pricePerDay	Int(11)	
RegDate	Timestamp	
UpdationDate	Timestamp	
SeatingCapacity	Int(11)	

DATA FLOW DIAGRAM







APPLICATION ARCHITECTURE:




SCREENSHOTS OF THE PROJECT CAR RENTAL SYSTEM

HOME PAGE SCREEN






ABOUT US PAGE SCREEN




About Us

At vero eos et accusamus et iusto odio dignissimos ducimus qui blanditiis praesentium voluptatum deleniti atque corrupti quos dolores et quas molestias excepturi sint occaecati cupiditate non provident, similique sunt in culpa qui officia deserunt mollitia animi, id est laborum et dolorum fuga. Et harum quidem rerum facilis est et expedita distinctio. Nam libero tempore, cum soluta nobis est eligendi optio cumque nihil impedit quo minus id quod maxime placeat facere possimus, omnis voluptas assumenda est, omnis dolor repellendus. Temporibus autem quibusdam et aut officiis debitis aut rerum necessitatibus saepe eveniet ut et voluptates repudiandae sint et molestiae non recusandae. Itaque earum rerum hic tenetur a sapiente delectus, ut aut reiciendis voluptatibus maiores alias consequatur aut perferendis doloribus asperiores repellat


Activate Windows
Go to Settings to activate Windows




CAR LISTING PAGE SCREEN





FAQS PAGE SCREEN






CONTACT US PAGE SCREEN







YOUR PROFILE PAGE SCREEN




ADMIN LOGIN PAGE SCREEN




ADMIN DASHBOARD PAGE SCREEN




CREATE BRAND PAGE SCREEN




MANAGE BRAND PAGE SCREEN




POST VEHICLE PAGE SCREEN




MANAGE VEHICLE PAGE SCREEN




MANAGE TESTIMONIAL PAGE SCREEN




MANAGE CONTACT QUERY PAGE SCREEN




REGISTERED USERS PAGE SCREEN



UPDATE CONTACT INFO PAGE SCREEN



MANAGE SUBSCRIBERS PAGE SCREEN



CODE FOR THE PROJECT CAR RENTAL SYSTEM

Code for index.php

```
<?php
session_start();
include('includes/config.php');
error reporting(0);
?>
<!DOCTYPE HTML>
<html lang="en">
<head>
<meta http-equiv="Content-Type" content="text/html; charset=utf-8">
<meta http-equiv="X-UA-Compatible" content="IE=edge">
<meta name="viewport" content="width=device-width,initial-scale=1">
<meta name="keywords" content="">
<meta name="description" content="">
<title>Car Rental Portal</title>
<!--Bootstrap -->
k rel="stylesheet" href="assets/css/bootstrap.min.css" type="text/css">
k rel="stylesheet" href="assets/css/style.css" type="text/css">
k rel="stylesheet" href="assets/css/owl.carousel.css" type="text/css">
<link rel="stylesheet" href="assets/css/owl.transitions.css" type="text/css">
<link href="assets/css/slick.css" rel="stylesheet">
<link href="assets/css/bootstrap-slider.min.css" rel="stylesheet">
k href="assets/css/font-awesome.min.css" rel="stylesheet">
k rel="stylesheet" id="switcher-css" type="text/css" href="assets/switcher/css/switcher.css"
media="all" />
<link rel="alternate stylesheet" type="text/css" href="assets/switcher/css/red.css" title="red"</pre>
media="all" data-default-color="true" />
k rel="alternate stylesheet" type="text/css" href="assets/switcher/css/orange.css"
title="orange" media="all" />
<link rel="alternate stylesheet" type="text/css" href="assets/switcher/css/blue.css" title="blue"</pre>
media="all" />
<link rel="alternate stylesheet" type="text/css" href="assets/switcher/css/pink.css" title="pink"</pre>
media="all" />
k rel="alternate stylesheet" type="text/css" href="assets/switcher/css/green.css"
title="green" media="all" />
```

```
k rel="alternate stylesheet" type="text/css" href="assets/switcher/css/purple.css"
title="purple" media="all" />
k rel="apple-touch-icon-precomposed" sizes="144x144" href="assets/images/favicon-precomposed" sizes="144x144" href="assets/images/favicon-precomposed-precomposed-precomposed-precomposed-precomposed-precomposed-precomposed-precomposed-precomposed-precomposed-precomposed-pr
icon/apple-touch-icon-144-precomposed.png">
k rel="apple-touch-icon-precomposed" sizes="114x114" href="assets/images/favicon-precomposed" sizes="114x114" href="assets/images/favicon-precomposed-precomposed-precomposed-precomposed-precomposed-precomposed-precomposed-precomposed-precomposed-precomposed-precomposed-pr
icon/apple-touch-icon-114-precomposed.html">
k rel="apple-touch-icon-precomposed" sizes="72x72" href="assets/images/favicon-
icon/apple-touch-icon-72-precomposed.png">
<link rel="apple-touch-icon-precomposed" href="assets/images/favicon-icon/apple-touch-icon-</pre>
57-precomposed.png">
<link rel="shortcut icon" href="assets/images/favicon-icon/favicon.png">
<link href="https://fonts.googleapis.com/css?family=Lato:300,400,700,900" rel="stylesheet">
</head>
<body>
<!--Header-->
<?php include('includes/header.php');?>
<!-- /Header -->
<!-- Banners -->
<section id="banner" class="banner-section">
    <div class="container">
        <div class="div zindex">
            <div class="row">
                 <div class="col-md-5 col-md-push-7">
                     <div class="banner content">
                         <h1>Find the right car for you.</h1>
                         We have more than a thousand cars for you to choose. 
                         <a href="#" class="btn">Read More <span class="angle arrow"><i class="fa fa-angle-
right" aria-hidden="true"></i></span></a> </div>
                </div>
            </div>
        </div>
    </div>
</section>
<!-- /Banners -->
```

```
<!-- Recent Car-->
<section class="section-padding gray-bg">
 <div class="container">
  <div class="section-header text-center">
   <h2>Find the Best <span>CarForYou</span></h2>
   There are many variations of passages of Lorem Ipsum available, but the majority have
suffered alteration in some form, by injected humour, or randomised words which don't look
even slightly believable. If you are going to use a passage of Lorem Ipsum, you need to be sure
there isn't anything embarrassing hidden in the middle of text.
  </div>
  <div class="row">
   <!-- Nav tabs -->
   <div class="recent-tab">
    ul class="nav nav-tabs" role="tablist">
     role="presentation" class="active"><a href="#resentnewcar" role="tab" data-</li>
toggle="tab">New Car</a>
    </div>
   <!-- Recently Listed New Cars -->
   <div class="tab-content">
    <div role="tabpanel" class="tab-pane active" id="resentnewcar">
<?php $sql = "SELECT</pre>
tblvehicles. Vehicles Title, tblbrands. Brand Name, tblvehicles. Price Per Day, tblvehicles. Fuel Type, tbl
vehicles. Model Year, tbl vehicles. id, tbl vehicles. Seating Capacity, tbl vehicles. Vehicles Overview, tbl v
ehicles. Vimage1 from tblvehicles join tblbrands on tblbrands.id=tblvehicles. Vehicles Brand";
$query = $dbh -> prepare($sql);
$query->execute();
$results=$query->fetchAll(PDO::FETCH_OBJ);
$cnt=1;
if($query->rowCount() > 0)
foreach($results as $result)
{
?>
```

```
<div class="col-list-3">
<div class="recent-car-list">
<div class="car-info-box"> <a href="vehical-details.php?vhid=<?php echo htmlentities($result-</pre>
>id);?>"><img src="admin/img/vehicleimages/<?php echo htmlentities($result->Vimage1);?>"
class="img-responsive" alt="image"></a>
<i class="fa fa-car" aria-hidden="true"></i><?php echo htmlentities($result-
>FuelType);?>
<i class="fa fa-calendar" aria-hidden="true"></i><?php echo htmlentities($result-
>ModelYear);?> Model
<i class="fa fa-user" aria-hidden="true"></i><?php echo htmlentities($result-
>SeatingCapacity);?> seats
</div>
<div class="car-title-m">
<h6><a href="vehical-details.php?vhid=<?php echo htmlentities($result->id);?>"><?php echo
htmlentities($result->BrandName);?>, <?php echo htmlentities($result-
>VehiclesTitle);?></a></h6>
<span class="price">$<?php echo htmlentities($result->PricePerDay);?> /Day</span>
</div>
<div class="inventory info m">
<?php echo substr($result->VehiclesOverview,0,70);?>
</div>
</div>
</div>
<?php }}?>
   </div>
  </div>
 </div>
</section>
<!-- /Recent Car -->
<!-- Fun Facts-->
<section class="fun-facts-section">
 <div class="container div zindex">
  <div class="row">
```

```
<div class="col-lg-3 col-xs-6 col-sm-3">
    <div class="fun-facts-m">
     <div class="cell">
      <h2><i class="fa fa-calendar" aria-hidden="true"></i>40+</h2>
      Years In Business
     </div>
    </div>
   </div>
   <div class="col-lg-3 col-xs-6 col-sm-3">
    <div class="fun-facts-m">
     <div class="cell">
      <h2><i class="fa fa-car" aria-hidden="true"></i>1200+</h2>
      New Cars For Sale
     </div>
    </div>
   </div>
   <div class="col-lg-3 col-xs-6 col-sm-3">
    <div class="fun-facts-m">
     <div class="cell">
      <h2><i class="fa fa-car" aria-hidden="true"></i>1000+</h2>
      Used Cars For Sale
     </div>
    </div>
   </div>
   <div class="col-lg-3 col-xs-6 col-sm-3">
    <div class="fun-facts-m">
     <div class="cell">
      <h2><i class="fa fa-user-circle-o" aria-hidden="true"></i>600+</h2>
      Satisfied Customers
     </div>
    </div>
   </div>
  </div>
 </div>
 <!-- Dark Overlay-->
 <div class="dark-overlay"></div>
</section>
<!-- /Fun Facts-->
```

```
<!--Testimonial -->
<section class="section-padding testimonial-section parallex-bg">
 <div class="container div_zindex">
  <div class="section-header white-text text-center">
   <h2>Our Satisfied <span>Customers</span></h2>
  </div>
  <div class="row">
   <div id="testimonial-slider">
   </div>
  </div>
 </div>
 <!-- Dark Overlay-->
 <div class="dark-overlay"></div>
</section>
<!-- /Testimonial-->
<!--Footer -->
<?php include('includes/footer.php');?>
<!-- /Footer-->
<!--Back to top-->
<div id="back-top" class="back-top"> <a href="#top"><i class="fa fa-angle-up" aria-
hidden="true"></i> </a> </div>
<!--/Back to top-->
<!--Login-Form -->
<?php include('includes/login.php');?>
<!--/Login-Form -->
<!--Register-Form -->
<?php include('includes/registration.php');?>
<!--/Register-Form -->
<!--Forgot-password-Form -->
```

```
<?php include('includes/forgotpassword.php');?>
<!--/Forgot-password-Form -->
<!-- Scripts -->
<script src="assets/js/jquery.min.js"></script>
<script src="assets/js/bootstrap.min.js"></script>
<script src="assets/js/interface.js"></script>
<!--Switcher-->
<script src="assets/switcher/js/switcher.js"></script>
<!--bootstrap-slider-JS-->
<script src="assets/js/bootstrap-slider.min.js"></script>
<!--Slider-JS-->
<script src="assets/js/slick.min.js"></script>
<script src="assets/js/owl.carousel.min.js"></script>
</body>
<!-- Mirrored from themes.webmasterdriver.net/carforyou/demo/index.html by HTTrack
Website Copier/3.x [XR&CO'2014], Fri, 16 Jun 2017 07:22:11 GMT -->
</html>
```

Code for car-listing.php

```
<?php
session_start();
include('includes/config.php');
error_reporting(0);
?>

<!DOCTYPE HTML>
<html lang="en">
<head>
<meta http-equiv="Content-Type" content="text/html; charset=utf-8">
<meta http-equiv="X-UA-Compatible" content="IE=edge">
<meta name="viewport" content="width=device-width,initial-scale=1">
<meta name="keywords" content="">
<meta name="description" content="">
<title>Car Rental Portal | Car Listing</title>
```

```
<!--Bootstrap -->
k rel="stylesheet" href="assets/css/bootstrap.min.css" type="text/css">
<!--Custome Style -->
k rel="stylesheet" href="assets/css/style.css" type="text/css">
<!--OWL Carousel slider-->
k rel="stylesheet" href="assets/css/owl.carousel.css" type="text/css">
<link rel="stylesheet" href="assets/css/owl.transitions.css" type="text/css">
<!--slick-slider -->
<link href="assets/css/slick.css" rel="stylesheet">
<!--bootstrap-slider -->
k href="assets/css/bootstrap-slider.min.css" rel="stylesheet">
<!--FontAwesome Font Style -->
k href="assets/css/font-awesome.min.css" rel="stylesheet">
<!-- SWITCHER -->
<link rel="stylesheet" id="switcher-css" type="text/css" href="assets/switcher/css/switcher.css"</pre>
media="all" />
<link rel="alternate stylesheet" type="text/css" href="assets/switcher/css/red.css" title="red"</pre>
media="all" data-default-color="true" />
k rel="alternate stylesheet" type="text/css" href="assets/switcher/css/orange.css"
title="orange" media="all" />
<link rel="alternate stylesheet" type="text/css" href="assets/switcher/css/blue.css" title="blue"</pre>
media="all" />
<link rel="alternate stylesheet" type="text/css" href="assets/switcher/css/pink.css" title="pink"</pre>
media="all" />
k rel="alternate stylesheet" type="text/css" href="assets/switcher/css/green.css"
title="green" media="all" />
k rel="alternate stylesheet" type="text/css" href="assets/switcher/css/purple.css"
title="purple" media="all" />
<!-- Fav and touch icons -->
k rel="apple-touch-icon-precomposed" sizes="144x144" href="assets/images/favicon-precomposed" sizes="144x144" href="assets/images/favicon-precomposed"
icon/apple-touch-icon-144-precomposed.png">
k rel="apple-touch-icon-precomposed" sizes="114x114" href="assets/images/favicon-precomposed" sizes="114x114" href="assets/images/favicon-precomposed"
icon/apple-touch-icon-114-precomposed.html">
k rel="apple-touch-icon-precomposed" sizes="72x72" href="assets/images/favicon-precomposed" sizes="72x72" href="assets/images/favicon-precomposed-precomposed-precomposed-precomposed-precomposed-precomposed-precomposed-precomposed-precomposed-precomposed-precomposed-precomposed-p
icon/apple-touch-icon-72-precomposed.png">
```

```
<link rel="apple-touch-icon-precomposed" href="assets/images/favicon-icon/apple-touch-icon-</pre>
57-precomposed.png">
<link rel="shortcut icon" href="assets/images/favicon-icon/favicon.png">
<link href="https://fonts.googleapis.com/css?family=Lato:300,400,700,900" rel="stylesheet">
</head>
<body>
<!-- Start Switcher -->
<?php include('includes/colorswitcher.php');?>
<!-- /Switcher -->
<!--Header-->
<?php include('includes/header.php');?>
<!-- /Header -->
<!--Page Header-->
<section class="page-header listing_page">
 <div class="container">
  <div class="page-header_wrap">
   <div class="page-heading">
    <h1>Car Listing</h1>
   </div>
   <a href="#">Home</a>
    Car Listing
   </div>
 </div>
 <!-- Dark Overlay-->
 <div class="dark-overlay"></div>
</section>
<!-- /Page Header-->
<!--Listing-->
<section class="listing-page">
 <div class="container">
  <div class="row">
   <div class="col-md-9 col-md-push-3">
```

```
<div class="result-sorting-wrapper">
     <div class="sorting-count">
<?php
//Query for Listing count
$sql = "SELECT id from tblvehicles";
$query = $dbh -> prepare($sql);
$query->bindParam(':vhid',$vhid, PDO::PARAM STR);
$query->execute();
$results=$query->fetchAll(PDO::FETCH OBJ);
$cnt=$query->rowCount();
?>
<span><?php echo htmlentities($cnt);?> Listings</span>
</div>
</div>
<?php $sql = "SELECT tblvehicles.*,tblbrands.BrandName,tblbrands.id as bid from tblvehicles</pre>
join tblbrands on tblbrands.id=tblvehicles.VehiclesBrand";
$query = $dbh -> prepare($sql);
$query->execute();
$results=$query->fetchAll(PDO::FETCH OBJ);
$cnt=1;
if($query->rowCount() > 0)
{
foreach($results as $result)
{ ?>
    <div class="product-listing-m gray-bg">
     <div class="product-listing-img"><img src="admin/img/vehicleimages/<?php echo</pre>
htmlentities($result->Vimage1);?>" class="img-responsive" alt="Image" /> </a>
     </div>
     <div class="product-listing-content">
      <h5><a href="vehical-details.php?vhid=<?php echo htmlentities($result->id);?>"><?php
echo htmlentities($result->BrandName);?>, <?php echo htmlentities($result-
>VehiclesTitle);?></a></h5>
      Rs.<?php echo htmlentities($result->PricePerDay);?> Per Day
      <i class="fa fa-user" aria-hidden="true"></i><?php echo htmlentities($result-
>SeatingCapacity);?> seats
```

```
<i class="fa fa-calendar" aria-hidden="true"></i><?php echo htmlentities($result-
>ModelYear);?> model
       <i class="fa fa-car" aria-hidden="true"></i><?php echo htmlentities($result-
>FuelType);?>
      <a href="vehical-details.php?vhid=<?php echo htmlentities($result->id);?>"
class="btn">View Details <span class="angle_arrow"><i class="fa fa-angle-right" aria-
hidden="true"></i></span></a>
     </div>
    </div>
   <?php }} ?>
    </div>
  </div>
</div>
</section>
<!-- /Listing-->
<!--Footer -->
<?php include('includes/footer.php');?>
<!-- /Footer-->
<!--Back to top-->
<div id="back-top" class="back-top"> <a href="#top"><i class="fa fa-angle-up" aria-
hidden="true"></i> </a> </div>
<!--/Back to top-->
<!--Login-Form -->
<?php include('includes/login.php');?>
<!--/Login-Form -->
<!--Register-Form -->
<?php include('includes/registration.php');?>
<!--/Register-Form -->
<!--Forgot-password-Form -->
```

```
<?php include('includes/forgotpassword.php');?>
<!-- Scripts -->
<script src="assets/js/jquery.min.js"></script>
<script src="assets/js/bootstrap.min.js"></script>
<script src="assets/js/interface.js"></script>
<!--Switcher-->
<script src="assets/switcher/js/switcher.js"></script>
<!--bootstrap-slider-JS-->
<script src="assets/js/bootstrap-slider.min.js"></script>
<!--Slider-JS-->
<script src="assets/js/slick.min.js"></script>
<script src="assets/js/owl.carousel.min.js"></script>
</body>
</html>
Code for check-availability.php
<?php
require once("includes/config.php");
// code user email availablity
if(!empty($ POST["emailid"])) {
```

Code for logout.php

Code for mybooking.php

```
<?php
session_start();
error_reporting(0);
include('includes/config.php');
if(strlen($_SESSION['login'])==0)
  {
header('location:index.php');</pre>
```

```
}
else{
?><!DOCTYPE HTML>
<html lang="en">
<head>
<meta http-equiv="Content-Type" content="text/html; charset=utf-8">
<meta http-equiv="X-UA-Compatible" content="IE=edge">
<meta name="viewport" content="width=device-width,initial-scale=1">
<meta name="keywords" content="">
<meta name="description" content="">
<title>CarForYou - Responsive Car Dealer HTML5 Template</title>
<!--Bootstrap -->
<link rel="stylesheet" href="assets/css/bootstrap.min.css" type="text/css">
<!--Custome Style -->
k rel="stylesheet" href="assets/css/style.css" type="text/css">
<!--OWL Carousel slider-->
k rel="stylesheet" href="assets/css/owl.carousel.css" type="text/css">
<link rel="stylesheet" href="assets/css/owl.transitions.css" type="text/css">
<!--slick-slider -->
<link href="assets/css/slick.css" rel="stylesheet">
<!--bootstrap-slider -->
k href="assets/css/bootstrap-slider.min.css" rel="stylesheet">
<!--FontAwesome Font Style -->
<link href="assets/css/font-awesome.min.css" rel="stylesheet">
<!-- SWITCHER -->
                                                                 k rel="stylesheet"
id="switcher-css" type="text/css" href="assets/switcher/css/switcher.css" media="all" />
                                                                 k rel="alternate"
stylesheet" type="text/css" href="assets/switcher/css/red.css" title="red" media="all" data-
default-color="true" />
                                                                 k rel="alternate"
stylesheet" type="text/css" href="assets/switcher/css/orange.css" title="orange" media="all"
/>
                                                                 k rel="alternate"
stylesheet" type="text/css" href="assets/switcher/css/blue.css" title="blue" media="all" />
                                                                <link rel="alternate</pre>
stylesheet" type="text/css" href="assets/switcher/css/pink.css" title="pink" media="all" />
```

```
k rel="alternate"
stylesheet" type="text/css" href="assets/switcher/css/green.css" title="green" media="all" />
                                                                   k rel="alternate"
stylesheet" type="text/css" href="assets/switcher/css/purple.css" title="purple" media="all" />
<!-- Fav and touch icons -->
k rel="apple-touch-icon-precomposed" sizes="144x144" href="assets/images/favicon-
icon/apple-touch-icon-144-precomposed.png">
k rel="apple-touch-icon-precomposed" sizes="114x114" href="assets/images/favicon-
icon/apple-touch-icon-114-precomposed.html">
k rel="apple-touch-icon-precomposed" sizes="72x72" href="assets/images/favicon-
icon/apple-touch-icon-72-precomposed.png">
k rel="apple-touch-icon-precomposed" href="assets/images/favicon-icon/apple-touch-icon-precomposed" href="assets/images/favicon-icon/apple-touch-icon-precomposed"
57-precomposed.png">
<link rel="shortcut icon" href="assets/images/favicon-icon/favicon.png">
<!-- Google-Font-->
<link href="https://fonts.googleapis.com/css?family=Lato:300,400,700,900" rel="stylesheet">
<!-- HTML5 Shim and Respond.js IE8 support of HTML5 elements and media queries -->
<!-- WARNING: Respond.js doesn't work if you view the page via file:// -->
<!--[if It IE 9]>
    <script src="https://oss.maxcdn.com/libs/html5shiv/3.7.0/html5shiv.js"></script>
    <script src="https://oss.maxcdn.com/libs/respond.js/1.4.2/respond.min.js"></script>
<![endif]-->
</head>
<body>
<!-- Start Switcher -->
<?php include('includes/colorswitcher.php');?>
<!-- /Switcher -->
<!--Header-->
<?php include('includes/header.php');?>
<!--Page Header-->
<!-- /Header -->
<!--Page Header-->
<section class="page-header profile page">
 <div class="container">
```

```
<div class="page-header wrap">
   <div class="page-heading">
    <h1>My Booking</h1>
   </div>
   <a href="#">Home</a>
   My Booking
   </div>
 </div>
 <!-- Dark Overlay-->
 <div class="dark-overlay"></div>
</section>
<!-- /Page Header-->
<?php
$useremail=$ SESSION['login'];
$sql = "SELECT * from tblusers where EmailId=:useremail";
$query = $dbh -> prepare($sql);
$query -> bindParam(':useremail',$useremail, PDO::PARAM STR);
$query->execute();
$results=$query->fetchAll(PDO::FETCH_OBJ);
$cnt=1;
if($query->rowCount() > 0)
foreach($results as $result)
{ ?>
<section class="user profile inner pages">
 <div class="container">
 <div class="user_profile_info gray-bg padding_4x4_40">
   <div class="upload user logo"> <img src="assets/images/dealer-logo.jpg" alt="image">
   </div>
   <div class="dealer info">
    <h5><?php echo htmlentities($result->FullName);?></h5>
    <?php echo htmlentities($result->Address);?><br>
     <?php echo htmlentities($result->City);?>&nbsp;<?php echo htmlentities($result-
>Country); }}?>
```

```
</div>
  </div>
  <div class="row">
   <div class="col-md-3 col-sm-3">
   <?php include('includes/sidebar.php');?>
   <div class="col-md-6 col-sm-8">
    <div class="profile wrap">
     <h5 class="uppercase underline">My Booikngs </h5>
     <div class="my vehicles list">
      <?php
$useremail=$ SESSION['login'];
$sql = "SELECT tblvehicles.Vimage1 as Vimage1,tblvehicles.VehiclesTitle,tblvehicles.id as
vid,tblbrands.BrandName,tblbooking.FromDate,tblbooking.ToDate,tblbooking.message,tblbook
ing. Status from tblbooking join tblvehicles on tblbooking. VehicleId=tblvehicles.id join tblbrands
on tblbrands.id=tblvehicles.VehiclesBrand where tblbooking.userEmail=:useremail";
$query = $dbh -> prepare($sql);
$query-> bindParam(':useremail', $useremail, PDO::PARAM STR);
$query->execute();
$results=$query->fetchAll(PDO::FETCH_OBJ);
$cnt=1;
if($query->rowCount() > 0)
{
foreach($results as $result)
{ ?>
<div class="vehicle img"> <a href="vehical-details.php?vhid=<?php echo</pre>
htmlentities($result->vid);?>""><img src="admin/img/vehicleimages/<?php echo
htmlentities($result->Vimage1);?>" alt="image"></a> </div>
        <div class="vehicle title">
         <h6><a href="vehical-details.php?vhid=<?php echo htmlentities($result->vid);?>"">
<?php echo htmlentities($result->BrandName);?> , <?php echo htmlentities($result-</pre>
>VehiclesTitle);?></a></h6>
         <b>From Date:</b> <?php echo htmlentities($result->FromDate);?><br /> <b>To
Date:</b> <?php echo htmlentities($result->ToDate);?>
        </div>
```

```
<?php if($result->Status==1)
        { ?>
        <div class="vehicle_status"> <a href="#" class="btn outline btn-xs active-</pre>
btn">Confirmed</a>
              <div class="clearfix"></div>
    </div>
       <?php } else if($result->Status==2) { ?>
<div class="vehicle status"> <a href="#" class="btn outline btn-xs">Cancelled</a>
      <div class="clearfix"></div>
    </div>
        <?php } else { ?>
<div class="vehicle_status"> <a href="#" class="btn outline btn-xs">Not Confirm yet</a>
      <div class="clearfix"></div>
    </div>
        <?php } ?>
   <div style="float: left"><b>Message:</b> <?php echo htmlentities($result->message);?>
</div>
       <?php }} ?>
      </div>
    </div>
   </div>
  </div>
 </div>
</section>
<!--/my-vehicles-->
<?php include('includes/footer.php');?>
<!-- Scripts -->
<script src="assets/js/jquery.min.js"></script>
<script src="assets/js/bootstrap.min.js"></script>
```

```
<script src="assets/js/interface.js"></script>
<!--Switcher-->
<script src="assets/switcher/js/switcher.js"></script>
<!--bootstrap-slider-JS-->
<script src="assets/js/bootstrap-slider.min.js"></script>
<!--Slider-JS-->
<script src="assets/js/slick.min.js"></script>
<script src="assets/js/slick.min.js"></script>
</body>
</html>
<?php } ?>
```

Code for my-testimonials.php

```
<?php
session_start();
error reporting(0);
include('includes/config.php');
if(strlen($_SESSION['login'])==0)
{
header('location:index.php');
}
else{
?>
<!DOCTYPE HTML>
<html lang="en">
<head>
<meta http-equiv="Content-Type" content="text/html; charset=utf-8">
<meta http-equiv="X-UA-Compatible" content="IE=edge">
<meta name="viewport" content="width=device-width,initial-scale=1">
<meta name="keywords" content="">
<meta name="description" content="">
<title>Car Rental Portal | My Testimonials </title>
<!--Bootstrap -->
k rel="stylesheet" href="assets/css/bootstrap.min.css" type="text/css">
<!--Custome Style -->
k rel="stylesheet" href="assets/css/style.css" type="text/css">
<!--OWL Carousel slider-->
```

```
<link rel="stylesheet" href="assets/css/owl.carousel.css" type="text/css">
<link rel="stylesheet" href="assets/css/owl.transitions.css" type="text/css">
<!--slick-slider -->
<link href="assets/css/slick.css" rel="stylesheet">
<!--bootstrap-slider -->
k href="assets/css/bootstrap-slider.min.css" rel="stylesheet">
<!--FontAwesome Font Style -->
<link href="assets/css/font-awesome.min.css" rel="stylesheet">
<!-- SWITCHER -->
                                                                 <link rel="stylesheet"</pre>
id="switcher-css" type="text/css" href="assets/switcher/css/switcher.css" media="all" />
                                                                 k rel="alternate"
stylesheet" type="text/css" href="assets/switcher/css/red.css" title="red" media="all" data-
default-color="true" />
                                                                 k rel="alternate"
stylesheet" type="text/css" href="assets/switcher/css/orange.css" title="orange" media="all"
/>
                                                                 k rel="alternate"
stylesheet" type="text/css" href="assets/switcher/css/blue.css" title="blue" media="all" />
                                                                 <link rel="alternate</pre>
stylesheet" type="text/css" href="assets/switcher/css/pink.css" title="pink" media="all" />
                                                                 <link rel="alternate</pre>
stylesheet" type="text/css" href="assets/switcher/css/green.css" title="green" media="all" />
                                                                 k rel="alternate"
stylesheet" type="text/css" href="assets/switcher/css/purple.css" title="purple" media="all" />
<!-- Fav and touch icons -->
k rel="apple-touch-icon-precomposed" sizes="144x144" href="assets/images/favicon-precomposed"
icon/apple-touch-icon-144-precomposed.png">
k rel="apple-touch-icon-precomposed" sizes="114x114" href="assets/images/favicon-
icon/apple-touch-icon-114-precomposed.html">
k rel="apple-touch-icon-precomposed" sizes="72x72" href="assets/images/favicon-
icon/apple-touch-icon-72-precomposed.png">
k rel="apple-touch-icon-precomposed" href="assets/images/favicon-icon/apple-touch-icon-
57-precomposed.png">
<link rel="shortcut icon" href="assets/images/favicon-icon/favicon.png">
<!-- Google-Font-->
```

```
<link href="https://fonts.googleapis.com/css?family=Lato:300,400,700,900" rel="stylesheet">
</head>
<body>
<?php include('includes/colorswitcher.php');?>
<!-- /Switcher -->
<!--Header-->
<?php include('includes/header.php');?>
<!--Page Header-->
<section class="page-header profile page">
 <div class="container">
  <div class="page-header wrap">
   <div class="page-heading">
    <h1>My Testimonials</h1>
   </div>
   <a href="#">Home</a>
    My Testimonials
   </div>
 </div>
 <!-- Dark Overlay-->
 <div class="dark-overlay"></div>
</section>
<!-- /Page Header-->
<?php
$useremail=$ SESSION['login'];
$sql = "SELECT * from tblusers where EmailId=:useremail";
$query = $dbh -> prepare($sql);
$query -> bindParam(':useremail',$useremail, PDO::PARAM STR);
$query->execute();
$results=$query->fetchAll(PDO::FETCH OBJ);
$cnt=1;
if($query->rowCount() > 0)
foreach($results as $result)
{ ?>
```

```
<section class="user profile inner pages">
 <div class="container">
  <div class="user profile info gray-bg padding 4x4 40">
   <div class="upload_user_logo"> <img src="assets/images/dealer-logo.jpg" alt="image">
   </div>
   <div class="dealer info">
    <h5><?php echo htmlentities($result->FullName);?></h5>
    <?php echo htmlentities($result->Address);?><br>
     <?php echo htmlentities($result->City);?>&nbsp;<?php echo htmlentities($result-
>Country); }}?>
   </div>
  </div>
 <div class="row">
   <div class="col-md-3 col-sm-3">
    <?php include('includes/sidebar.php');?>
   <div class="col-md-8 col-sm-8">
    <div class="profile wrap">
     <h5 class="uppercase underline">My Testimonials </h5>
     <div class="my vehicles list">
      <?php
$useremail=$ SESSION['login'];
$sql = "SELECT * from tbltestimonial where UserEmail=:useremail";
$query = $dbh -> prepare($sql);
$query -> bindParam(':useremail',$useremail, PDO::PARAM_STR);
$query->execute();
$results=$query->fetchAll(PDO::FETCH_OBJ);
if($cnt=$query->rowCount() > 0)
foreach($results as $result)
{ ?>
```

```
<div>
         <?php echo htmlentities($result->Testimonial);?> 
          <b>Posting Date:</b><?php echo htmlentities($result->PostingDate);?> 
        </div>
        <?php if($result->status==1){ ?>
         <div class="vehicle_status"> <a class="btn outline btn-xs active-btn">Active</a>
         <div class="clearfix"></div>
         </div>
         <?php } else {?>
        <div class="vehicle_status"> <a href="#" class="btn outline btn-xs">Waiting for
approval</a>
         <div class="clearfix"></div>
         </div>
         <?php } ?>
       <?php } } ?>
      </div>
    </div>
   </div>
  </div>
 </div>
</section>
<!--/my-vehicles-->
<<!--Footer -->
<?php include('includes/footer.php');?>
<!-- /Footer-->
<!--Back to top-->
<div id="back-top" class="back-top"> <a href="#top"><i class="fa fa-angle-up" aria-</pre>
hidden="true"></i> </a> </div>
```

```
<!-- Scripts -->
<script src="assets/js/jquery.min.js"></script>
<script src="assets/js/bootstrap.min.js"></script>
<script src="assets/js/interface.js"></script>
<!--Switcher-->
<script src="assets/switcher/js/switcher.js"></script>
<!--bootstrap-slider-JS-->
<script src="assets/js/bootstrap-slider.min.js"></script>
<!--Slider-JS-->
<script src="assets/js/slick.min.js"></script>
<script src="assets/js/slick.min.js"></script>
</body>
</html>
<?php } ?>
```

Code for page.php

```
<?php
session start();
error reporting(0);
include('includes/config.php');
?>
<!DOCTYPE HTML>
<html lang="en">
<head>
<meta http-equiv="Content-Type" content="text/html; charset=utf-8">
<meta http-equiv="X-UA-Compatible" content="IE=edge">
<meta name="viewport" content="width=device-width,initial-scale=1">
<meta name="keywords" content="">
<meta name="description" content="">
<title>Car Rental Portal | Page details</title>
<!--Bootstrap -->
<link rel="stylesheet" href="assets/css/bootstrap.min.css" type="text/css">
<!--Custome Style -->
k rel="stylesheet" href="assets/css/style.css" type="text/css">
<!--OWL Carousel slider-->
<link rel="stylesheet" href="assets/css/owl.carousel.css" type="text/css">
```

```
<link rel="stylesheet" href="assets/css/owl.transitions.css" type="text/css">
<!--slick-slider -->
<link href="assets/css/slick.css" rel="stylesheet">
<!--bootstrap-slider -->
k href="assets/css/bootstrap-slider.min.css" rel="stylesheet">
<!--FontAwesome Font Style -->
<link href="assets/css/font-awesome.min.css" rel="stylesheet">
<!-- SWITCHER -->
                                                              <link rel="stylesheet"</pre>
id="switcher-css" type="text/css" href="assets/switcher/css/switcher.css" media="all" />
                                                              <link rel="alternate</pre>
stylesheet" type="text/css" href="assets/switcher/css/red.css" title="red" media="all" data-
default-color="true" />
                                                              <link rel="alternate</pre>
stylesheet" type="text/css" href="assets/switcher/css/orange.css" title="orange" media="all"
/>
                                                               k rel="alternate"
stylesheet" type="text/css" href="assets/switcher/css/blue.css" title="blue" media="all" />
                                                              k rel="alternate"
stylesheet" type="text/css" href="assets/switcher/css/pink.css" title="pink" media="all" />
                                                              <link rel="alternate</pre>
stylesheet" type="text/css" href="assets/switcher/css/green.css" title="green" media="all" />
                                                              k rel="alternate"
stylesheet" type="text/css" href="assets/switcher/css/purple.css" title="purple" media="all" />
<!-- Fav and touch icons -->
k rel="apple-touch-icon-precomposed" sizes="144x144" href="assets/images/favicon-
icon/apple-touch-icon-144-precomposed.png">
k rel="apple-touch-icon-precomposed" sizes="114x114" href="assets/images/favicon-precomposed"
icon/apple-touch-icon-114-precomposed.html">
k rel="apple-touch-icon-precomposed" sizes="72x72" href="assets/images/favicon-
icon/apple-touch-icon-72-precomposed.png">
57-precomposed.png">
<link rel="shortcut icon" href="assets/images/favicon-icon/favicon.png">
<link href="https://fonts.googleapis.com/css?family=Lato:300,400,700,900" rel="stylesheet">
</head>
```

```
<body>
<!--Header-->
<?php include('includes/header.php');?>
           <?php
$pagetype=$ GET['type'];
$sql = "SELECT type,detail,PageName from tblpages where type=:pagetype";
$query = $dbh -> prepare($sql);
$query->bindParam(':pagetype',$pagetype,PDO::PARAM_STR);
$query->execute();
$results=$query->fetchAll(PDO::FETCH OBJ);
Scnt=1:
if($query->rowCount() > 0)
foreach($results as $result)
{ ?>
<section class="page-header aboutus" page">
 <div class="container">
 <div class="page-header wrap">
   <div class="page-heading">
    <h1><?php echo htmlentities($result->PageName); ?></h1>
   </div>
   <a href="#">Home</a>
    <!php echo htmlentities($result->PageName); ?>
   </div>
</div>
 <!-- Dark Overlay-->
<div class="dark-overlay"></div>
</section>
<section class="about us section-padding">
 <div class="container">
  <div class="section-header text-center">
```

<h2><?php echo htmlentities(\$result->PageName); ?></h2>

```
<?php echo $result->detail; ?> 
  </div>
 <?php } }?>
 </div>
</section>
<!-- /About-us-->
<<!--Footer -->
<?php include('includes/footer.php');?>
<!-- /Footer-->
<!--Back to top-->
<div id="back-top" class="back-top"> <a href="#top"><i class="fa fa-angle-up" aria-</pre>
hidden="true"></i> </a> </div>
<!--/Back to top-->
<!--Login-Form -->
<?php include('includes/login.php');?>
<!--/Login-Form -->
<!--Register-Form -->
<?php include('includes/registration.php');?>
<!--/Register-Form -->
<!--Forgot-password-Form -->
<?php include('includes/forgotpassword.php');?>
<!--/Forgot-password-Form -->
<!-- Scripts -->
<script src="assets/js/jquery.min.js"></script>
<script src="assets/js/bootstrap.min.js"></script>
<script src="assets/js/interface.js"></script>
<!--Switcher-->
```

```
<script src="assets/switcher/js/switcher.js"></script>
<!--bootstrap-slider-JS-->
<script src="assets/js/bootstrap-slider.min.js"></script>
<!--Slider-JS-->
<script src="assets/js/slick.min.js"></script>
<script src="assets/js/owl.carousel.min.js"></script>
</body>
<!-- Mirrored from themes.webmasterdriver.net/carforyou/demo/about-us.html by HTTrack
Website Copier/3.x [XR&CO'2014], Fri, 16 Jun 2017 07:26:12 GMT -->
</html>
```

Code for post-testimonials.php

```
<?php
session_start();
error reporting(0);
include('includes/config.php');
if(strlen($_SESSION['login'])==0)
{
header('location:index.php');
}
else{
if(isset($ POST['submit']))
{
$testimonoial=$ POST['testimonial'];
$email=$_SESSION['login'];
$sql="INSERT INTO tbltestimonial(UserEmail,Testimonial) VALUES(:email,:testimonoial)";
$query = $dbh->prepare($sql);
$query->bindParam(':testimonoial',$testimonoial,PDO::PARAM STR);
$query->bindParam(':email',$email,PDO::PARAM_STR);
$query->execute();
$lastInsertId = $dbh->lastInsertId();
if($lastInsertId)
$msg="Testimonail submitted successfully";
```

```
else
$error="Something went wrong. Please try again";
}
}
?>
 <!DOCTYPE HTML>
<html lang="en">
<head>
<meta http-equiv="Content-Type" content="text/html; charset=utf-8">
<meta http-equiv="X-UA-Compatible" content="IE=edge">
<meta name="viewport" content="width=device-width,initial-scale=1">
<meta name="keywords" content="">
<meta name="description" content="">
<title>Car Rental Portal | Post testimonial</title>
<!--Bootstrap -->
k rel="stylesheet" href="assets/css/bootstrap.min.css" type="text/css">
<!--Custome Style -->
<link rel="stylesheet" href="assets/css/style.css" type="text/css">
<!--OWL Carousel slider-->
<link rel="stylesheet" href="assets/css/owl.carousel.css" type="text/css">
<link rel="stylesheet" href="assets/css/owl.transitions.css" type="text/css">
<!--slick-slider -->
<link href="assets/css/slick.css" rel="stylesheet">
<!--bootstrap-slider -->
k href="assets/css/bootstrap-slider.min.css" rel="stylesheet">
<!--FontAwesome Font Style -->
k href="assets/css/font-awesome.min.css" rel="stylesheet">
<!-- SWITCHER -->
                                                                 <link rel="stylesheet"</pre>
id="switcher-css" type="text/css" href="assets/switcher/css/switcher.css" media="all" />
                                                                 <link rel="alternate</pre>
stylesheet" type="text/css" href="assets/switcher/css/red.css" title="red" media="all" data-
default-color="true" />
```

```
k rel="alternate"
stylesheet" type="text/css" href="assets/switcher/css/orange.css" title="orange" media="all"
/>
                                                                 <link rel="alternate</pre>
stylesheet" type="text/css" href="assets/switcher/css/blue.css" title="blue" media="all" />
                                                                 <link rel="alternate</pre>
stylesheet" type="text/css" href="assets/switcher/css/pink.css" title="pink" media="all" />
                                                                 <link rel="alternate</pre>
stylesheet" type="text/css" href="assets/switcher/css/green.css" title="green" media="all" />
                                                                 <link rel="alternate</pre>
stylesheet" type="text/css" href="assets/switcher/css/purple.css" title="purple" media="all" />
k rel="apple-touch-icon-precomposed" sizes="144x144" href="assets/images/favicon-
icon/apple-touch-icon-144-precomposed.png">
k rel="apple-touch-icon-precomposed" sizes="114x114" href="assets/images/favicon-
icon/apple-touch-icon-114-precomposed.html">
k rel="apple-touch-icon-precomposed" sizes="72x72" href="assets/images/favicon-
icon/apple-touch-icon-72-precomposed.png">
<link rel="apple-touch-icon-precomposed" href="assets/images/favicon-icon/apple-touch-icon-</pre>
57-precomposed.png">
<link rel="shortcut icon" href="assets/images/favicon-icon/favicon.png">
<link href="https://fonts.googleapis.com/css?family=Lato:300,400,700,900" rel="stylesheet">
<style>
  .errorWrap {
  padding: 10px;
  margin: 0 0 20px 0;
  background: #fff;
  border-left: 4px solid #dd3d36;
  -webkit-box-shadow: 0 1px 1px 0 rgba(0,0,0,.1);
  box-shadow: 0 1px 1px 0 rgba(0,0,0,.1);
}
.succWrap{
  padding: 10px;
  margin: 0 0 20px 0;
  background: #fff;
  border-left: 4px solid #5cb85c;
  -webkit-box-shadow: 0 1px 1px 0 rgba(0,0,0,.1);
  box-shadow: 0 1px 1px 0 rgba(0,0,0,.1);
```

```
</style>
</head>
<body>
<!-- Start Switcher -->
<?php include('includes/colorswitcher.php');?>
<!-- /Switcher -->
<!--Header-->
<?php include('includes/header.php');?>
<!-- /Header -->
<!--Page Header-->
<section class="page-header profile page">
 <div class="container">
 <div class="page-header wrap">
   <div class="page-heading">
    <h1>Post Testimonial</h1>
   </div>
   <a href="#">Home</a>
    Post Testimonial
   </div>
</div>
<!-- Dark Overlay-->
 <div class="dark-overlay"></div>
</section>
<!-- /Page Header-->
<?php
$useremail=$ SESSION['login'];
$sql = "SELECT * from tblusers where EmailId=:useremail";
$query = $dbh -> prepare($sql);
$query -> bindParam(':useremail',$useremail, PDO::PARAM_STR);
$query->execute();
$results=$query->fetchAll(PDO::FETCH_OBJ);
$cnt=1;
if($query->rowCount() > 0)
```

```
{
foreach($results as $result)
{ ?>
<section class="user_profile inner_pages">
 <div class="container">
  <div class="user_profile_info gray-bg padding_4x4_40">
   <div class="upload user logo"> <img src="assets/images/dealer-logo.jpg" alt="image">
   </div>
   <div class="dealer info">
    <h5><?php echo htmlentities($result->FullName);?></h5>
    <?php echo htmlentities($result->Address);?><br>
     <?php echo htmlentities($result->City);?>&nbsp;<?php echo htmlentities($result-
>Country); }}?>
   </div>
  </div>
  <div class="row">
   <div class="col-md-3 col-sm-3">
    <?php include('includes/sidebar.php');?>
   <div class="col-md-6 col-sm-8">
    <div class="profile wrap">
     <h5 class="uppercase underline">Post a Testimonial</h5>
      <?php if($error){?><div class="errorWrap"><strong>ERROR</strong>:<?php echo
htmlentities($error); ?> </div><?php }</pre>
    else if($msg){?><div class="succWrap"><strong>SUCCESS</strong>:<?php echo
htmlentities($msg); ?> </div><?php }?>
     <form method="post">
      <div class="form-group">
       <label class="control-label">Testimonail</label>
       <textarea class="form-control white bg" name="testimonial" rows="4"
required=""></textarea>
      </div>
      <div class="form-group">
```

```
<button type="submit" name="submit" class="btn">Save <span
class="angle_arrow"><i class="fa fa-angle-right" aria-hidden="true"></i></span></button>
      </div>
     </form>
    </div>
   </div>
  </div>
 </div>
</section>
<!--/Profile-setting-->
<<!--Footer -->
<?php include('includes/footer.php');?>
<!-- /Footer-->
<!--Back to top-->
<div id="back-top" class="back-top"> <a href="#top"><i class="fa fa-angle-up" aria-</pre>
hidden="true"></i> </a> </div>
<!--/Back to top-->
<!--Login-Form -->
<?php include('includes/login.php');?>
<!--/Login-Form -->
<!--Register-Form -->
<?php include('includes/registration.php');?>
<!--/Register-Form -->
<!--Forgot-password-Form -->
<?php include('includes/forgotpassword.php');?>
<!--/Forgot-password-Form -->
<!-- Scripts -->
<script src="assets/js/jquery.min.js"></script>
<script src="assets/js/bootstrap.min.js"></script>
<script src="assets/js/interface.js"></script>
<!--Switcher-->
```

```
<script src="assets/switcher/js/switcher.js"></script>
<!--bootstrap-slider-JS-->
<script src="assets/js/bootstrap-slider.min.js"></script>
<!--Slider-JS-->
<script src="assets/js/slick.min.js"></script>
<script src="assets/js/owl.carousel.min.js"></script>
</body>
</html>
<?php } ?>
```

Code for profile.php

```
<?php
session_start();
error_reporting(0);
include('includes/config.php');
if(strlen($ SESSION['login'])==0)
header('location:index.php');
}
else{
if(isset($ POST['updateprofile']))
$name=$ POST['fullname'];
$mobileno=$_POST['mobilenumber'];
$dob=$ POST['dob'];
$adress=$_POST['address'];
$city=$ POST['city'];
$country=$_POST['country'];
$email=$ SESSION['login'];
$sql="update tblusers set
FullName=:name,ContactNo=:mobileno,dob=:dob,Address=:adress,City=:city,Country=:country
where EmailId=:email";
$query = $dbh->prepare($sql);
$query->bindParam(':name',$name,PDO::PARAM STR);
$query->bindParam(':mobileno',$mobileno,PDO::PARAM STR);
$query->bindParam(':dob',$dob,PDO::PARAM STR);
$query->bindParam(':adress',$adress,PDO::PARAM STR);
```

```
$query->bindParam(':city',$city,PDO::PARAM STR);
$query->bindParam(':country',$country,PDO::PARAM STR);
$query->bindParam(':email',$email,PDO::PARAM STR);
$query->execute();
$msg="Profile Updated Successfully";
?>
 <!DOCTYPE HTML>
<html lang="en">
<head>
<meta http-equiv="Content-Type" content="text/html; charset=utf-8">
<meta http-equiv="X-UA-Compatible" content="IE=edge">
<meta name="viewport" content="width=device-width,initial-scale=1">
<meta name="keywords" content="">
<meta name="description" content="">
<title>Car Rental Portal | My Profile</title>
<!--Bootstrap -->
k rel="stylesheet" href="assets/css/bootstrap.min.css" type="text/css">
<!--Custome Style -->
k rel="stylesheet" href="assets/css/style.css" type="text/css">
<!--OWL Carousel slider-->
<link rel="stylesheet" href="assets/css/owl.carousel.css" type="text/css">
<link rel="stylesheet" href="assets/css/owl.transitions.css" type="text/css">
<!--slick-slider -->
<link href="assets/css/slick.css" rel="stylesheet">
<!--bootstrap-slider -->
<link href="assets/css/bootstrap-slider.min.css" rel="stylesheet">
<!--FontAwesome Font Style -->
k href="assets/css/font-awesome.min.css" rel="stylesheet">
<!-- SWITCHER -->
                                                                k rel="stylesheet"
id="switcher-css" type="text/css" href="assets/switcher/css/switcher.css" media="all" />
                                                                k rel="alternate"
stylesheet" type="text/css" href="assets/switcher/css/red.css" title="red" media="all" data-
default-color="true" />
```

```
k rel="alternate"
stylesheet" type="text/css" href="assets/switcher/css/orange.css" title="orange" media="all"
/>
                                                                 <link rel="alternate</pre>
stylesheet" type="text/css" href="assets/switcher/css/blue.css" title="blue" media="all" />
                                                                 <link rel="alternate</pre>
stylesheet" type="text/css" href="assets/switcher/css/pink.css" title="pink" media="all" />
                                                                 <link rel="alternate</pre>
stylesheet" type="text/css" href="assets/switcher/css/green.css" title="green" media="all" />
                                                                 <link rel="alternate</pre>
stylesheet" type="text/css" href="assets/switcher/css/purple.css" title="purple" media="all" />
k rel="apple-touch-icon-precomposed" sizes="144x144" href="assets/images/favicon-
icon/apple-touch-icon-144-precomposed.png">
k rel="apple-touch-icon-precomposed" sizes="114x114" href="assets/images/favicon-
icon/apple-touch-icon-114-precomposed.html">
k rel="apple-touch-icon-precomposed" sizes="72x72" href="assets/images/favicon-
icon/apple-touch-icon-72-precomposed.png">
<link rel="apple-touch-icon-precomposed" href="assets/images/favicon-icon/apple-touch-icon-</pre>
57-precomposed.png">
<link rel="shortcut icon" href="assets/images/favicon-icon/favicon.png">
<link href="https://fonts.googleapis.com/css?family=Lato:300,400,700,900" rel="stylesheet">
<style>
  .errorWrap {
  padding: 10px;
  margin: 0 0 20px 0;
  background: #fff;
  border-left: 4px solid #dd3d36;
  -webkit-box-shadow: 0 1px 1px 0 rgba(0,0,0,.1);
  box-shadow: 0 1px 1px 0 rgba(0,0,0,.1);
}
.succWrap{
  padding: 10px;
  margin: 0 0 20px 0;
  background: #fff;
  border-left: 4px solid #5cb85c;
  -webkit-box-shadow: 0 1px 1px 0 rgba(0,0,0,.1);
  box-shadow: 0 1px 1px 0 rgba(0,0,0,.1);
}
```

```
</style>
</head>
<body>
<!-- Start Switcher -->
<?php include('includes/colorswitcher.php');?>
<!-- /Switcher -->
<!--Header-->
<?php include('includes/header.php');?>
<!-- /Header -->
<!--Page Header-->
<section class="page-header profile page">
<div class="container">
 <div class="page-header wrap">
   <div class="page-heading">
    <h1>Your Profile</h1>
   </div>
   <a href="#">Home</a>
    Profile
   </div>
</div>
<!-- Dark Overlay-->
 <div class="dark-overlay"></div>
</section>
<!-- /Page Header-->
<?php
$useremail=$_SESSION['login'];
$sql = "SELECT * from tblusers where EmailId=:useremail";
$query = $dbh -> prepare($sql);
$query -> bindParam(':useremail',$useremail, PDO::PARAM_STR);
$query->execute();
$results=$query->fetchAll(PDO::FETCH_OBJ);
$cnt=1;
```

```
if($query->rowCount() > 0)
foreach($results as $result)
{ ?>
<section class="user profile inner pages">
 <div class="container">
  <div class="user profile_info gray-bg padding_4x4_40">
   <div class="upload_user_logo"> <img src="assets/images/dealer-logo.jpg" alt="image">
   </div>
   <div class="dealer info">
    <h5><?php echo htmlentities($result->FullName);?></h5>
    <?php echo htmlentities($result->Address);?><br>
     <?php echo htmlentities($result->City);?>&nbsp;<?php echo htmlentities($result-
>Country);?>
   </div>
  </div>
  <div class="row">
   <div class="col-md-3 col-sm-3">
    <?php include('includes/sidebar.php');?>
   <div class="col-md-6 col-sm-8">
    <div class="profile wrap">
     <h5 class="uppercase underline">Genral Settings</h5>
     <?php
    if($msg){?><div class="succWrap"><strong>SUCCESS</strong>:<?php echo
htmlentities($msg); ?> </div><?php }?>
     <form method="post">
     <div class="form-group">
       <label class="control-label">Reg Date -</label>
      <?php echo htmlentities($result->RegDate);?>
      </div>
      <?php if($result->UpdationDate!=""){?>
      <div class="form-group">
       <label class="control-label">Last Update at -</label>
      <?php echo htmlentities($result->UpdationDate);?>
      </div>
      <?php } ?>
```

```
<div class="form-group">
       <label class="control-label">Full Name</label>
       <input class="form-control white bg" name="fullname" value="<?php echo
htmlentities($result->FullName);?>" id="fullname" type="text" required>
      </div>
      <div class="form-group">
       <label class="control-label">Email Address</label>
       <input class="form-control white_bg" value="<?php echo htmlentities($result-
>EmailId);?>" name="emailid" id="email" type="email" required readonly>
      </div>
      <div class="form-group">
       <label class="control-label">Phone Number</label>
       <input class="form-control white bg" name="mobilenumber" value="<?php echo</pre>
htmlentities($result->ContactNo);?>" id="phone-number" type="text" required>
      </div>
      <div class="form-group">
       <label class="control-label">Date of Birth&nbsp;(dd/mm/yyyy)</label>
       <input class="form-control white bg" value="<?php echo htmlentities($result-
>dob);?>" name="dob" placeholder="dd/mm/yyyy" id="birth-date" type="text" >
      </div>
      <div class="form-group">
       <label class="control-label">Your Address</label>
       <textarea class="form-control white bg" name="address" rows="4" ><?php echo
htmlentities($result->Address);?></textarea>
      </div>
      <div class="form-group">
       <label class="control-label">Country</label>
       <input class="form-control white bg" id="country" name="country" value="<?php
echo htmlentities($result->City);?>" type="text">
      </div>
      <div class="form-group">
       <label class="control-label">City</label>
       <input class="form-control white bg" id="city" name="city" value="<?php echo
htmlentities($result->City);?>" type="text">
      </div>
      <?php }} ?>
      <div class="form-group">
```

```
<button type="submit" name="updateprofile" class="btn">Save Changes <span</pre>
class="angle_arrow"><i class="fa fa-angle-right" aria-hidden="true"></i></span></button>
      </div>
     </form>
    </div>
   </div>
  </div>
 </div>
</section>
<!--/Profile-setting-->
<<!--Footer -->
<?php include('includes/footer.php');?>
<!-- /Footer-->
<!--Back to top-->
<div id="back-top" class="back-top"> <a href="#top"><i class="fa fa-angle-up" aria-</pre>
hidden="true"></i> </a> </div>
<!--/Back to top-->
<!--Login-Form -->
<?php include('includes/login.php');?>
<!--/Login-Form -->
<!--Register-Form -->
<?php include('includes/registration.php');?>
<!--/Register-Form -->
<!--Forgot-password-Form -->
<?php include('includes/forgotpassword.php');?>
<!--/Forgot-password-Form -->
<!-- Scripts -->
<script src="assets/js/jquery.min.js"></script>
<script src="assets/js/bootstrap.min.js"></script>
<script src="assets/js/interface.js"></script>
<!--Switcher-->
```

```
<script src="assets/switcher/js/switcher.js"></script>
<!--bootstrap-slider-JS-->
<script src="assets/js/bootstrap-slider.min.js"></script>
<!--Slider-JS-->
<script src="assets/js/slick.min.js"></script>
<script src="assets/js/owl.carousel.min.js"></script>
</body>
</html>
<?php } ?>
```

Code for update-password.php

```
<?php
session start();
error_reporting(0);
include('includes/config.php');
if(strlen($_SESSION['login'])==0)
{
header('location:index.php');
}
else{
if(isset($_POST['update']))
$password=md5($ POST['password']);
$newpassword=md5($_POST['newpassword']);
$email=$_SESSION['login'];
 $sql ="SELECT Password FROM tblusers WHERE EmailId=:email and Password=:password";
$query= $dbh -> prepare($sql);
$query-> bindParam(':email', $email, PDO::PARAM STR);
$query-> bindParam(':password', $password, PDO::PARAM_STR);
$query-> execute();
$results = $query -> fetchAll(PDO::FETCH OBJ);
if($query -> rowCount() > 0)
$con="update tblusers set Password=:newpassword where EmailId=:email";
$chngpwd1 = $dbh->prepare($con);
$chngpwd1-> bindParam(':email', $email, PDO::PARAM STR);
```

```
$chngpwd1-> bindParam(':newpassword', $newpassword, PDO::PARAM STR);
$chngpwd1->execute();
$msg="Your Password succesfully changed";
else {
$error="Your current password is wrong";
}
?>
 <!DOCTYPE HTML>
<html lang="en">
<head>
<meta http-equiv="Content-Type" content="text/html; charset=utf-8">
<meta http-equiv="X-UA-Compatible" content="IE=edge">
<meta name="viewport" content="width=device-width,initial-scale=1">
<meta name="keywords" content="">
<meta name="description" content="">
<title>CarForYou - Responsive Car Dealer HTML5 Template</title>
<!--Bootstrap -->
<link rel="stylesheet" href="assets/css/bootstrap.min.css" type="text/css">
<!--Custome Style -->
k rel="stylesheet" href="assets/css/style.css" type="text/css">
<!--OWL Carousel slider-->
<link rel="stylesheet" href="assets/css/owl.carousel.css" type="text/css">
<link rel="stylesheet" href="assets/css/owl.transitions.css" type="text/css">
<!--slick-slider -->
<link href="assets/css/slick.css" rel="stylesheet">
<!--bootstrap-slider -->
k href="assets/css/bootstrap-slider.min.css" rel="stylesheet">
<!--FontAwesome Font Style -->
k href="assets/css/font-awesome.min.css" rel="stylesheet">
<!-- SWITCHER -->
                                                                <link rel="stylesheet"</pre>
id="switcher-css" type="text/css" href="assets/switcher/css/switcher.css" media="all" />
```

```
k rel="alternate"
stylesheet" type="text/css" href="assets/switcher/css/red.css" title="red" media="all" data-
default-color="true" />
                                                                      <link rel="alternate</pre>
stylesheet" type="text/css" href="assets/switcher/css/orange.css" title="orange" media="all"
/>
                                                                      k rel="alternate"
stylesheet" type="text/css" href="assets/switcher/css/blue.css" title="blue" media="all" />
                                                                      k rel="alternate"
stylesheet" type="text/css" href="assets/switcher/css/pink.css" title="pink" media="all" />
                                                                      <link rel="alternate</pre>
stylesheet" type="text/css" href="assets/switcher/css/green.css" title="green" media="all" />
                                                                      k rel="alternate"
stylesheet" type="text/css" href="assets/switcher/css/purple.css" title="purple" media="all" />
<!-- Fav and touch icons -->
k rel="apple-touch-icon-precomposed" sizes="144x144" href="assets/images/favicon-precomposed" sizes="144x144" href="assets/images/favicon-precomposed"
icon/apple-touch-icon-144-precomposed.png">
k rel="apple-touch-icon-precomposed" sizes="114x114" href="assets/images/favicon-precomposed" sizes="114x114" href="assets/images/favicon-precomposed"
icon/apple-touch-icon-114-precomposed.html">
<link rel="apple-touch-icon-precomposed" sizes="72x72" href="assets/images/favicon-</pre>
icon/apple-touch-icon-72-precomposed.png">
<link rel="apple-touch-icon-precomposed" href="assets/images/favicon-icon/apple-touch-icon-</pre>
57-precomposed.png">
<link rel="shortcut icon" href="assets/images/favicon-icon/favicon.png">
<!-- Google-Font-->
<link href="https://fonts.googleapis.com/css?family=Lato:300,400,700,900" rel="stylesheet">
<script type="text/javascript">
function valid()
if(document.chngpwd.newpassword.value!= document.chngpwd.confirmpassword.value)
alert("New Password and Confirm Password Field do not match !!");
document.chngpwd.confirmpassword.focus();
return false;
return true;
}
```

```
</script>
 <style>
  .errorWrap {
  padding: 10px;
  margin: 0 0 20px 0;
  background: #fff;
  border-left: 4px solid #dd3d36;
  -webkit-box-shadow: 0 1px 1px 0 rgba(0,0,0,.1);
  box-shadow: 0 1px 1px 0 rgba(0,0,0,.1);
}
.succWrap{
  padding: 10px;
  margin: 0 0 20px 0;
  background: #fff;
  border-left: 4px solid #5cb85c;
  -webkit-box-shadow: 0 1px 1px 0 rgba(0,0,0,.1);
  box-shadow: 0 1px 1px 0 rgba(0,0,0,.1);
}
  </style>
</head>
<body>
<!-- Start Switcher -->
<?php include('includes/colorswitcher.php');?>
<!-- /Switcher -->
<!--Header-->
<?php include('includes/header.php');?>
<!-- /Header -->
<!--Page Header-->
<section class="page-header profile page">
 <div class="container">
  <div class="page-header wrap">
   <div class="page-heading">
    <h1>Update Password</h1>
   </div>
   <a href="#">Home</a>
```

```
Update Password
   </div>
 </div>
 <!-- Dark Overlay-->
 <div class="dark-overlay"></div>
</section>
<!-- /Page Header-->
<?php
$useremail=$ SESSION['login'];
$sql = "SELECT * from tblusers where EmailId=:useremail";
$query = $dbh -> prepare($sql);
$query -> bindParam(':useremail',$useremail, PDO::PARAM STR);
$query->execute();
$results=$query->fetchAll(PDO::FETCH OBJ);
$cnt=1;
if($query->rowCount() > 0)
{
foreach($results as $result)
<section class="user profile inner pages">
 <div class="container">
  <div class="user profile info gray-bg padding 4x4 40">
   <div class="upload user logo"> <img src="assets/images/dealer-logo.jpg" alt="image">
   </div>
   <div class="dealer info">
    <h5><?php echo htmlentities($result->FullName);?></h5>
    <?php echo htmlentities($result->Address);?><br>
     <?php echo htmlentities($result->City);?>&nbsp;<?php echo htmlentities($result-
>Country);}}?>
   </div>
  </div>
  <div class="row">
   <div class="col-md-3 col-sm-3">
    <?php include('includes/sidebar.php');?>
   <div class="col-md-6 col-sm-8">
```

```
<div class="profile wrap">
<form name="chngpwd" method="post" onSubmit="return valid();">
      <div class="gray-bg field-title">
       <h6>Update password</h6>
      <?php if($error){?><div class="errorWrap"><strong>ERROR</strong>:<?php echo
htmlentities($error); ?> </div><?php }</pre>
    else if($msg){?><div class="succWrap"><strong>SUCCESS</strong>:<?php echo
htmlentities($msg); ?> </div><?php }?>
      <div class="form-group">
       <label class="control-label">Current Password</label>
       <input class="form-control white bg" id="password" name="password"
type="password" required>
      </div>
      <div cl
      <div class="form-group">
       <label class="control-label">Password</label>
       <input class="form-control white bg" id="newpassword" type="password"
name="newpassword" required>
      </div>
      <div class="form-group">
       <label class="control-label">Confirm Password</label>
       <input class="form-control white bg" id="confirmpassword" type="password"
name="confirmpassword" required>
      </div>
      <div class="form-group">
       <input type="submit" value="Update" name="update" id="submit" class="btn btn-
block">
      </div>
     </form>
    </div>
   </div>
  </div>
 </div>
</section>
<!--/Profile-setting-->
```

```
<<!--Footer -->
<?php include('includes/footer.php');?>
<!-- /Footer-->
<!--Back to top-->
<div id="back-top" class="back-top"> <a href="#top"><i class="fa fa-angle-up" aria-
hidden="true"></i> </a> </div>
<!--/Back to top-->
<!--Login-Form -->
<?php include('includes/login.php');?>
<!--/Login-Form -->
<!--Register-Form -->
<?php include('includes/registration.php');?>
<!--/Register-Form -->
<!--Forgot-password-Form -->
<?php include('includes/forgotpassword.php');?>
<!--/Forgot-password-Form -->
<!-- Scripts -->
<script src="assets/js/jquery.min.js"></script>
<script src="assets/js/bootstrap.min.js"></script>
<script src="assets/js/interface.js"></script>
<!--Switcher-->
<script src="assets/switcher/js/switcher.js"></script>
<!--bootstrap-slider-JS-->
<script src="assets/js/bootstrap-slider.min.js"></script>
<!--Slider-JS-->
<script src="assets/js/slick.min.js"></script>
<script src="assets/js/owl.carousel.min.js"></script>
</body>
</html>
<?php } ?>
```

Code for vehicle-details.php

```
<?php
session start();
include('includes/config.php');
error reporting(0);
if(isset($_POST['submit']))
$fromdate=$_POST['fromdate'];
$todate=$ POST['todate'];
$message=$_POST['message'];
$useremail=$ SESSION['login'];
$status=0;
$vhid=$ GET['vhid'];
$sql="INSERT INTO tblbooking(userEmail,VehicleId,FromDate,ToDate,message,Status)
VALUES(:useremail,:vhid,:fromdate,:todate,:message,:status)";
$query = $dbh->prepare($sql);
$query->bindParam(':useremail',$useremail,PDO::PARAM STR);
$query->bindParam(':vhid',$vhid,PDO::PARAM STR);
$query->bindParam(':fromdate',$fromdate,PDO::PARAM STR);
$query->bindParam(':todate',$todate,PDO::PARAM STR);
$query->bindParam(':message',$message,PDO::PARAM_STR);
$query->bindParam(':status',$status,PDO::PARAM STR);
$query->execute();
$lastInsertId = $dbh->lastInsertId();
if($lastInsertId)
{
echo "<script>alert('Booking successfull.');</script>";
else
{
echo "<script>alert('Something went wrong. Please try again');</script>";
}
}
?>
```

```
<!DOCTYPE HTML>
<html lang="en">
<head>
<meta http-equiv="Content-Type" content="text/html; charset=utf-8">
<meta http-equiv="X-UA-Compatible" content="IE=edge">
<meta name="viewport" content="width=device-width,initial-scale=1">
<meta name="keywords" content="">
<meta name="description" content="">
<title>Car Rental Port | Vehicle Details</title>
<!--Bootstrap -->
k rel="stylesheet" href="assets/css/bootstrap.min.css" type="text/css">
<!--Custome Style -->
k rel="stylesheet" href="assets/css/style.css" type="text/css">
<!--OWL Carousel slider-->
k rel="stylesheet" href="assets/css/owl.carousel.css" type="text/css">
<link rel="stylesheet" href="assets/css/owl.transitions.css" type="text/css">
<!--slick-slider -->
<link href="assets/css/slick.css" rel="stylesheet">
<!--bootstrap-slider -->
k href="assets/css/bootstrap-slider.min.css" rel="stylesheet">
<!--FontAwesome Font Style -->
k href="assets/css/font-awesome.min.css" rel="stylesheet">
<!-- SWITCHER -->
<link rel="stylesheet" id="switcher-css" type="text/css" href="assets/switcher/css/switcher.css"</pre>
media="all" />
< link rel="alternate stylesheet" type="text/css" href="assets/switcher/css/red.css" title="red"</pre>
media="all" data-default-color="true" />
title="orange" media="all" />
<link rel="alternate stylesheet" type="text/css" href="assets/switcher/css/blue.css" title="blue"</pre>
media="all" />
<link rel="alternate stylesheet" type="text/css" href="assets/switcher/css/pink.css" title="pink"</pre>
media="all" />
k rel="alternate stylesheet" type="text/css" href="assets/switcher/css/green.css"
title="green" media="all" />
k rel="alternate stylesheet" type="text/css" href="assets/switcher/css/purple.css"
title="purple" media="all" />
```

```
k rel="apple-touch-icon-precomposed" sizes="144x144" href="assets/images/favicon-
icon/apple-touch-icon-144-precomposed.png">
k rel="apple-touch-icon-precomposed" sizes="114x114" href="assets/images/favicon-
icon/apple-touch-icon-114-precomposed.html">
k rel="apple-touch-icon-precomposed" sizes="72x72" href="assets/images/favicon-
icon/apple-touch-icon-72-precomposed.png">
<link rel="apple-touch-icon-precomposed" href="assets/images/favicon-icon/apple-touch-icon-</pre>
57-precomposed.png">
<link rel="shortcut icon" href="assets/images/favicon-icon/favicon.png">
<link href="https://fonts.googleapis.com/css?family=Lato:300,400,700,900" rel="stylesheet">
</head>
<body>
<!--Header-->
<?php include('includes/header.php');?>
<!-- /Header -->
<!--Listing-Image-Slider-->
<?php
$vhid=intval($_GET['vhid']);
$sql = "SELECT tblvehicles.*,tblbrands.BrandName,tblbrands.id as bid from tblvehicles join
tblbrands on tblbrands.id=tblvehicles.VehiclesBrand where tblvehicles.id=:vhid";
$query = $dbh -> prepare($sql);
$query->bindParam(':vhid',$vhid, PDO::PARAM STR);
$query->execute();
$results=$query->fetchAll(PDO::FETCH OBJ);
$cnt=1;
if($query->rowCount() > 0)
foreach($results as $result)
{
$ SESSION['brndid']=$result->bid;
?>
<section id="listing img slider">
```

```
<div><img src="admin/img/vehicleimages/<?php echo htmlentities($result->Vimage1);?>"
class="img-responsive" alt="image" width="900" height="560"></div>
 <div><img src="admin/img/vehicleimages/<?php echo htmlentities($result->Vimage2);?>"
class="img-responsive" alt="image" width="900" height="560"></div>
 <div><img src="admin/img/vehicleimages/<?php echo htmlentities($result->Vimage3);?>"
class="img-responsive" alt="image" width="900" height="560"></div>
 <div><img src="admin/img/vehicleimages/<?php echo htmlentities($result->Vimage4);?>"
class="img-responsive" alt="image" width="900" height="560"></div>
 <?php if($result->Vimage5=="")
{
} else {
 ?>
 <div><img src="admin/img/vehicleimages/<?php echo htmlentities($result->Vimage5);?>"
class="img-responsive" alt="image" width="900" height="560"></div>
 <?php } ?>
</section>
<!--/Listing-Image-Slider-->
<!--Listing-detail-->
<section class="listing-detail">
 <div class="container">
  <div class="listing detail head row">
   <div class="col-md-9">
    <h2><?php echo htmlentities($result->BrandName);?>, <?php echo htmlentities($result-
>VehiclesTitle);?></h2>
   </div>
   <div class="col-md-3">
    <div class="price info">
     Rs.<?php echo htmlentities($result->PricePerDay);?> Per Day
    </div>
   </div>
  </div>
  <div class="row">
   <div class="col-md-9">
    <div class="main features">
```

```
<i class="fa fa-calendar" aria-hidden="true"></i>
      <h5><?php echo htmlentities($result->ModelYear);?></h5>
      Reg.Year
     <i class="fa fa-cogs" aria-hidden="true"></i>
      <h5><?php echo htmlentities($result->FuelType);?></h5>
      Fuel Type
     <i class="fa fa-user-plus" aria-hidden="true"></i>
      <h5><?php echo htmlentities($result->SeatingCapacity);?></h5>
      Seats
     </div>
   <div class="listing more info">
    <div class="listing detail wrap">
     <!-- Nav tabs -->
     role="presentation" class="active"><a href="#vehicle-overview" aria-</pre>
controls="vehicle-overview" role="tab" data-toggle="tab">Vehicle Overview </a>
      role="presentation"><a href="#accessories" aria-controls="accessories" role="tab"</pre>
data-toggle="tab">Accessories</a>
     <!-- Tab panes -->
     <div class="tab-content">
      <!-- vehicle-overview -->
      <div role="tabpanel" class="tab-pane active" id="vehicle-overview">
       <?php echo htmlentities($result->VehiclesOverview);?>
      </div>
```

```
<!-- Accessories -->
```

```
<div role="tabpanel" class="tab-pane" id="accessories">
       <!--Accessories-->
       <thead>
         Accessories
         </thead>
        Air Conditioner
<?php if($result->AirConditioner==1)
{
?>
         <i class="fa fa-check" aria-hidden="true"></i>
<?php } else { ?>
 <i class="fa fa-close" aria-hidden="true"></i>
 <?php } ?> 
AntiLock Braking System
<?php if($result->AntiLockBrakingSystem==1)
{
?>
<i class="fa fa-check" aria-hidden="true"></i>
<?php } else {?>
<i class="fa fa-close" aria-hidden="true"></i>
<?php } ?>
        Power Steering
<?php if($result->PowerSteering==1)
{
?>
<i class="fa fa-check" aria-hidden="true"></i>
<?php } else { ?>
<i class="fa fa-close" aria-hidden="true"></i>
```

```
<?php } ?>
Power Windows
<?php if($result->PowerWindows==1)
{
?>
<i class="fa fa-check" aria-hidden="true"></i>
<?php } else { ?>
<i class="fa fa-close" aria-hidden="true"></i>
<?php } ?>
CD Player
<?php if($result->CDPlayer==1)
{
?>
<i class="fa fa-check" aria-hidden="true"></i>
<?php } else { ?>
<i class="fa fa-close" aria-hidden="true"></i>
<?php } ?>
Leather Seats
<?php if($result->LeatherSeats==1)
{
?>
<i class="fa fa-check" aria-hidden="true"></i>
<?php } else { ?>
<i class="fa fa-close" aria-hidden="true"></i>
<?php } ?>
```

```
Central Locking
<?php if($result->CentralLocking==1)
{
?>
<i class="fa fa-check" aria-hidden="true"></i>
<?php } else { ?>
<i class="fa fa-close" aria-hidden="true"></i>
<?php } ?>
Power Door Locks
<?php if($result->PowerDoorLocks==1)
{
?>
<i class="fa fa-check" aria-hidden="true"></i>
<?php } else { ?>
<i class="fa fa-close" aria-hidden="true"></i>
<?php } ?>
         Brake Assist
<?php if($result->BrakeAssist==1)
{
?>
<i class="fa fa-check" aria-hidden="true"></i>
<?php } else { ?>
<i class="fa fa-close" aria-hidden="true"></i>
<?php } ?>
Driver Airbag
<?php if($result->DriverAirbag==1)
{
?>
```

```
<i class="fa fa-check" aria-hidden="true"></i>
<?php } else { ?>
<i class="fa fa-close" aria-hidden="true"></i>
<?php } ?>
Passenger Airbag
<?php if($result->PassengerAirbag==1)
{
?>
<i class="fa fa-check" aria-hidden="true"></i>
<?php } else {?>
<i class="fa fa-close" aria-hidden="true"></i>
<?php } ?>
Crash Sensor
<?php if($result->CrashSensor==1)
{
?>
<i class="fa fa-check" aria-hidden="true"></i>
<?php } else { ?>
<i class="fa fa-close" aria-hidden="true"></i>
<?php } ?>
</div>
     </div>
    </div>
   </div>
<?php }} ?>
  </div>
```

```
<!--Side-Bar-->
   <aside class="col-md-3">
    <div class="share vehicle">
     Share: <a href="#"><i class="fa fa-facebook-square" aria-hidden="true"></i></a> <a
href="#"><i class="fa fa-twitter-square" aria-hidden="true"></i></a> <a href="#"><i class="fa
fa-linkedin-square" aria-hidden="true"></i></a> <a href="#"><i class="fa fa-google-plus-
square" aria-hidden="true"></i></a> 
    </div>
    <div class="sidebar widget">
     <div class="widget heading">
      <h5><i class="fa fa-envelope" aria-hidden="true"></i>Book Now</h5>
     </div>
     <form method="post">
      <div class="form-group">
       <input type="text" class="form-control" name="fromdate" placeholder="From
Date(dd/mm/yyyy)" required>
      </div>
      <div class="form-group">
       <input type="text" class="form-control" name="todate" placeholder="To
Date(dd/mm/yyyy)" required>
      </div>
      <div class="form-group">
       <textarea rows="4" class="form-control" name="message" placeholder="Message"
required></textarea>
      </div>
     <?php if($ SESSION['login'])</pre>
       {?>
       <div class="form-group">
        <input type="submit" class="btn" name="submit" value="Book Now">
       </div>
       <?php } else { ?>
<a href="#loginform" class="btn btn-xs uppercase" data-toggle="modal" data-
dismiss="modal">Login For Book</a>
       <?php } ?>
     </form>
```

```
</div>
   </aside>
   <!--/Side-Bar-->
  </div>
  <div class="space-20"></div>
  <div class="divider"></div>
 </div>
</section>
<!--/Listing-detail-->
<!--Footer -->
<?php include('includes/footer.php');?>
<!-- /Footer-->
<!--Back to top-->
<div id="back-top" class="back-top"> <a href="#top"><i class="fa fa-angle-up" aria-
hidden="true"></i> </a> </div>
<!--/Back to top-->
<!--Login-Form -->
<?php include('includes/login.php');?>
<!--/Login-Form -->
<!--Register-Form -->
<?php include('includes/registration.php');?>
<!--/Register-Form -->
<!--Forgot-password-Form -->
<?php include('includes/forgotpassword.php');?>
<script src="assets/js/jquery.min.js"></script>
<script src="assets/js/bootstrap.min.js"></script>
<script src="assets/js/interface.js"></script>
```

```
<script src="assets/switcher/js/switcher.js"></script>
<script src="assets/js/bootstrap-slider.min.js"></script>
<script src="assets/js/slick.min.js"></script>
<script src="assets/js/owl.carousel.min.js"></script>
</body>
</html>
```

References and Bibliography

www.getbootstrap.com www.wikipedia.org www.w3schools.com www.stackoverflow.com www.youtube.com www.mysqltutorial.org