



Ad removed. [Details](#)

CSS Fonts

[< Previous](#)[Next >](#)

Choosing the right font for your website is important!

Font Selection is Important

Choosing the right font has a huge impact on how the readers experience a website.

The right font can create a strong identity for your brand.

Using a font that is easy to read is important. The font adds value to your text. It is also important to choose the correct color and text size for the font.

Generic Font Families

In CSS there are five generic font families:

1. **Serif** fonts have a small stroke at the edges of each letter. They create a sense of formality and elegance.
2. **Sans-serif** fonts have clean lines (no small strokes attached). They create a modern and minimalistic look.
3. **Monospace** fonts - here all the letters have the same fixed width. They create a mechanical look.
4. **Cursive** fonts imitate human handwriting.
5. **Fantasy** fonts are decorative/playful fonts.

Dark mode



Difference Between Serif and Sans-serif Fonts

Sans-serif

Serif

Serif
(red serifs)

Note: On computer screens, sans-serif fonts are considered easier to read than serif fonts.

Some Font Examples

Generic Font Family	Examples of Font Names
Serif	Times New Roman Georgia Garamond
Sans-serif	Arial Verdana Helvetica
Monospace	Courier New Lucida Console Monaco
Cursive	<i>Brush Script MT</i>

Fantasy

Copperplate

Papyrus

ADVERTISEMENT

Get the best trading
conditions on Deriv

No swaps on
selected pairs

The CSS font-family Property

In CSS, we use the **font-family** property to specify the font of a text.

Note: If the font name is more than one word, it must be in quotation marks, like: "Times New Roman".

Tip: The **font-family** property should hold several font names as a "fallback" system, to ensure maximum compatibility between browsers/operating systems. Start with the font you want, and end with a generic family (to let the browser pick a similar font in the generic family, if no other fonts are available). The font names should be separated with comma. Read more about fallback fonts in the [next chapter](#).

Example

Specify some different fonts for three paragraphs:

Dark mode



HTML

CSS



```
font-family: Times New Roman, Times, serif;
}

.p2 {
  font-family: Arial, Helvetica, sans-serif;
}

.p3 {
  font-family: "Lucida Console", "Courier New", monospace;
}
```

[Try it Yourself »](#)[< Previous](#)[Next >](#)

ADVERTISEMENT

Dark mode



HTML

CSS



Ad removed. [Details](#)



Launch Your Web Development
Career in Just 6 Months with
W3Schools Bootcamps

Learn fullstack development from expert
instructors. All for **\$2995**. Apply now!

[Learn more](#)

Dark mode



HTML

CSS



Get certified
by completing
a CSS
course today!



Get started

Start
DEVELOPING
Without Installations

Try Now



BACKEND
Support Included



ADVERTISEMENT

Dark mode

ADVERTISEMENT

ADVERTISEMENT

Dark mode





HTML

CSS

[Report Error](#)[Spaces](#)[Upgrade](#)[Newsletter](#)[Get Certified](#)

Top Tutorials

- [HTML Tutorial](#)
- [CSS Tutorial](#)
- [JavaScript Tutorial](#)
- [How To Tutorial](#)
- [SQL Tutorial](#)
- [Python Tutorial](#)
- [W3.CSS Tutorial](#)
- [Bootstrap Tutorial](#)
- [PHP Tutorial](#)
- [Java Tutorial](#)
- [C++ Tutorial](#)
- [jQuery Tutorial](#)

Top References

- [HTML Reference](#)
- [CSS Reference](#)
- [JavaScript Reference](#)
- [SQL Reference](#)
- [Python Reference](#)
- [W3.CSS Reference](#)
- [Bootstrap Reference](#)
- [PHP Reference](#)
- [HTML Colors](#)
- [Java Reference](#)
- [Angular Reference](#)
- [jQuery Reference](#)

Top Examples

- [HTML Examples](#)
- [CSS Examples](#)
- [JavaScript Examples](#)
- [How To Examples](#)

[Dark mode](#)

[HTML](#)[CSS](#)[W3.CSS Examples](#)[Bootstrap Examples](#)[PHP Examples](#)[Java Examples](#)[XML Examples](#)[jQuery Examples](#)

Get Certified

[HTML Certificate](#)[CSS Certificate](#)[JavaScript Certificate](#)[Front End Certificate](#)[SQL Certificate](#)[Python Certificate](#)[PHP Certificate](#)[jQuery Certificate](#)[Java Certificate](#)[C++ Certificate](#)[C# Certificate](#)[XML Certificate](#)[FORUM](#) | [ABOUT](#)

W3Schools is optimized for learning and training. Examples might be simplified to improve reading and learning. Tutorials, references, and examples are constantly reviewed to avoid errors, but we cannot warrant full correctness of all content. While using W3Schools, you agree to have read and accepted our terms of use, cookie and privacy policy.

Copyright 1999-2023 by Refsnes Data. All Rights Reserved.

W3Schools is Powered by W3.CSS.

