

## CSS Font Family List



Next »

so you need to use multiple fonts to be on safer

CSS font-family defines the priority for the browser to choose the font from multiple fonts.

There are 2 types of font families which you can use –

- **Specific Font-Family** – This is a specific type of font like Arial, Verdana, Tahoma
- **Generic Font-Family** – This is a General Font and almost all browsers support this generic font family. Example: serif, Sans-serif etc

Example of usage of font-family:

```
font-family: Verdana, Arial, Tahoma, Serif;
```

In this case, the main font is **Verdana** and if this is not available, your browser will use the fallback value. So the first fallback is **Arial**. If this font is also not supported by the browser and if this font is also not supported, then the browser will use the next font in the list.

It is important to not support few fonts as those fonts might not appear like normal.

	APPEARANCE
	Arial <b>Arial Black</b> Arial narrow Arial Rounded MT Bold
	Helvetica
Verdana	Verdana
Calibri	Calibri
Noto	Noto

	Lucida Sans
	Gill Sans
	Century Gothic
	Candara
	Futura
	<b>Franklin Gothic Medium</b>
	Trebuchet MS
Geneva	Geneva
Segoe UI	Segoe UI
Optima	Optima
Avanta Garde	Avanta Garde

Follow @tutorial\_brain

	APPEARANCE
	Times New Roman
	Big Caslon
	Bodoni MT
	Book Antiqua
	Bookman
	New Century Schoolbook
Calisto MT	Calisto MT
Cambria	Cambria
Didot	Didot
Garamond	Garamond

	Georgia
	Goudy Old Style
	Hoefler Text
	Lucida Bright
	Palatino
	Perpetua
	Rockwell
Rockwell Extra Bold	Rockwell Extra Bold
Baskerville	Baskerville

Follow @tutorial\_brain

MONOSPACE FONT FAMILY

FONT FAMILY	APPEARANCE
	Consolas
	Courier
	Courier New
	Lucida Console
	Lucidatypewriter
	Lucida Sans Typewriter
Monaco	Monaco
Andale Mono	Andale Mono

**CURSIVE FONT FAMILY**

FONT FAMILY	APPEARANCE
Comic Sans	Comic Sans

	Comic Sans MS
	Apple Chancery
	Zapf Chancery
	Bradley Hand
	<i>Brush Script MT</i>
	Brush Script Std
	Snell Roundhand
URW Chancery	URW Chancery
Coronet script	Coronet script
Florence	Florence
Parkavenue	Parkavenue

	APPEARANCE
	<b>Impact</b>
	Brushstroke
	Luminari
	Chalkduster
	Jazz LET
Blippo	Blippo
Stencil Std	Stencil Std
Marker Felt	Marker Felt
Trattatello	Trattatello



	Arnoldboecklin
	Oldtown
	Copperplate
	papyrus

ARANCE
MT Condensed Light
ni

Aharoni Bold	Aharoni Bold
Aldhabi	Aldhabi
AlternateGothic2 BT	AlternateGothic2 BT
Andale Mono	Andale Mono

	us
	ina New
	inaUPC
	jita
	Chancery
	c Typesetting
Arial Black	<b>Arial Black</b>
Arial narrow	Arial narrow
Arial Nova	Arial Nova
Arial Rounded MT Bold	Arial Rounded MT Bold

	Arnoldboecklin
	a Garde
	schrift
	schrift Light
	schrift SemiBold
	schrift SemiLight
	rville
Batang	Batang
BatangChe	BatangChe
Big Caslon	Big Caslon
BIZ UDGothic	BIZ UDGothic

RI7 UJMincho	RI7 UJMincho Medium
	ᵹ
	ni MT
	Antiqua
	Antiqua
	nan
	ey Hand
Browallia New	Browallia New
BrowalliaUPC	BrowalliaUPC
Brush Script MT	<i>Brush Script MT</i>
Brush Script Std	Brush Script Std

	Brushstroke
	i
	i Light
	o MT
	odian
	ria
	ria Math
	ra
Candara	
Century Gothic	Century Gothic
Chalkduster	Chalkduster
Cherokee	Cherokee

	Comic Sans
	Comic Sans MS
	Consolas
	Constantia
	Perplate
	PERPLATE GOTHIC LIGHT
	Perplate Gothic Bold
Corbel	Corbel
Cordia New	Cordia New
CordiaUPC	CordiaUPC
Coronetscript	Coronetscript

	Courier
	ier New
	Penh
	Xian
	i-SB
	iaUPC
DillenUPC	
DokChampa	DokChampa
Dotum	Dotum
DotumChe	DotumChe

	Fhrima
	igelo Edessa
	siaUPC
	emia
	long
	ice
	lin Gothic Medium
FrankRuehl	FrankRuehl
FreesiaUPC	FreesiaUPC
Futara	Futara
Gabriola	Gabriola



	<div>Gadugi</div> <div></div> <div>ond</div> <div></div> <div>mi</div> <div></div> <div>ra</div> <div></div> <div>gia</div> <div></div> <div>gia Pro</div> <div></div> <div>ans</div> <div></div> <div>ans Nova</div>
Gill Sans Nova	
Gisha	Gisha
Goudy Old Style	Goudy Old Style
Gulim	Gulim

	GulimChe
	궂
	궂Che
	궂
	궂 Text
	궂ens MDL2 Assets
	궂
Ink Free	궂, free
IrisUPC	IrisUPC
Iskoola Pota	Iskoola Pota
Japanese	Japanese

	JasmineUPC
	ese Text
	.ET
	ga
	ea
	r UI
KodcniangUPC	niangUPC
Kokila	Kokila
Korean	Korean
Lao	Lao

	Lao UI
	wadee
	wadee UI
	wadee UI Semilight
	im MT
	PC
Lucida Bright	Lucida Bright
Lucida Console	Lucida Console
Lucida Handwriting	Lucida Handwriting
Lucida Sans	Lucida Sans

Lucida Sans	Lucida Sans Typewriter
	la Sans Unicode
	atypewriter
	nari
	un Gothic
	in Gothic Semilight
	al
Marker Felt	Marker Felt
Marlett	M✕☾☐▲▲
Meiryo	Meiryo
Meiryo UI	Meiryo UI

	Microsoft Himalaya
	Microsoft JhengHei
	Microsoft JhengHei UI
	Microsoft New Tai Lue
	Microsoft PhagsPa
	Microsoft Sans Serif
	Microsoft Tai Le
Microsoft Uighur	Microsoft Uighur
Microsoft YaHei	Microsoft YaHei
Microsoft YaHei UI	Microsoft YaHei UI
Microsoft Yi Baiti	Microsoft Yi Baiti

	MingLiU
	LiU_HKSCS
	LiU_HKSCS-ExtB
	LiU-ExtB
	n
	co
	olian Baiti
MoolBoran	MoolBoran
MS Gothic	MS Gothic
MS Mincho	MS Mincho
MS PGothic	MS PGothic

	MS PMincho
	l Gothic
	<i>3oli</i>
	mar Text
	sim
	Haas Grotesk Text Pro
	Century Schoolbook
News Gothic MT	news Gothic MT
Nirmala UI	Nirmala UI
No automatic language associations	No automatic language associations



	Noto
	un
	wn
	la
	no
	no Linotype
papyrus	us
Parkavenue	Parkavenue
Perpetua	Perpetua
Plantagenet Cherokee	Plantagenet Cherokee

	PMingLiU
	well
	vell Extra Bold
	vell Nova
	vell Nova Cond
	vell Nova Extra Bold
Rod	KOU
Sakkal Majalla	Sakkal Majalla
Sanskrit Text	Sanskrit Text
Segoe MDL2 Assets	Segoe MDL2 Assets


	<i>Seape Print</i>
	<i>Script</i>
	UI
	UI Emoji
	UI Historic
	UI Symbol
	r Bangla
Snruti	
SimHei	SimHei
SimKai	SimKai
Simplified Arabic	Simplified Arabic

	<div>Simplified Chinese</div> <div></div> <div>n</div> <div>n-ExtB</div> <div></div> <div>Roundhan</div> <div></div> <div>l Std</div> <div></div> <div>n</div> <div></div> <div>Symbol</div> <div>... ολ</div>
Tahoma	Tahoma
Thai	Thai
Times New Roman	Times New Roman


	Traditional Arabic
	ional Chinese
	tello
	ichet MS
	↓
	igi Kyokasho
	igi KyoKasho NK-R
UD Digi Kyokasho NP-R	UD Digi KyoKasho NP-R
UD Digi KyoKasho N-R	UD Digi KyoKasho N-R
Urdu Typesetting	Urdu Typesetting
URW Chancery	URW Chancery

	Utsaah
	ana
	na Pro
	l
	ther by giving inline CSS or internal CSS to define
	a
	<pre>;"&gt;Font family is verdana&lt;/h1&gt; ;"&gt;Font family is verdana&lt;/h1&gt;</pre>
	ninster
<pre>Font family is verdana; } &lt;/style&gt;</pre>	
« Prev .....gs	⦿⌘■⌘⌘⌘⌘⌘⌘⦿
	Next »
Yu Gothic	Yu Gothic
Yu Gothic UI	Yu Gothic UI


		Yu Mincho
		Chancery




VINTAGE  
VERATILE SCRIPT



FA



STORY  
BRUSH



hot  
& M

START NOW

---

## CSS Tutorials

[CSS Home](#)

[CSS Syntax](#)

[Types of CSS](#)

[CSS Selectors](#)

[CSS Units](#)

---



CSS Colors

CSS Box Model

CSS Text

CSS Width

CSS Height

CSS Padding

CSS Borders

CSS Border Radius

CSS Border Image

CSS Margins

CSS Outline

CSS Links

CSS Box Sizing

CSS Fonts

CSS Font Family List

Web Safe Fonts

CSS Icons

CSS Position

CSS Float

CSS clear

CSS attribute selector

CSS Overflow

CSS align

# Privacy Policy

# Report an Error )

CSS Tables

CSS Opacity

CSS Pseudo Classes

CSS Pseudo Element

CSS Display

CSS Lists

CSS Navigation Bar

CSS dropdown menu

CSS Pagination

CSS Counters

CSS Forms

CSS Variables

## Advanced

CSS Web Fonts

CSS Tooltip

CSS Multiple Columns

CSS Gradients

CSS Backgrounds

CSS Transform

CSS Transition

CSS Animations

CSS Flex

CSS Flex - Child

CSS Media Queries

CSS Text Shadow

CSS Box Shadow

CSS Text Effects

CSS Buttons

CSS Cheat Sheet

## CSS Grids

Grid display CSS

Grid template

CSS Grid Rows, Columns & Area