



Name : Andela Basic	Lab ID : 658349
MRN : 348762-0	Sample No : 21090152634
DOB / Gender : 18-05-1999 / Female	Emirates ID :
Client Name : VITAL ZONE HOME HEALTH CARE CENTER	Reg Date : 01-09-2021 18:36:48
Passport NO : 12569350	Collection Date : 01-09-2021 15:00:00
Nationality : Serbia	Reporting Date : 01-09-2021 22:20:36

Molecular Biology

Test	Result	Reference Range	Methodology
COVID-19 by RT-PCR *	Not Detected (Negative)	Not Detected	Multiplex Real Time PCR
Sample Type: <i>Nasopharyngeal / Oropharyngeal Swab</i>			
Interpretation Notes :			
Result	Interpretation and Recommendations		
Detected	If the result is detected, that means the sample is positive for SARS-CoV-2/Covid-19		
Not Detected	If the result is not detected, that means the sample is negative for SARS-CoV-2/Covid-19.		
Presumptive Positive	Only one of the multiple genes is detected or a low viral load is possible. Request for repeat sample in 72-96 hours.		
The false-negative result with clinical symptoms may be caused by			
. Unsuitable collection, handling, and/or storage of samples.			
. Sample outside of the viremic phase.			
We recommend repeating testing on a fresh sample			
LIMITATION OF THE TEST			
. This assay has been validated for use with an oropharyngeal swab and nasopharyngeal swab samples only.			
. This assay only detects RdRp, N gene, and E gene.			
. This test cannot rule out diseases caused by other pathogens.			
This certificate has been issued electronically by Agiomix FZ-LLC. Any party that relies on the result of this certificate should first check its authenticity by scanning of the above QR code or by calling 800-GENOMICS. Agiomix is not responsible for any misuse of this certificate or its content			
For questions regarding this report please contact Agiomix Laboratory at		inquiries@agiomix.com	
يجب على أي طرف يعتمد على نتيجة هذه الشهادة التحقق أولاً من صحتها عن طريق مسح رمز الاستجابة السريعة أعلاه أو عن طريق الاتصال بـ (Agiomix FZ-LLC)		تم إصدار هذه الشهادة إلكترونياً بواسطة Agiomix (800-GENOMICS).	
ليست مسؤولة عن أي سوء استخدام لهذه الشهادة أو محتواها .			
End of Report			

Dr. Walid Dridi, MD. PhD
 Cellular & Molecular Biology/Lab
 director
 97456027-001

Dr. Dipal Bhukhanvala, MSc. PhD
 Molecular Microbiology/Associate
 Director, Lab
 00139368-002

